Popular Science Monthly Founded 1872

October 1930 25 cents



1,000 IN CASH PRIZES
See New Picture Contest Page 23



Boys! Enroll in

Fisher Body Craftsman's Guild

with

CADILLAC-LA SALLE DEALERS



EVERY READER of this magazine should study carefully the announcement of the formation of the

Fisher Body Craftsman's Guild, to be found on pages 10 and 11 of this issue of Popular Science Monthly.

This new movement is of such importance and value that the Cadillac Motor Car Company extends its congratulations to the youth of America in general and to the readers of Popular Science Monthly in particular, because of the rare opportunity the new Guild offers.

Here is a remarkable chance to test and develop your skill as a craftsman. Every boy joining the Guild will work along creative lines and will express his artistry and develop his craftsmanship in modeling Napoleonic coaches.

Membership in the Guild offers even greater

possibilities than the opportunity to develop individual craftsmanship. Important awards will be granted by the

Fisher Body Craftsman's Guild for the best work selected by the judges. These awards include four 4-year university scholarships worth \$5000 each, 96 valuable state awards, and many general awards for special proficiency. The winners will thus solve the problem of financing their college educations; and it is not too much to predict that many will also find the door wide open for a lifelong career.

Read the announcement carefully and then enroll as a member of the Fisher Body Craftsman's Guild with the Cadillac-La Salle dealer in your community. These men, representing cars that carry the highest expression of Fisher Body craftsmanship, will furnish you with all the details and extend to you a cordial welcome.

CADILLAC MOTOR CAR COMPANY

Division of General Motors

DETROIT, MICHIGAN , , OSHAWA, CANADA

Table of Contents for October, 1930

LEADING ARTICLES
American—Unknown to Fame—First Man on Record to Leave Earth on Wings By Robert E. Martin 19 The romantic story of the world's pioneer flyer
Now-Radiophoto Storm Charts Sent to Ships at Sea How wireless map transmission aids ocean liners
\$1,000 Cash Prizes This Month
Radio Now Walks, Rides, Flies By Michel Mok 26 How roving announcers work miracles to broadcast the news
Flying with a Test Pilot By Edwin W. Teale 28 Thrills in trying out brand-new planes
Machines Work Cup Defender
Odd Rules Hamper Our Cars Abroad
Monorail Aims at High Speed
We Have Found a Way to End Mississippi Floods By Brigadier General T. H. Jackson, U. S. A. 46 How "Old Man River" is being tamed at last
Build in Haste, Repent at Leisure
New Tubes Increase Battery Set's Power
Grease and Stay Clean, Says Gus By Martin Bunn 74 Lubrication pointers from the Model Garage man
FEATURES AND DEPARTMENTS
Cover Design By Herbert Paus
Financial Article
Popular Science Institute Page
Our Readers Say
Easy Ways to Do Familiar Household Jobs
Editorials
Helpful Hints for Radio Fans
The Home Workshop
Useful Hints for Car Machinists

AUTOMOBILES

New Auto Jack Has Great Power Car Cooks Your Dinner	37
	37
Charges Battery While You Sleep	37
Accelerator and Brake Combined	37
Cigarette Lighter Attached to	
Automobile Motor	37
Springs for Car Wheels	37
Automatic Whistle Warns Motor-	
ists	38
Crash Car into Wall in Tire Test	50
Bumper Works Electric Auto	
Brake	54
Motorists Can Now Get Their	
Change in Gas	55
"Belgian Roll" to Shake Car Apart	55
85-Mile-an-Hour Bus Streamlined	58

AVIATION

Odd Flying Machines Designed to	
Vary Usual Modes	53
Students Learn to Fly in Clipped	
Wing Plane	56
Springs Work 'Chute That Lowers	
Plane	56
Stunt Jumpers Ordered to Wear	
Two 'Chutes	56
Radio Beacon Guides Blind Flight	56
Biggest Airship Named Akron .	56
Mail Bag Unharmed by Fire .	57
Plans Ten-Mile Climb in Big	
Ball	57
Flying Boats Catch Poachers	57
Motorcycle Gives Glider Send-Off	63
Blimp Lands on Ship's Deck for	
Passenger	64

ENGINEERING

Boulder Dam, Biggest Yet, Now under Way	43
Apartment	43
Pacific Ocean Now Being Carried 92 Miles Inland	51
Tank to Guard Base of London Building	51

HEALTH AND HYGIENE

Autos, Lock	Ousting	Horse	es, I	Banish	38
Blame	New Tin	y Geri	n for	Creer	45
	rifier Rese	embles	Zep		50
Calorie to E	Counter	Tells	You	What	60

October, 1930, Vol. 117, No. 4. Popular Science Monthly is published monthly at 381 Pourth Avenue, New York, N. Y., by the Popular Science Publishing Co., Inc. Entered as second-class matter Dec. 28, 1918, at the Post Office at New York under the act of March 3, 1879; additional entry as second-class matter at Chicago, Illinois. Application for entry as second-class matter at Dayton. Ohio, is pending. Entered as second-class matter at the Post Office Department, Canada. Printed in U., S. A. Copyright, 1930, by the Popular Science Publishing Co., Inc. Single copy, 25 cents, Nine months' subscription, \$2, Yearly subscriptions to United States, its

possessions, and Canada, \$2.50; foreign countries, \$3. The contents of this magazine must not be reprinted without permission. The editors are not responsible for unsolicited contributions, and cannot guarantee the return of such material or insure against its loss. In presenting numerous stories of new products of applied science, Popular Science Monthly does not underwrite the business methods of the individuals or cancerns producing them. The use of Popular Science Monthly articles for stock-selling schemes is never authorized. O. B. Capen, President and Treasurer; R. C. Wilson, Vice-President; A. L. Cole, Vice-President and Secretary.

Popular Science Monthly for October, 1930

MODELS	Faucet Connection Easy with	Electric Shovel Grabs 15 Tons at One Bite in Iron Mining . 65
Model of Eiffel Tower Built for Radio Mast 50 Offer \$50,000 in Prizes for Model	PHOTOGRAPHY	Violet Light Is All Sea Gets 700 Feet Down 65
Makers	New Lens Cleaning Kit 58 New Process Shows Mites as Giants	FOR THE HOME OWNER
Model Planes 56 Air Thrillers Studied with Model at Home 57 Real Gas Engine Flies Plane 62	To Make Colored Movie of Fish 60 Mirror Gives Distance to Movie 61 Camera Copies Rare Books 61	Trap for Poisoning Red Ants 119 Homemade Candle for Emergency 121 Ways to Overcome Outside Paint-
Adding Figures to Our Model of a Queen's Sedan Chair	Making Old Eyeglasses Into Photo Frames 121 Taking Photos Before an Open	Cleaning Furniture and Leather 131 Turning Lever Valves
Model Making	Fireplace	CRAFTWORK
	RAILROADS	How to Turn Totem-Pole Can-
NATURE	Periscope for Trains	This Sewing Screen is a Gift to Please Any Woman 88 Copper Braid Decorates Lamp
Mile-High Skyscraper Would Equal Ant Hill	Glass Stops Sun's Heat	Stand of Pipe
"Extinet" Passenger Pigeon Seen 62	Revolving Seats Add to Railroad Comfort 58	Toy Table and Chairs 108 Imitating Wrought Iron Colonial
NEW PROCESSES	Mechanical Iceman Now Gives Ice to Dining Car 64	Hardware
AND INVENTIONS	Biggest Engine Frame in One	Made for Sixty Cents , 120
This Phonograph Also Shows	TANKET AT PACTO	IDEAS FOR THE
Mechanical Fish Cuts Mines Loose 32 Street Signs Lighted Both Day and Night	AND IDEAS	HANDY MAN
Hollow Concrete Piles	Old Ironsides, Refitted, Is Good as New	Driving Small Power Tools
All-Electric Typewriter Now Here 33 New Piano Player Can Be Car-	Big Rocket May Rise 13 Miles 32 Chinese River Moves Its Bed 90 Miles 33	An Ingenious Way to Use a Hack- Saw Blade
Machine Parts' Size Recorded Instantly	Radium in Lakes Makes Ontario's Fish Big	A Modernistic Handy Table 104
Blectric Eye Opens Automatic Door Razor Handle Holds Pencil to	Talkies to Review 61 Centuries of Figuring	Gluing Small Fancy Boxes 107 Fishhook Disgorger Keeps Line Tant
Cure Cuts	Can Now See Water Turn to Hot lee	X-Bars Keep Vise Jaws Parallel 112 Gluing Vencered Furniture 112
Closing Book Puts Marker in Place 38 Mirrors Cast Image on Screen be- hind Speaker	Fly Now Bred to Kill Peach Pest 39 "Mike" Shows Cricket Fine	Scaling Furniture Down to Suit
World Blown Up to Study Geog- raphy	Two Alone Build Stone Home . 43 Four-Foot Boat Hits 40-Mile Clip 43	Wiring Your Home Workshop . 116 Upholstered Radio Bench is Easy
Poison Gas Tank Kills Boll Weevil 44 New Harrow-Plow	Gas Smell New Saved	Tools Make Inlaying Easier 127 Bevel Guide for Small Circular Saw
Arrow on Bike Shows Turn 50 Transfer Slip Printed on Car 51	How the Staff of Life is Made 49 Tiny Auto Runs Itself When	Homemade Tool Turns Knobs . 129 Constructing a Magazine Holder . 130 Lock Joint on a Circular Saw . 132
Automatic Watchman Rings Alarm Bell	Sodium Lined Tubes May Carry Electric Current	Interest in Boat Building 133 Saw Filing Clamp of Wood 135
Fishing Speed	Glider-Kites Do Stunts While Held by String Babies Branded with Ultra-Violet	HINTS FOR THE
Russian Industry	Light	MECHANIC
Liquid Paper Helps Farmers 61 Tool Is Handle, Wrench, Hammer	Work with Big Rockets Is Again Under Way	Making Laps for Toolroom Work 94
All in One	Highest Thing on Sea Is Majes- tic's Mast Six Astrologers Fail to Meet	Film of Oil Corrects Grinding Errors
Thumb Tacks in Street	Simple Test 64 Giant Harrow 65 Feet Wide 64 ◆	How to Grind Holes of Small Diameter , 128

Retire in 15 years

on your Present living Budget

by investing in safe 61/2% First Mortgage Bonds

Follow the plan given in the new edition of this famous book, and win financial independence. The plan works just as surely whether you are now earning \$1,000 or \$100,000 a year.

The way is definite-each step plainly indicated and independent of luck, business genius or speculation.

Every fact has been harvested out of the 49 years' experience of Cochran & McCluer in the first mortgage investment banking business.

The plan is so simple any one can understand it-so practical and certain that anyone may follow it to success.

In addition to the Financial Independence Plan and the unique budget schedule, the book gives suggestions that enable you to enjoy more of the good things of life, both while building your independent fortune and after you have attained it.

We invite the most skeptical to read this plain, straightforward, interesting book. Phone, call or send coupon. We employ no salesmen, therefore none will call.

MAIL THIS FOR

Cochran & McCluer Co. PSM 10 46 N. Dearborn St., Chicago Please send me, without obligation, a copy of the new edition of your famous book, "How to Retire in 15 Years." (No salesmen will call.) Mail City State !

Established 1881 46 North Dearborn St., Chicago, Ill.

THREE PRACTICAL EDUCATORS!

The Real Estate Educator

The New Revised Edition, contains Questions and Answers; Brokers' License Law; Dictionary of Words and Phrases in Real Estate and Construction; How to Appraise Property; Law of Real Estate; How to Adver-tise Real Estate; Legal Forms; Commissions to Agents; "Don'ts" in Contracts, etc. 288 pages, Cloth, Postpaid etc. 00 \$2,00,

The Vest Pocket Cushing

Just cut, An A. B. C. Guide to Parlimentary Law based on the highest authorities and adapted to general use—containing model speeches and traists for all occasions, 128 pages, size 2% x 4% inches, leatherette. Price, \$1.00.

The Vest Pocket Book-keeper and Short Cuts in Figures

A simple and concise method of Practical Book-keeping with instructions for the correct keeping of books of account. How to take off a trial balance sheet and finally close and balance accounts, 160 pages, artistic leatherette, Price, postpaid, \$1.00

POPULAR SCIENCE MONTHLY 381 Fourth Ave., N. Y. C.

Eight Investments In One

How the Investment Trust Taps Eight Sources Of Profit for the Small or Large Investor

RAXTON checked the column of figures once more, picked up the report and walked into Morgan's office. Both men held responsible positions in The City Contracting Corporation, and were close friends, primarily by virtue of being neighbors at home.

Ralph Morgan was just finishing a telephone conversation as Braxton came into

the little office.

"Yes, Knowles. I received your literature, and from what I can make out the preferred stock does look like a good buy now. . . no I haven't, but you'll hear from me shortly. . . all right, good-bye."

"Well Ralph, what are you buying now?" "Oh, just thinking about buying some more Investment Trust preferred stocks,"

his friend replied.

"Investment Trust? Say, tell me about it, won't you? I've heard a lot about Investment Trusts lately. What do Investment Trusts offer that makes them attractive?"

"All right. I'll tell you. Generally speaking there are about six different types of investment trusts. The one I have in mind is known as 'The General Management Investment Trust.' Here tremendous importance is placed upon management, because this type of trust can change its holdings at will, An A-1 Management Trust will always reveal at its directing helm, men of proven ability, men whose records are absolutely unimpeachable. And while these men are responsible to a Board of Directors, consisting of financial leaders throughout the banking and industrial centers of the country, in their hands lies the power of buying and selling the securities which the Trust holds. The Management Type of Trust never holds more than a small proportion of any one company's securities. Its holdings, represent a wide diversity of securities, thereby maintaining a position that enables the Trust to quickly turn over certain securities and buy others when such a policy seems advisable. Also this type of Trust can invest its money in call loans, and never buys securities on margin or sells short. So much for the trust in question.

"Now for the next point—'Why is their stock attractive?' At present the preferred (no par) is selling at about \$40 a share-and since they pay a \$3.00 annual dividend, if you bought now, you would be getting 71/2% for your money. What's more, if this investment trust were to liquidate its holdings right now-each share of preferred stock would be worth close to \$60.00."

"How is that possible?" interrupted Braxton.

"Well, it wouldn't be possible in a

really normal market, where true values determined the stock prices. But now, due to conditions in general, and due to the fact that investment trust securities have not recovered their justified strength, undermined by the near panic in November-almost all of them are in the same peculiar situation of being available at prices below their liquidating values."

"That certainly sounds interesting, Ralph. But now tell me why investment trusts of the General Management Type can do more for the individual investor than he can for himself. According to modern business principles-the jobber is being displaced along many lines by 'direct-to-the-consumer' methods. There you have an elimination of one step that benefits the ultimate purchaser greatly. Evidently, though, this doesn't hold true for investment trusts."


"No, it doesn't" Morgan replied, "Here you have exactly the reverse condition. The individual buys Investment Trust Stock and thereby becomes a pro-rata share holder in the securities which that

Trust holds."

"But can't he buy those same stocks himself and save the intermediate cost?"

"He can, but there are factors designed to benefit him much more through purchasing investment trust securities,"

"I still don't see why," Braxton asked. "Well." Morgan began, and then changing his mind, opened a desk drawer and pulled out a piece of paper. "Here," he said, "is a chart showing eight specific ways which place an investment trust of this type in a position to make more money for the individual investor than he can for himself." Braxton read the chart very carefully. (Continued on page 6)



Duit Work at 55

THIS page tells how you can pro-following a simple financial program called the Retirement Income Plan.

You don't have to be wealthy to follow this plan. All you have to do is to make a deposit of a few dollars a month-the exact amount depending on your age.

Your retirement income begins at any age you say-55, 60, or 65. It can be any amount you wish-\$100 a month, \$200, \$300, or more.

This life income is assure and as safe as a government pension. It is unconditionally guaranteed to you by the Phoenix Mutual Company, a 79-yearold company with assets of over 135 million dollars.

Once you have provided an income for yourself under the Phoenix Mutual Retirement Income Plan, you may rely on that income completely and

Retirement Income Plan

Here is what a \$200 a month Retirement Income Plan will do for you:

It guarantees when you are 55 A Monthly Income for life of \$200, which assures a return of \$20,000 and perhaps more, depending on how long you live. Or if you prefer, a Cash Settlement of \$30,200.

It guarantees upon death from any cause before age 55 A Cash Payment to your beneficiary of \$20,000.

Or a Monthly Income for life.

It guarantees upon death from accidental means before age 55 A Cash Payment to your beneficiary of \$40,000. Or a Monthly Income for life.

It guarantees in event of permanent total disability before age 55 A Monthly Income of \$200. Plans for women or for retirement at age 60 or 65 are also available.

implicitly. Nothing canstopit.Nothingcan delay it. Nothing can take that income from you.

There are other benefits which may be included in this plan. A guaranteed income for your wife, in case anything happens to you. Money to send your children to college. Money for emergencies. Money to leave your home free of debt. Money for other needs.

Send for the facts

Perhaps the greatest advantage of the plan is this: The minute you pay your first deposit, your biggest money worries begin to disappear. Even if you were totally and permanently disabled the

next day, you would not need to worry about finances. Shortly thereafter, you would be paid a regular monthly income to live on. Your deposits would be paid by us out of a special reserve fund provided for that purpose. For completeness, for safety, for absolute freedom from money worries, there is nothing that can equal the Phoenix Mutual Retirement Income Plan.

Think of it-the thrill of it! The rockbound security of it! A guaranteed income you cannot outlive. What a load off your mind. What a weight off your shoulders. The sudden lifting of your biggest financial worries gives



A guaranteed income of \$200 a month for life

you a new lease on life-a new outlook-a new freedom you never experienced before.

An interesting 28-page book called "How to Get the Things You Want," explains how this plan works. Send

for your copy today. There is no cost. There is no obligation.



PHOENIX MUTUAL LIFE INSURANCE CO. 543 Elm St., Hartford, Conn. Send me by mail, without obligation, your new book, "How to Get the Things You Want."

Date of Birth Business

Home Address_

Capyright 1930. P.M.L.I.Co.



Home Office: Hartford, Conn.

First Policy issued 1851





Eight Investments in One

(Continued from page 4)

"That's all very pretty, Ralph, but I know no more about it now, than you know about sun worship among the Aztecs, assuming that you don't know anything about that."

"I don't, Charlie. Maybe the chart does need a little explaining. Let's see:

"Number One is Call Money—which as you know is money loaned by banks to brokerage houses for covering stock purchases. The interest charges may vary from under 1%, to over 20%. Since the minimum amount accepted by banks is usually \$100.000, there are few individuals who can put their money out on call. Certainly you can't."

"Guess not," smiled Braxton.

"Neither can I, or any average indi-vidual investor," continued Morgan. "Of course an investor might club together with a number of friends and raise that amount. But then they could not take advantage of another consideration. The call rate in New York may be 5% and in Tokio it may be 10% at the same time. The investor couldn't know that. Even if he did, he would have no way of putting his money on call in Tokio. Whereas the investment trust can tell its New York Bank to communicate with its Tokio Correspondents and have them place a lump sum on call in that city, thereby gaining a 5% difference in interest right there.

"That point is clear enough, but where does the trust get all this extra money to

play with?"

"Not all of their funds are in securities at any one time. There is always a cash reserve, some of which is used for just such a purpose as call loans, if it is advantageous to do so."

"All right Ralph, next is Arbitrage. What in the name of finance is that?"

"Arbitrage is the simultaneous buying and selling of securities in different markets-for the purpose of profiting by the difference in price that may be prevalent in such markets. In other words, suppose an investment trust learns that a certain stock can be sold for 60 on the Chicago Stock Exchange. Inquiry in New York reveals the fact that it can be bought on Wall Street for 58. Simultaneous orders for buying and selling will then reward the investment trust with a two point profit and an immediate turnover. I have been told that one investment trust made its entire year's dividend on just such a transaction, without in any way changing its investment position. The average investor is not in a position to do this. He cannot have the necessary facilities for operating on the different exchanges at the same time."

"Clear enough, Ralph. Proceed."

"Next is the question of underwriting. Practically every sound trust in the country today, with proper connections, can join underwriting syndicates who intend to finance new companies or new enterprises which offer proof of success, and subsequent profits for the underwriters. Again the lack of adequate funds stops the average investor, who ordinarily has

his hands full in securing enough money to subscribe to a small block of securities, let alone finance a whole issue!

"Number Five is Wholesale Purchasing. Here the Investment Trust through the influential connection of its Management and Board of Directors is in a position to realize immediate profits by buying from banking houses new issues, such as standard bonds, etc.—if they so desire—at wholesale prices. In many instances, investment trusts are approached before the issue is open to the public, and if they do buy, the transaction involved often raises the price of the issue when it is released to the general market."

"That seems reasonable. Now, next is

Selective Purchasing."

"That is simply the close, thorough and expert examination of hundreds of securities both here and abroad, for the purpose of selecting the most attractive values obtainable. Obviously, the individual is once more handicapped by lack of knowledge and funds—whereas the investment trust under efficient management can call upon its complete staff of statisticians and economists for an analysis of any contemplated purchase—and, of course, act accordingly.

"Number Six is Broad Diversification of Risk. If you have \$5,000 to invest, you'd be doing well by spreading that money over a dozen different securities. But if you put that amount or any sum, for that matter, into Investment Trust Securities you will hold pro-rata, as I do, a certain share of each of the 200 or more diversified investments, both domestic and foreign, which make up the holdings of this trust. Is that clear?"

"Rather, what next?"

"Senior Money—by which is meant the funds obtained by the trust through the sales of its own bonds. On these they pay around 5 or 6%. According to the statement of a leading industrial banker, well managed, soundly organized Investment Trusts should have no difficulty under normal conditions in earning from 10 to 15% on that money, Naturally the holder of trust securities shares in the profits, obtained by the difference in these two sets of interest rates. The Investment Trust can do this—the individual investor can not.

"Last is the matter of Intelligent International Diversification. It is generally acknowledged today that the wise investor should hold some international securities. In every financial center of the world, in Hamburg, Berlin, Stockholm, Brussels, London and Paris, issues of exceptionally attractive values are constantly being offered. But how is the individual to determine the good from the bad, how is he to act upon this judgment? He cannot. For, again he is hampered by lack of information and sometimes, resources. Yet, by purchasing Investment Trust Securities he becomes a part holder in the finest international issues available. The well managed trust, through its banking connections all over the world has access to the most reliable (Continued on page 7)

Eight Investments In One

(Continued from page 6)

sources of information, and through its strong financial position, can take advantage of a good buy when it appears.

"Well, Charlie, that's the story as I understand it. A good Investment Trust, in any case, can always do as well as the individual investor. Under normal circumstances, I have shown you eight ways in which a General Management Trust can make more money for the individual than he can for himself.'

"What you say certainly sounds convincing, Ralph. When I have money to invest I'll certainly keep in mind what you've told me."

Note: The telephone conversation between Morgan and his broker took place on July 24th. At that time all soundly organized investment trusts offered exceptionally fine values. Not having yet recovered from the successive crashes in November, 1929, and June of this year, they were still selling below their liquidating values. Of course it is impossible to forecast the future position they will hold with respect to the rest of the market-but it does appear safe to say that when this article appears, investment trusts will still be offering opportunities worth careful consideration.

To Help You Get Ahead

THE Booklet listed below will help every family in laying out a financial plan. They will be sent on request.

Your Income and Your Life Insurance is the name of a brief booklet scientifically answering the question "How much life insurance does a man really need?" Provident Mutual Life Insurance Company of Philadelphia, Pennsylvania, will mail a complimentary copy upon request.

The House Behind the Bonds reminds the investor of the importance, not only of studying the investment, but of checking up the banker who offers it. Address: Fidelity Bond & Mortgage Co., 1188 New York Life Build-

ing, Chicago, Ill.

How to Get the Things You Want how you can use insurance as an active part of your program for getting ahead financially. Phoenix Mutual Life Insurance Company, 328 Elm Street, Hartford, Conn., will send you this booklet on request.


Enjoy Money shows how the regular investment of comparatively small sums under the Investors Syndicate plan, with annual com-pounding of 5½% interest, builds a permanent income producing estate, a financial reserve for a business, or a fund for university education or foreign travel. Write for this booklet to Investors Syndicate, Investors Syndicate Building, Minneapolis, Minnesota. How to Retire in Fifteen Years is the story of a safe, sure and definite method of establishing an estate and building an independent income which will support you the rest of your life on the basis of your present living budget. Write for the booklet to Cochran &

Chicago, Ill. See How Easy It Is tells how it is possible to start off with a definite plan for creating an immediate estate leading to future financial security. Get your copy of this booklet by writing to Postal Life Insurance Company, 511

McCluer Company, 46 North Dearborn St.,

Fifth Avenue, New York City.

Open Your SEARS Catalog to the-



LOWEST PRICES 10 YEARS

The World's Largest Store is ready to serve you, at the lowest prices in ten years. Not alone the lowest prices we have quoted in ten years, but the lowest prices offered by any reputable organization.

You will be thinking more and more of thrift this Fall. And when you do, reach for your Sears catalog to find the lowest prices for whatever you want to buy.

Leadership in Style, Too!

While our buyers were securing these

alert to the new style influences in wearing apparel and in home furnishings.

The wanted styles this Fall are all prominently displayed in our new catalog. No matter what you need, we have it for you, of guaranteed quality, at a lower price.

Send the Coupon

If you have not received your copy of this 1100-page new "Thrift Book of a Nation," send for it today. It is free of course. It quotes lowest prices on 46,000 articles for the family, the low prices for you, they were also home, the shop, the auto and the farm.

hicago, Philadelphia, Boston, Minneapolis, Kansa Itlanta, Memphis, Dallas, Los Angeles, Seattle. (Mail Coupon to Store Nearest You)	s City,
end me your Latest General Catalog.	64P29
James .	

SEARS, ROEBUCK AND CO.

(Please give both Route and Box Number if on a Rural Route)

Street Address.....

Send Now for Your Copy

INDEX Guaranteed Advertisements

Automobiles and Accessories	Miscellaneous	Schools	
Page	Pa	ge Pa	ge
Cadillac Motor Car Co	Crescent Tool Co., The	45 Bogue, Benjamin N	51 45 44 41 48 49
Aviation	Musical Instruments	Finlay Engineering College	51 49 51 47
American School of Aviation	Conn. Ltd., C. G	La Salle Extension University 143.1	45
Books	Patent Attorneys	McCarrie School of Mech. Dentistry ! National Electrical School ! New York Electrical School The !	41 49 45 46
Encyclopaedia Britannica	Dieterich, Albert 1- Greene, W. T 1-	42 Niagara School of Music. 1 42 Northwestern Sch. of Taxidermy 1 42 Patterson School 1	46 45 44 40
Building Materials	Lacey & Lacey !- Lancaster & Alwine !- McCathran, Irving L !-	42 Perfect Voice Institute 42 RCA Institutes, Inc. 1 42 Standard Business Training Inst. 1	41 39 49
Masonite Corporation	Randolph & Company	U. S. School of Music	47 47 47 44
Business Opportunities	Popular Science	Smoking Materials	
Bonded Shirt Co	GUARANTEE ©	Brown & Williamson Tobacco Corp I Chesterfield Cigarettes	ver
Crowell Publishing Co., The	POPULAR SCIENCE MONTHLY guarantees every article of merchandise adver-	Sporting Goods and Toys	
Kwikway Products Co. 147 Kwikway Products Co. 151 Metallic Letter Co. 151 Newcomer Associates 141 Red-D-Ply Co., The 136 Northwestern Fur. Co. 146 Public Service Mills 146	tised in its columns. Readers who buy products advertised in POPULAR SCIENCE MONTHLY may expect them to give absolute satisfaction	Gym Junior Company Harley-Davidson Motor Co. Paramount Mfg. Co.	49 34 34 23 51 29
Pacific Coast Products Co	under normal and proper use. Tools, Radio Apparatus, Oil Burners and Refrigerators ad-	Things to Make	
General American Radiator Co	vertised in Popular Science Monthly have been tested or investigated by the Popular	Ideal Aeroplane & Supply Co., Inc	34
Minneapolis-Honeywell Regulator Co	Science Institute of Standards and each advertisement carries the insignia indicating ap- proval.	Tools and Shop Equipment	,,
Hardware Supplies	However, other products advertised in the magazine not subject to test carry the	Boice, W. B. & J. E	36 87 27 93
Creo-Dipt Company, Inc. 122-136 Johnson & Son, S. C. 133 Kester Solder Co. 134 Le Page's Glue 117 Plastic Wood 130 Savogran Company 124 Smooth-On Mfg. Co. 120 Whiting Adams Company 103	same guarantee to readers as products tested. THE PUBLISHERS	Delta Mfg. Co. Farrand, Inc., Hirman A. Gerstner & Sons, H. Gilson Slide Rule Co. Goodell-Pratt Co. Greenfield Tap & Die Corp.	13 127 136 136 136 104 133
Industrial Equipment	Radio Apparatus	Maydole Hammer Co., The Russell I Maydole Hammer Co., The David I Nicholson File Co	124 121 96 107
American Screw Co	Crosley Radio Corp., The Midwest Radio Corp	97 Simonds Saw & Steel Co	110 105 129 100 131 132 127
Investments	Autostrop Safety Razor Co	Typewriters, Writing Material Etc.	s,
Cochran & McCluer Co	Lambert Pharmacal Co	09 Esterbrook Pen Co	108

t's amazing what you get

- *35,000,000 words (equals 500 books)
- *15,000 illustrations
- **★500** maps—a complete atlas
- *3,500 expert contributors

Completely

ENCYCLOPAEDIA BRITANNICA NEW

at the lowest price in 60 years

ERE beyond question is your money's worth, and more, actually the most profitable investment you could make. That fact, and that fact alone, explains the tremendous success of the new Encyclopaedia Britannica. It explains why 50,000 families have already purchased this greatest knowledge book of all times.

The value is really amazing. Just consider what the new Britannica gives you! Twenty-four thousand pages of text, fifteen thousand illustrations, hundreds of maps-all in 24 compact volumes. Five hundred books would not give as much, and they would cost you many times more.

Greatest Knowledge Book

Here is all the knowledge of all the world—the most complete, authentic and up-to-date summary of all man's achievements anywhere in existence.

Better still, this is knowledge you can rely upon, because it is written throughout by authorities-by 3,500 experts from fifty countries.

"It is the best evidence of the great prestige of this encyclopaedia," says Carl Van Doren, "that its editors have been able to include among their contributors so many of the busiest as well as the most expert men and women now or recently alive. The list is overwhelming."

Fascinating—Practical

"HIS "new model" encyclopaedia brings you illustrations on an unprecedented scale-15,000 of them. Gorgeous color plates, superb half-tones, skilful line drawings enable you to see as well as

Merely to browse in this new Britannica is an adventure. You can spend


fascinated hours poring over the illustrations alone. But you can consult it for profit too. "It has more practical value than had any preceding work intended to present a summary of human learning," says the president of Northwestern University, Dr. Walter Dill Scott.

For All The Family

MEN eager to get ahead find it a real aid to greater earning power. Women use it as a guide in all the activities of the home and in their outside interests. Children revel in it. "It satisfies the needs of curious readers, whether eight or eighty years old," says James Harvey

Your children especially will benefit by having all knowledge at hand and easy to look up as it is in this "new model" encyclopaedia. It will make their school work easier, more interesting and

more profitable. It will teach them to use their minds, think accurately and reason keenly. It is the one book they will never outgrow.



New Low Price—\$5 Down

And it is not expensive. This new Britannica represents a triumph in lower encyclopaedia prices. You can buy it today at a new low price—a price lower, in fact, than that of any completely new Britannica in 60 years. Under our timepayment plan, an initial deposit of only \$5 brings the 24 volumes to your home.

56-PAGE FREE BOOKLET Brought to you by your postman

Act no trated b ous spec etc., an Before y see exac

coupon mail to

-	_
ow! Send for our free illus- ooklet. It contains numer-	1
cimen maps, color plates,	
d gives full information.	A CAN
ou spend a dollar you can	N. O. J. W.
tly what you get for your	W. 14
Just	W 1/2
the O	
and	A
day.	#L
120 120 120	6.1

RAY LYMAN WILBUR says:

"There is a rare pleasure in consulting these volumes. I cannot help but feel that the editors of the fourteenth edition have rendered a real service to all English-speaking peoples." -Ray Lyman Wilbur, Secretary of the Interior

SEND FOR THIS FREE BOOKLET TODA

NCYCL	OPAEDIA	BRITANN	HICA		3 P.S.MB1
342	Madison	Avenue,	New	York	City

WITHOUT OBLIGATION-

Please send me, by return mail, your 56-page illustrated booklet with color plates and maps from the new Britannica, together with low price offer, etc.

Name	 	 	

Opportunity for Boys in the United States University Scholarships . . . Industrial Recognition . . . National, State and General Awards valued at \$50,000

FISHER BODY CRAFTSMAN'S

Open to Boys 12 to 19 inclusive. No Entrance Fees or Dues

Boys! In founding the Fisher **Body Craftsman's Guild, Fisher Body** Corporation opens to boys in the United States literally a new world of opportunity. ¶ For those who demonstrate surpassing skill for fine craftsmanship, a series of valuable awards is planned to open the doors to higher education in your choice of the leading colleges and universities in the land—to industrial recognition—and to other benefits and honors. ¶ To many a boy, membership in this Guild thus will mean the deciding influence in life—an education, a career, and the rewards that come with success. ¶ The Fisher Body Craftsman's Guild is established to advance and honor the art of fine craftsmanship. The memorable spirit of the old crafts guilds, where every artisan, designer, and artist engaged in friendly rivalry to outdo his fellows in the perfection of his handiwork is likewise the guiding spirit of this modern Guild. ¶ To encourage this rivalry along practical and constructive lines, the Fisher Body Craftsman's Guild has decided on a means of demonstrating and judging the craftsmanship of modern youth.

AWARDS VALUED AT \$50,000

Four Grand National Awards

Two 4-year University scholarships, valued at \$5,000 each, are established in the name of the Guild, and will be the grand national awards for the two winning Guild members in the Senior group.

Winners in the Senior group may choose their colleges and courses of study as soon as the awards are made.

Two 4-year University scholarships, valued at \$5,000 each, are established in the name of the Guild, and will be the grand national awards for the two winning Guild members in the Junior group.

Winning members in the Junior group will have their scholarships held in trust for them, by the Guild, until graduation, or otherwise ready to enter college.

96 State Awards—48 Senior Awards and 48 Junior Awards

which include a trip to Detroit as guests of the Fisher Body Craftsman's Guild.

Many other General Awards

These awards will be made on the basis of excellence in various phases of craftsmanship, such as decorating, upholstery, metal work, wood work, etc.



W. A. FISHER
President
Fisher Body Corporation
President of the Guild



D. C. BEARD National Boy Scout Commissioner Honorary President of The Gulid



THOMAS S. BAKER President Carnegle Institute of Technology



HONORARY BOARD OF JUDGES

P. R. KOLBE President The Polytechnic Institute of Brooklyn



S. W. STRATTON President Massachusetts Institute of Technology

GUILD



W. F. DURAND Professor Emeritus Mechanical Engineering Stanford University



R. L. SACKETT Dean of Engineering Pennsylvania State College



Rev T. A. STEINER, C.S.C. Dean College of Engineering University of Notre Dame



M. L. BRITTAIN
President
Georgia Institute
of Technology



D. S. KIMBALL Dean College of Engineering Cornell University



M. E. COOLEY ENG. D. Dean Emeritus, College of Engineering and Architecture University of Michigan



E. A. HITCHCOCK

Dean

College of Engineering
The Ohio State University



GEO. J. DAVIS, JR. Dean College of Engineering University of Alabama



R. A. MILLIKAN Chairman Executive Council California Institute of Technology

A COACH MODELING CONTEST is announced

The entrants in this contest will compete for awards on the basis of their craftsmanship in fashioning a model of the Napoleonic coaches.

A jury of able, learned and impartial educators will pass on the models submitted, and present the awards. This honorary Board of Judges will be headed by Daniel Carter Beard, America's loved National Boy Scout Commissioner, as Honorary President of the Guild.

Every boy in the United States between the ages of 12 to 19 inclusive, is welcomed into the Guild and the Coach Modeling Competition.

Enroll now with any GENERAL MOTORS DEALER

Every boy in either the Junior Group (12 to 15 inclusive) or the Senior Group (16 to 19 inclusive) has only to go to a General Motors Dealer in his community and enroll in order to be eligible to the Competition and all awards offered in his class or locality.

Dealers in Cadillac-La Salle, Buick, Oldsmobile, Oakland-Pontiae, and Chevrolet cars are all General Motors Dealers. There is one in your community. The General Motors Dealer will welcome you, give you complete information about the Guild, and enroll you. When your enrollment is registered by the Guild, you will receive the official emblem of the Fisher Body Craftsman's Guild, certificate of membership, and full particulars about the Coach Modeling Competition, with complete working drawings of the model you are to reproduce.

Enroll today with any General Motors Dealer in your Community. They will welcome you.

Watch future issues of this magazine for further comment and news of the Guild.

FISHER BODY CRAFTSMAN'S GUILD


Sponsored by FISHER BODY CORPORATION, DETROIT Division of General Motors

Where the New 1931 Sets Differ

Refinements Are Available This Season in Both High and Moderate Priced Radio Receivers-Cabinets Better

By F. G. PRYOR Secretary, Popular Science Institute

RADIC



HERE have been no principal circuit changes in radio receiving sets for the new season; the improvements are all in refinements.

Radio receivers for 1931 are slightly more selective and the selectivity is more nearly uniform than in last year's sets. In this particular feature, however, there is still some room for improvement.

The sensitivity of the new sets, or their ability to bring in distance reception, is more even and uniform than previously. The old sets frequently were sensitive over one section of the dial, but on the longer wave lengths the sensitivity usually dropped considerably. The new receivers, on the other hand, have a more even sensitivity over the entire wave band.

Now, more than ever before, there is no need of waiting for perfection. The fidelity of reproduction made available this year-and this is the feature that ninety percent of the radio buyers consider most important-has not exceeded the high degree of perfection attained last year. In fact, sets now are so faithful in their reproduction that manufacturers have had to put on a "tone control" to make them sound better to the average human ear which is not able to appreciate or care for a reproduction too nearly perfect. These tone controls, which are being used in more than fifty percent of the new sets, permit the user with an untrained ear to distort the tone quality to the point where it sounds best to him.

IN addition to these tone controls, there are many other accessories to be found on a number of the new receivers. Automatic volume control, a feature by which volume may be adjusted once and will remain constant or practically constant all the time, is found not only on many of the higher priced sets but also on a good many of those more moderately priced. Remote control is another feature that will be afforded by a number of sets, usually as an optional accessory.

the Popular Science Institute to refuse approval to several radio sets two years ago and to quite a few last season, appears to be satisfactorily handled this year by various methods, a process called "preselection" being most frequently used to take care of this.

A thing that will prove striking to the public is that, before the season is out, the super-heterodyne type of set will be available from several manufacturers, whereas previously such sets were to be had from only one large company.

Also, by the time the season gets under

Cross-modulation, a defect that caused

INSTITUTE BULLETINS

Refrigeration for the Home* House Heating and Ventilating*

Insulation in Building Construction*

List of Approved Tools

List of Approved Radio Equipment

List of Approved Oil Burners Advice on Installing Oil Heat

*Starred bulletins 25 cents

way, there are a number of manufacturers who will put out some extremely compact receivers. These small receivers are designed to fill a special need rather than replace the average set. In putting such sets on the market, manufacturers expect that their sale will be in households where it is desirable to have a second radio set in another part of the house to supplement the regular family receiver installed in the living room. These small sets are not up to the larger and more expensive ones in efficiency, of course, but they provide satisfactory reception and many people will want them installed upstairs,

in the kitchen, or in some other part of the house where the regular set is not audible.

As a general thing, there has been no attempt to cut down the size of the radio receivers made for ordinary purposes. Better cabinets are used today, there being a definite improvement in this respect. Cabinets seem to be one extreme or the other this year, the majority being made along very plain lines, though a few are a

trifle ornate in appearance.

N the whole, the radio receiving sets today are sturdier, need less servicing, and represent better value than ever before. While the average price level will remain the same as in the middle of last season (about \$140), the buyer with only a small amount to spend can get a set this year that will suit normal requirements, while others, with more to invest, will get greater returns for their money than was possible any season previous to this. Never before would an investment in a radio receiving set bring so much as it will at the present time.

POPULAR SCIENCE INSTITUTE has tested many of the new sets and will gladly supply readers with a list of those found up to 1931 standards of efficiency and value. The Institute's tests are made in its well equipped laboratory at New York University, and the performance of the various sets is carefully measured. For the approved radio list, address Popular Science Institute, 381 Fourth Ave.,

New York, N. Y.



Modern engineers have discovered that with Masonite Presdwood forms they are producing concrete of maximum density, uniformity and strength—concrete so perfect, so glass-smooth, that hand finishing is practically eliminated.

In addition to these advantages, Masonite Presdwood's amazing durability permits the boards to be used over and over again. They are easily and quickly erected, easily torn down and easily moved. Handling costs are low, there is no waste in cutting, and breakage is reduced to a minimum.

The American Bell Telephone Company and Montgomery Ward & Company are two of the many great industrial institutions that have repeatedly specified Presdwood for concrete construction.

In factories and in homes, under punch press, drill or saw, and in the hands of home mechanics, this remarkable grainless wood is daily demonstrating its strength and versatility. It takes any finish beautifully, is highly resistive to moisture, and will not warp, split or crack.

The FREE Presdwood booklet lists eighty of its many uses. Write for your copy today.

MASONITE CORPORATION, 111 West Washington St., Chicago, Ill.

Masonite STRUCTURAL INSULATION - INSULATING LATH PRES DWOOD - QUARTEBOARD

Montgomery Ward & Co., Retail Store, Denser, Colorado. Presdwood used for lining forms (Rocky Mountain Photo Co.) Cincinnati Bell Telephone Bldg. 140,000 sq. ft. 348 Presdwood used for lining concrete forms.

Ohio Bell Tel. Co., Dayton, Ohio, Interior showing slob, beam and column construction. Presdscood used to line all forms,

Masonite Structural Insulation conserves heat—saves fuel

Chilling dampness and bitter cold are barred from homes or commercial buildings where Masonite Structural Insulation is built into roof and walls. The companion product, Masonite Insulating Lath, provides crack-resistant plastered walls and prevents unsightly lath marks. Masonite also makes homes more quiet, more salable, more economical to heat. Check the coupon and get the interesting Masonite booklet.

Send for Free Booklet

Mail the coupon today. It will bring you the interesting story of Presdwood.

Masonite Corporation 111 W. Washington	
Please send your free scribes Masonite Presd	illustrated booklet that de- lwood and its many uses.
Name	
Street	
City	Statesenite Insulation, check here

Our Readers Same System Babe Ruth Uses

I READ Alex J. Morrison's golf article in the September issue. That may be the way to do it—for Alex J. Morrison who seems, from his pictures, to be about the

same length and heft as a fly rod. Me, I'm five foot eight, and tip the beam at 216 bathside. If I stood erect I couldn't see the ball. If I transferred my weight from hip to hip—well, it can't be done,



what I mean. Sorry, but I guess I'll just go along busting the ball on the nose.—
T. L. C., Philadelphia, Pa.

In Other Words Can Nothing Lift Something?

This talk about the upper surface of an airplane wing producing most of the lift is just nonsense. It is a pretty theory and popular among flying instructors, but no professor of physics, after a scientific analysis, can give it credence. It is true that a partial vacuum is produced on the upper surface of a moving airplane wing, but strange as it may seem, this partial vacuum is still a pressure, since only a pure vacuum exerts no pressure whatsoever. Even then it could lift nothing because all the vacuum in the world could not lift a feather if there were no counteracting air pressure. The only place this counteracting pressure can do its work is beneath the wing, exerting its force upward. Since a partial vacuum is a pressure (10 lb. per sq. in. air pressure is a partial vacuum), it therefore cannot exert a lift on the upper surface.—M. J. K., Chicago, Ill.

"Phoney" Age Problem Stumps Him

THE NUMEROUS problems in the reader's column never interested me until the "phoney" one of L. D. L. last month. His problem as stated has two variables

to satisfy one condition and therefore the boy's age is entirely dependent upon the age of his brother. The brother's age is not given and so the problem is ambiguous. I don't feel so brilliant, though, because of the hint



POPULAR SCIENCE gave me in the heading for the article, "Use your wits instead of your pencil." W. R. may be interested to know that his thirty-two-inch umbrella will not quite fit the suitcase without being folded up or gouging a hole in the suitcase.—F. W. P., Park Ridge, Ill.

Fair-Minded but Likes Home Workshop

I CANNOT agree with W. L. L., Kynesville, Fla., when he asks you to publish more on aviation and less on building furniture. If I were justified in asking you to publish more Home Workshop, I should certainly do so, but I realize that if you favor any one department, the others obviously would have to be slighted. However, I have been unable to find magazines dealing exclusively with home workshop projects, so perhaps my request would be a little more worthy of consideration than that of W. L. L., were I to make it. However, the only request I shall make is, please do not favor or slight any department and keep your magazine as interesting to all as it is now. —E. L. H., Owosso, Mich.

Aviation Leaves Him Cold

IT PLEASES me to learn "W. L. L." is getting so much kick out of your articles on aviation. By all means continue to print them, for something of value to aviation will result. Although I am writing for myself, I think I express the feeling

of many situated as I am when I say that inasmuch as aviation is beyond my reach, as pilot, owner, or builder, I would be wasting time acquiring knowledge I will never have the opportunity to use. Evidently "W. L. L."



does not realize there are many who find as much pleasure gaining knowledge of furniture making as he does from reading about aviation. But beyond the acquisition of knowledge, we, who read about furniture making, do build what we read about.—W. L., Baton Rouge, La.

Is Life Too Easy? Most Don't Find It So

THE PAGES of your September issue raise a startling question in my mind. Don't you think that life is being made altogether too easy for mankind? I notice a new device that, on the turn of a key raises a car on jacks; another where the mere weight of an auto opens and closes garage doors; a switch turns the radio off for you; an automatic camera takes your picture and you don't even have to pose. See what I mean? Everything is being done for everybody. Give us pre-digested food, and an automatic razor that shaves

while you sleep, and man will be taken care of as completely as a new born babe. Is all this good for us? I wish you'd tell me.—S. A. G., Hartford, Conn.

Not Enough of Clark's Models

I THINK JUST as J. W. W., Jr. of Albany, N. Y., does about everything except magic. I don't give a hoot about

that. Nevertheless I give a great big hoot about all sorts of model airplanes. I have built every model that Donald Clark has published and I especially like the "Lockheed Sirius." I was glad to see the plans for the



DO-X in the July issue. I should think you should have two of Donald Clark's models in every issue.—R. B. W., Lowell, Mass.

Applied Chemistry Strenuously Demanded

R. H. B. OF PHILADELPHIA is right; chemistry plays its part, and a very important part. If it were not for chemistry, Popular Science Monthly would not be able to print in its pages the wonderful achievements in aviation and radio. What does chemistry with its test tubes and crucibles have to do with an airplane? It is up to Popular Science Monthly to print a few articles on applied chemistry.—J. D. F.. Carlisle. Pa.

Models His Hobby and He Calls for More

I HAVE BEEN a reader of your magazine for about two years, and during that time I have formed a hobby of building ship models, which Captain McCann made possible. So far I have finished the Spanish galleon, pirate galley, and Viking ship,


8-inch Baltimore clipper, and Santa Maria. The latest one, the half-model of a barque. I have just finished. All were made through your magazine and blueprints. Although it is a big order. I would like to suggest that



Captain McCann give us the following ship models to make: Admiral Farragut's Hartford, steam and sail; a modern destroyer working model (if possible with working engine); an early American

A man's best friend AFTER SHAVING LISTERINE

ends rawness, soothes and



statement:

Listerine is great after shaving - your best friend in fact.

Here are a few of the reasons why it is welcomed by literally tens of thousands of men for whom it has made shaving pleasant:

1. Listerine is a natural healing agent. Physicians know it, and hospital records prove it. Applied full strength, it readily heals and soothes tissue inflamed by lather or razor, or both. Almost instantly Listerine gets rid of that unpleasant burning sensation, that irritating rawness which so often follows a shave.

Listerine is cooling. The skin feels

wonderfully cool and relaxed after you apply Listerine. This remarkable cooling sensation is due to certain essential oils contained in this safe antiseptic.

3. Listerine protects. When you douse on Listerine full strength, you know that you are aiding nature and combating infection. Applied to an open cut, wound, or abrasion, Listerine

SAFE THEANTISEPTIC

kills germs almost immediately. Even such stubborn disease-producers as the Staphylococcus Aureus (pus) and Bacillus Typhosus (typhoid) germs in counts ranging to 200,000,000 are killed by it in 15 seconds. (Fastest killing time accurately recorded by science.)

It perks you up!

So welcome and so noticeable is the invigorating and cooling effect of Listerine on the face, that many men employ it as a facial pick-me-up. Immediately before a business or social engagement, it gives you the appearance of being alert, fresh and keen.

Look what's happened here! 50¢ quality Listerine Shaving Cream now 25¢

Kills 200,000,000 Germs in 15 Seconds

sloop; and a whaling bark. I am now making the fishing schooner *Bluenose* as a show model, but intend to make a five- or six-foot model to sail in Central Park lake.—C. B., New York City.

Bus Drivers Just Aren't Like That

I HAVE JUST finished reading the article in the July issue about the bus lines of this country. At this moment I am wondering where the author received or inherited an imagination that enabled him to paint such an enviable Utopia as that depicted

in his article, wherein amiable bus drivers slow their schedules during inclement weather and, in order to conform to a more or less hazy tradition, stop to render service to becalmed motorists. In my several years of driving I



have yet to see a bus driver go slow during bad weather, or, in fact, in any weather. More than a few times I have witnessed the common case of a bus driver passing a car that was already traveling at the limit decreed by the law. Not, of course, that all bus drivers do such things, and, probably, many of them do keep within the speed limit, but it is my opinion that in a magazine article averages should always be given, not extremes. As to the statement that drivers will stop to give aid to motorists-well. I, personally, have never heard of one who did such a thing and I am inclined to believe that a considerable majority of the motorists of the country will agree.—A. C., Erie, Pa.


Want Plans for Express Cruiser Model?


IN Our Readers Say for July, O. M. S. wishes to construct a model of a modern express cruiser, preferably the sixty-five-foot cruiser built by the G. L. B. B. Corporation of Chicago. The writer would like to see Popular Science Monthly publish plans for the building of such a model.—J. W. F., Oakland, Calif.


Magic Squares Are Made to Order

The puzzle of A. H., Brooklyn, N.Y., is solved by making two magic squares, one with numbers 1 to 9, the other with numbers 10 to 18.

4, 9, 2, 13, 18, 11 3, 5, 7, 12, 14, 16







figures which any one can understand, and which will hold good for larger squares, is to make a diamond of squares as in the lower part of illustration, writing in the numbers 1 to 9. Then transfer to blank squares within the central one the numbers 1, 3, 9, 7, to the inner square farthest opposite.—A. L. S., Mildred, Pa.

Just for the Sake of Being Really Accurate

P. L. OF NEWARK, in his explanation of R. W. H.'s gravity question, should be a little more explicit and perhaps a little more nearly correct. A body falling into the earth's atmosphere approaches the earth at an acceleration depending on its distance from the earth. It continues to fall with increasing speed as it approaches the earth until the air resistance overcomes its falling momentum. It then does not descend at a constant rate of speed but continues to fall at a speed which is a function of varying influences, the most important of which are increasing air force as atmospheric pressure increases. increasing gravitational forces as it nears the earth, and increasing resistance as the body expands by frictional heat. —G. A. W., Springfield, Mass.

All Right, Then, We'll Keep It Going

Were you to discontinue publishing Our Readers Say, I know of one reader you would lose. I read these pages before I do any other in your magazine. Yours for more Our Readers Say.—L. W., Lafayette, La,

Did You Guess They Were Twins?

IN THE JULY number of POPULAR SCIENCE MONTHLY appears this problem: A boy being asked his age replied: "I am

now three times older than my brother's age nine years ago." How old is the boy? I find that the boy is thirteen and a half. His brother being four and a half nine years ago is also now thirteen and a half. The boys, of course, are twins.



Does the author of the problem agree with me?—L. E. A., Ridgeway, Pa.

Can You Say as Much for Your Boys?

Having charge of the manual training of forty-six boys of all ages. I am taking advantage of this opportunity to tell you that we have constructed nearly everything that has been printed in your magazine for the past five years.—W. E. M., Cleveland, Ohio.

H. H.'s Monorail Hits the Bumps

I MAY BE a little late, but I feel that I must answer H. H., of Mattoon. Ill., who, in the May issue, said that in his opinion airplanes never would be a safe means of transportation and illustrated his point by describing a monorail train and its dangers. He seems to forget the common rules of science in his explanation. I might go into a lengthy discussion and tell him how an airplane can keep its balance without its motor running and how it can glide to a safe landing with a dead engine, but instead I'll prove to him the possibility of his monorail being safe. He could build

an auxiliary track every few miles, so if the power failed, the train's momentum would carry it to the next track. He might think this expensive but don't let him forget that emergency landing fields cost very little. He also said. "Keep your eye on the lighter than air ships." But in case of an accident, the passengers in an airship have neither wings nor rails.—L. S., Parks Airport, East St. Louis, Ill.

Every Little Worm Has a Turning All Its Own

THESE PEOPLE who knock the aviation articles in Popular Science Monthly give me a stiff neck. Can't they get it into

their heads that flying is here to stay? Some folks act as though it were just a temporary fad instead of a solidly built branch of industry. Oh, I know there are a lot of air minded birds who talk as though everyone who flies is a gay and daring butterfly and those who don't are just



poor worms. That's all wrong, too. I fly, but I don't think that makes me giddy and superior; it's just all in a day's work. I like to read stuff on flying, but I'm willing to give the other gink a break. Let 'em have their Workshop and models and articles on this and that. I won't kick. In return I want them to keep their hands off flying, so I and my kind can have something to read. Isn't that fair? If I'm wrong, stop me.—C.A.M., Plainfield, N. J.

Why Approve Swamped Patent Office?

Your articles on the United States Patent Office were read with interest and O.K'd. by one who has had experience with that department. I notice that other publications are attempting to give the Patent Office a nice whitewashing. Obviously their effort along this line is dictated by interested parties. I'm glad you are independent and not easily bunked. More power to you in every way and especially in your fight for a better and swifter patent adminstration.—A. J., Hackensack, N. J.


Is This Gentle Kick Well Planted?

You publish the latest about airplanes and autos as well as radio, television, etc., but rarely anything about trains. I have had the good luck to travel extensively, having been to the West Coast three times

by train, in addition to touring a considerable part of the country. As a result I get more kick out of one train article than out of twenty about something else. I should think you could get up some very interesting articles on new



coaches, the advantages and differences of the newly made Pullmans, and the technical side of our best locomotives. The tasks and responsibilities of the various employees I would also consider worth while.—R. A. C., Haddonfield, N. J.




In fair weather or foul. Western Electric backs up your telephone service

In foul weather, just as in fair, Western Electric backs up the Bell System with all the apparatus and supplies needed to restore, maintain or expand your telephone service.

This Company manufactures telephone equipment of every sort, with a skill acquired through 50 years' experience. At 32 warehouses it holds great reserves of telephone material available for shipment day or night.

It delivers and installs the apparatus when and where needed.

The large scale manufacture of standardized equipment, too, is an economy. So is the concentrated purchasing a responsibility that Western Electric undertakes for the telephone companies of the Bell System. All in all, here is a work of mass production, purchasing and distribution which for size and complexity has no parallel in industry.



1818 conversations at one time can be carried on through this new type cable. It contains 3636 insulated wires within a diameter of 25 s ins.




The flying telephone laboratory in which Western Electric airplane telephone equipment has been developed by the Bell Laboratories. Provision for communication between ground and plane marks a great forward step in flying.



One of the 18 materials in your telephone is rubber from the plantations of Sumatra, Western Electric goes to market in every corner of the world.

Western Electric





... this thing called ULTRA-VIOLET



N 1801 JOHANN
WILHELM RITTER, a German
physicist, made
a most interesting discovery.
While exploring
the theories of
Sir Isaac Newton and others
—that light was
a series of waves
(similar to
waves upon the

water) in the ether, and that color was caused by a difference in the lengths of these waves—Ritter found waves even shorter than the visible violet. Invisible waves so short that it would take 70,000 of them to make an inch. And thus he laid the foundation for the mighty development which scientific research has since weaned from the rainbow-hued sun in the interests of better living . . . this thing called Ultra-Violet radiation.

Like visible light waves, and the infrared and wireless waves, Ultra-Violet waves also have their function in the scheme of things. Apparently that function, in human beings, is to stir up the skin until it becomes a living laboratory, producing substances that go through the body, building up bone and flesh and keeping the system tuned-up.

Today modern science, measuring these Ultra-Violet waves with the Spectroscope, has divided them, according to length, into three classes: Near Ultra-Violet, Middle Ultra-Violet, and Far Ultra-Violet. Near Ultra-Violet rays—those waves closest to the visible—have some biological value. Far Ultra-Violet, on the contrary, is, in nature, carefully screened out by the atmosphere and never reaches us. (These powerful rays, studied by science through artificial Ultra-Violet sources, are dangerous unless prescribed by a physi-

cian and supplied under his supervision.)

According to present knowledge the Middle Ultra-Violet contributes most to better living. This is the Ultra-Violet which tans our skins—which is the dominating factor in producing Vitamin D. This "sunshine vitamin" promotes proper bone growth and blood content, resistance to disease and general wellbeing . . . And yet the power of ultra-violet penetration, as far as the human skin is concerned, is, at maximum, only about the thickness of this sheet of paper.

Now the scientists of General Electric Company, after years of research, have made these beneficial Middle Ultra-Violetrays available to the general public

in the new G.E. Sunlight (Type S-1) Lamp. At a distance of three feet, this source, in a proper reflector, provides the same Ultra-Violet effectiveness as mid-day midsummer sunlight.

The Type S-1 Lamp is the first generator of Ultra-Violet to be offered to all, which embodies (with an adequate supply of Ultra-Violet radiation) the safety, the simplicity and the economy of the modern MAZDA lamp. Although it resembles a regular Mazda lamp, the G. F. Sunlight (Type S-1) Lamp will not fit or operate in an ordinary

lamp socket. It must be used in a special fixture such as the General Electric Stinlamp or the equipment made by other manufacturers.

This new G. E. Sunlight (Type S-1) Lamp is *safe*, because the bulb of special glass filters out the shorter wave lengths which are dangerous. It is simple, because it operates without fuss, noise or mechanism, at the touch of your fingers to the switch of the special unit. It is economical, because lamp and transformer (the transformer is part of the necessary special unit) consume only four hundred watts of electricity, and cost, on an average, only three cents per hour to operate.

In presenting, for home use, a safe, convenient way to get all the benefits of Ultra-Violet radiation found in midsummer sunlight, the scientists of General Electric Company have not attempted to provide a cure-all or a substitute, under any circumstances whatsoever, for

the services of a physician in case of illness or disease. Used in the proper unit, the General Electric Sunlight (Type S-1) Lamp is for well people—that they may remain well—and retain the vigor, vitality, mental alertness and resistance to disease which Ultra-Violet provides.

In buying a sunlamp of any kind for the dark days of winter ahead, insist that the equipment you select contains the G. E. Sunlight (Type S-1) Lamp. It is the heart of modern man-made sunshine, and is sold in accordance with the requirements of the Council of Physical Therapy of the



Jungsten

Tungsten

The Type S-1 Lamp consists of a "V"
shaped tungsten filament, two tungsten
electrodes, and a pool of free mercury
enclosed in a bulb of special glass,
When the current is turned on, the

When the current is turned on, the filament is heated immediately to incandescence.

A portion of the mercury vaporizes and an arc is formed between the electrodes. The light emitted is filtered by the special glass which transmits the most desirable ultra-violet rays to you.

American Medical Association.

The Incandescent Lamp Department of General Electric Company Nela Park, Cleveland, Ohio

GENERAL & ELECTRIC SUNLIGHT (TYPE S-I) LAMP



Dobular Science



OCTOBER, 1930

RAYMOND J. BROWN Editor

VOL. 117, NO. 4



Jack Barstow recently soared in a sailplane for fifteen hours, lies the village of Otay. Probably not one person in a million who read of Barstow's exploit knew that just forty-six years ago Otay was the scene of the world's first glider flight.

The man usually spoken of as the trail blazer of gliding is Otto Lilienthal. Yet in 1884, a full seven years before this great German pioneer got into the air, John J. Montgomery, a lonely and misunderstood twenty-six-year-old experimenter, sailed for 600 feet down a hillside near Otay, riding a homemade monoplane patterned after a gull.

Twenty years before the Wrights, Montgomery was skirting

the borders of a great invention. The story of this almost forgotten pioneer and his single-handed struggle against ridicule and poverty is one of the most fascinating in the drama-filled annals of aviation. For a number of years, the writer has collected facts about this remarkable and little-known man and his history-making experiments, talking to those who knew him and corresponding with those who helped him in his tests.

Sometimes aided by frontier cowboys, always working with the crudest equipment and materials, carrying on his labors thousands of miles from the nearest experimenter in the same field. Montgomery wrestled alone with the problem that for centuries had baffled trained scientific minds. And in the end, he built a craft that carried him into the air and flew.

Montgomery was the first man in the world to ride on wings. Yet, no monument has ever been erected to him and, today, not one of the 1,621 airports in the United States is named in his honor. His years of pioneering have almost been for-

gotten.

John Joseph Montgomery was born February 15, 1858, at Yuba City, Calif., the first of twins. His father was Assistant U. S. Attorney General under President Cleveland. His mother had made the nine-month ox-team journey through Indian country from St. Louis to California in the gold rush of 1849.

From his earliest childhood, he seems to have been interested in the air. Soon after he learned to talk, he asked his father to take him to the top of a near-by mountain, when a fleecy cloud rested on it at evening, so he could climb aboard and ride in the sky. Long before he could make his own kites, he begged his mother

to make them for him.


When he was about five, the family moved to his grandmother's farm near Oakland. Here, he used to lie beside fences while his sister chased chickens over them so he could watch how they flapped their wings. A few weeks of this training had the chickens scaling the highest fences of the poultry yard. His grandmother, mystified at the way her flock was taking to the air, clipped their wings

and the aeronautical experiments came to an

end.

He saw his first balloon when he was eleven. Immediately kites were forgotten and he plunged into the construction of paper hot-air balloons. He made dozens of them, of all sizes. The end of his balloon flying was reached when the family saw one of his hot-air bags float away with his father's best hatchet dangling below for ballast.

As a small boy, he would amuse himself for hours by throwing flat pieces of tin into the air to see which would go farthest. On one of these occasions, he bent the tin



John J. Montgomery, American flew a glider seven years before the great Lilienthal got into the air.

into a curve and threw it. As it was nearing the ground, it struck a weed and in so doing changed its position. The result was that it paused for an instant, then


ascended to a considerable height, made a complete circle, and, falling with great force, stuck fast in a tree. In later years. Montgomery said that this weird action of the piece of tin skimming across a barnyard led to the use of curved wings on his historic monoplane.

At the age of fiftgen, Montgomery enrolled at Santa Clara College for one year, then completed his education in physics and mathematics at St. Ignatius College, San Francisco, where he received a Ph.D. degree. For a year after graduation, he ran a grocery store which his mother had bought. But his mind was on his flying experiments instead of upon the household staples he sold. Customers found their groceries wrapped in paper covered with mathematical calculations and mechanical drawings. In a year the store closed and the aeronautic student joined his family at "Fruitland," an eighty-acre farm near Otay, to which they had moved.

Here Montgomery set up a small laboratory and blacksmith shop in a grove of pepper trees behind the barn. When this building was washed into San Diego Bay by the bursting of the Otay Dam in 1915, it still contained the nails that he had driven into the walls thirty years before to curve the steamed ribs for his original

glider.

Farming didn't attract Montgomery any more than selling groceries. He was continually stopping his hoeing or plowing to watch the gulls and pelicans that soared along the coast. One day, he counted 100 pelicans in a single flock and estimated that their wings were holding aloft 1,200 pounds. He captured many hawks, buzzards, geese, sea gulls, and pelicans. He



Drawing shows Montgomery in the first glider to leave the ground, and ailerons he used on his next plane,



Just before the first launching of a glider from a balloon. At extreme right is Montgomery and seated in the saddle of the plane is the dare-devil parachute jumper, Daniel Maloney, who went aloft in the tandem glider and was the first man in the world to ride a plane 4.000 feet above the earth.

studied their wings and compared their surface area and weight. He held up dried wings in the wind, noting their lift at different angles. He had no rules to guide him; no wind tunnels or other modern-equipment. He was pioneering on an

unblazed trail.

He set up a barn door at an angle facing the wind, then released down plucked from geese to note how the tiny white feathers were carried by the air currents swirling over the flat obstruction. He made a "whirly-go-round," a fence rail mounted on an upright post so it could be spun at different speeds, to test the pressure of various surfaces. All this work was done at odd moments and late at night after the hard labor of the day was over. His mother used to beg him to go to bed, fearing his health would break down. But he was sure he was nearing the secret of human flight and redoubled his efforts.

In 1883, he was ready to build his first full-sized machine, a craft with flapping wings. It proved a total failure. Two other wing-flappers followed in quick succession and convinced him he was on the wrong trail.


A boy neighbor, Charles Burroughs, who now lives at Dulzura, Calif., after being sworn to secrecy, was allowed to help in the construction of the machines. He recalls:

"The neighbors who knew he was working on a flying machine thought he was crazy. When we went to the Otay Mountains to try out his machine, he took along his rifle to give the impression he was out deer hunting. We left at nighttime with the machine on a wagon and came back

at night. He hunted deer on the way back. On one occasion, he shot the stump of an old tree which he mistook for a deer."

The following year, 1884, he constructed the historic "gull" monoplane. Its single curved w i n g, twenty feet long by four and one half wide, was covered with waxed silk. A movable tail guided it up and down. The operator, sitting on a little saddle below, maintained sidewise balance by swinging his body toward the high wing when the machine was struck by a gust: Like the wings of a sea gull, the main supporting surface arched downward.

By the middle of March, the craft was ready. Early on the morning of March 17, 1884, Montgomery set out with his





In the oval, Montgomery is seated in the last plane he built and is seen here in a successful trial flight. Below, the same plane is being launched. From this plane, the aviator fell to his death.

younger brother, James, for the historymaking test. In relating what followed, James Montgomery, now an attorney in Oakland, Calif., told me:


"Owing to the fact that the neighbors were skeptical and inclined to ridicule, we set out early in the morning, between three and four A.M. The glider was carried on a large farm wagon on top of a hay rack. (Continued on page 145) The selected

Above is a small reproduction of the first weather map transmitted by radiophoto

to ships in mid-ocean.

Now—Radiophoto Storm Charts

Sent to Ships at Sea



Radio operator on board ship sends out his report. From each radio-equipped vessel goes daily information of weather conditions as entered in the log. These records, all pouring into the office on shore, are sorted and sent to the Weather Bureau.

2 In the land office operators receive the weather reports. These data come not only from ships, but also from more than thirty foreign countries.

POR the first time in history, a weather map was sent by radiophoto from shore, a few weeks ago, to a transatlantic steamer at sea.

Such service is now broadcast as a regular feature of the Photo Radio News which is transmitted daily to ships for experimental purposes by the Radio Corporation of America. Coöperation between this company and Dr. James H. Kimball, famous authority on ocean weather, of the New York office of the U. S. Weather Bureau, resulted in this latest step in protecting vessels at sea.

The original map is prepared by Dr. Kimball from data sent in from ships at sea and from American and European weather stations.

The codes used in transmitting weather information are so simple that just a few code words are needed to give all essential facts. For instance, "Exbrook, handy, dice, signal, tense, Gemsbok," when decoded at the Weather Bureau office, means: "Steamer Exbrook, 7 P.M. July 20. Latitude twenty-six degrees, twenty-four minutes north. Longitude, eighty-seven degrees, six minutes west. Barometer 28.94. Temperature. 84. Southeast wind, eighteen miles an hour. Sky overcast."

As such reports reach Dr. Kimball's New York office, the information is used to make a map of the Atlantic area. As soon as it is completed, the map is rushed to station W2XAO at New Brunswick, N. J., and then transmitted.

3 At the Government's Weather Bureau the map is made. As fast as the messages are decoded, their facts go on the map which is then sent to the land station for finishing.

4 Photo transmitting apparatus in the land station sends the map by wire to the radio station in New Jersey, after the weather man's pencil lines are inked in.



Captain and chief officer study the map-

5 The transmitting station at New Brunswick, N. J., puts the finished map on the air. Thus radiophoto enables ship captains, thousands of miles away, to see exactly what kind of weather lies before them, and they can then lay a course that is free from storms.

\$1,000 Cash Prizes YOU MAY WIN ONE OR MOREOF THESE PRIZES ONE THOUSAND dollars in

ONE THOUSAND dollars in awarded each month for the four months beginning with this month to the winners of this remarkable picture contest. There will be a complete contest each month in which the prizes will be distributed as follows:

First Prize	2200
Second Prize	100
Third Prize	50
10 Prizes, \$10 each	100
50 Prizes, \$5 each	250
Total Monthly Prizes S	1.000

ERE IS YOUR chance to win a big cash prize in a brand-new kind of picture contest that is open to everybody, everywhere. Beginning with this issue, and continuing for four months. POPULAR SCIENCE MONTHLY will award 63 cash prizes a month to readers who are alert and observant. These prizes range from \$500 to \$5. While your connect win more than

to \$5. While you cannot win more than one prize a month, there is nothing to prevent your winning a prize every month, and you have four chances to win a prize of \$500 and 252 chances to win a prize of \$5 or more.

IN THIS series of contests we introduce you to Mr. George Knowitall (pronounced "Know-it-all"), whose likeness you will see at the top of this page. George is full of nerve and the spirit of helpfulness, but he's a bit shy on brains and ordinary common sense.

In each of the four pictures on the next two pages, Knowitall is doing a mechanical job in the wrong way. In addition, each picture contains exactly four errors deliberately put there by

trick photography.

Your job is to figure out what Knowitall is doing wrong and to find the four errors of trick photography; then to tell us what is wrong. The prizes will be awarded to those contestants who find the errors and explain them in the clearest and most skillful manner.

YOU don't have to be an expert at anything to enter this contest. You don't have to be a subscriber or a regular reader of POPULAR SCIENCE MONTHLY. You don't have to buy the magazine. You are permitted to get all the help you need from your family, neighbors, and friends, and you may submit as many entries as you wish.

Before starting work on the pictures, read the rules of the contest on this page. Good old George, who has a genius for doing the wrong thing, is to entertain and amuse you with his strange mistakes in each of the four monthly contests of which this is the first.

They are easy to follow, but they will be rigidly enforced.

George Knowitall is pretty dumb, so you should not have much trouble in discovering what he is doing wrong. As for the errors in trick photography, finding them is merely a matter of carefully examining every detail in the pictures. The contest pictures appear on the two following pages.

Rules of the Contest-Read Carefully

Find the Mistakes in This New

"WHAT'S WRONG?" CONTEST

- 1. Each month for four months, beginning with this month, POPULAR SCIENCE MONTHLY will print four photographs depicting the adventures of George Knowitall. In each picture, Knowitall will be doing some mechanical job in the wrong way. There will be, in addition, four errors in each picture put there by trick photography. You are to tell us what Knowitall is doing wrong and what the photographic errors are in each picture.
- 2. Prizes will be awarded to those persons who point out these errors most accurately and clearly and in the most skillful manner. In case of ties, the full amount of the prize will be awarded to each tying contestant.
- 3. Answers to each monthly contest must be mailed r delivered to the offices of Popular Science Monthly not later than the thirtieth of the month following the date of publication of the magazine in which the pictures appear. Thus, to assure consideration in this month's contest, answers to the pictures in this month's issue, published September 2, must be mailed or delivered not later than October 30. No entry bearing a postmarked date later than the closing date for entry will be considered.
- 4. Answers may be submitted on any kind of paper, but they must be type-written or written in ink, and on one side of the paper only. Each error must be

- listed separately and numbered. No changes or corrections will be allowed in any entry after submission, but any contestant may submit as many separate entries as he desires.
- 5. All entries should be addressed to the Picture Contest Editor, POPULAR SCIENCE MONTHLY, 381 Fourth Avenue, New York City. Name and address of the entrant must be written plainly on each page of the entry. Entries with insufficient postage will not be accepted. The publishers cannot be responsible for delay, loss, or non-delivery of entries. No contribution entered in this contest will be acknowledged and none will be returned. No letters of inquiry regarding points covered in the rules can be answered.
- 6. There is no entry fee. You need not buy Popular Science Monthly to compete. You can borrow a copy from a friend or you can examine one at any office of Popular Science Monthly or at the public libraries free of charge. Each contest is open to everybody, except employees of Popular Science Monthly and the Popular Science Institute and their families.


The officials of the POPULAR SCIENCE INSTITUTE will act as judges and their decision will be final. The judges will work as expeditiously as possible in arriving at their decision, and the names of the winners will be announced in an early issue of the magazine.

Find the Five Mistakes in Each Photo


In each photo George is doing something wrong. Also in each photo there are four errors deliberately put there by trick photography. Find what George is doing wrong and the four errors made by our trick camera. Send us your answers and you may win one of the many cash prizes. Read the rules and list of prizes on the preceding page.

Friendly George volunteers to fix a puncture on his friend's car. He takes the flat off and immediately attacks it with a tire iron while his friend bewails the lack of a spare tire. Is he right or wrong?





If someone asked George Knowitall to make a radio play the music faster or slower, he would tackle the job. So when he finds his neighbor's synchronous electric clock is several minutes slower than his watch, he offers to make it go faster. He is sure the "fast-slow" lever is somewhere inside and that all he has to do is take the face of the clock off to get at it.



Fixing a leaky garden hose just seems a trifling matter to helpful George. No tire tape is at hand but that doesn't give him a moment's concern. He tackles the job by his own original methods, while his hosts, who also are quite helpless in mechanical matters, try to help him and among the three of them do they seem to be getting the job pretty well snarled up? Can you see what's wrong and give them some nice friendly advice?



Kind Brother George offers to show his beautiful
cousins from the city how to
plant flower seeds. He grabs
a real trenching tool and
quickly sets to work, and
here we see him depositing the
seeds. The credulous ladies,
who have rented the place
only for the summer, expect
the plants to grow and blossom in a few weeks. But as
fall comes on, it seems likely,
with George's aid, that they
will be waiting in vain for the
appearance of their flowers.

Radio Now Walks, Rides, Flies

Announcers with Portable Equipment Work Miracles to Broadcast the News

By MICHEL MOK

JAUNTY young man carrying what looked like an up-ended suitcase on his back and a microphone attached to shoulder holsters in front of his chest boarded the Thelma, the committee motor yacht, just before the start of the latest Yale-Harvard boat races on the Thames River at New Lon-

don, Conn. One of the committeemen demanded to know his business on the boat.

"I am Ted Husing, sports announcer of the Columbia Broadcasting System," the young man told him, "and I am going to broadcast this regatta."

"What with?" asked the

committeeman.

Husing pointed to the "suitcase" on his back, which was a thirty-five-pound portable short-wave transmitter. other burst out laughing.

"Go on," he said. "You can't broadcast with that little thing. 'You need a factory for that!' And he called a couple of other members to share the fun.

"All right," one of them told Husing. "We'll put you to a little test. Find out how the water is at the bridge."

But let Ted finish the story. "The bridge, which was the finish of the race, was four miles away," he told me the other day at Columbia headquarters in New York City. "We had two short-wave receivers along the shore line, one at the start and


one at the finish, and a third aboard the U.S.S. Camden at the New London submarine base. Herbert Glover, our director of special events, was at the bridge.

"Talking into my portable mike, I said: 'Hello there, Herbert! How's the water at the finish-rough or smooth? If it's rough, give me one semaphore signal; if smooth, two.' Glover phoned the engineer in charge of the receiver at the start that it was smooth, and a minute later our man there gave us two flag semaphores. The committee fainted."

ANY radio fans would not have shared the astonishment of these committeemen. They are acquainted with the latest wonders of short-wave transmission. But it is safe to say that the average listener would have been almost equally surprised.

Remote control jobs, as all radio activities away from the studio are called, are not new. For several years prize fights, horse races, baseball and football games,


and other events occurring in fixed localities have been reported by announcers on the spot. Generally their voices are carried by telephone wires to the studio and thence to the broadcasting station, where they are



N. B. C.'s rolling broadcasting station, which follows the news and gives first-hand reports for the enormous radio audience of the entire nation.

put on the air for the stay-at-homes. But nowadays there are broadcasting stations that literally walk, ride, fly, and even jump thousands of feet from planes to flash the news of the day as it happens in inaccessible places which cannot be "wired," across the country and around the world.

THE average radio owner probably heard Ted Husing describe the recent National Open Golf Tournament at Minneapolis, Minn., as he followed the players around the course. He may have heard him report the University of Pennsylvania Relay Carnival from various parts of the track. He may have enjoyed the vivid



Center photo shows the three men who helped broadcast news of the Hunter brothers' endurance flight. Below, Floyd Gibbons, with N. B. C. officials carrying antenna, as Zep started its world flight.

account of the Poughkeepsie Regatta given not long ago from a moving train by Graham McNamee, crack announcer of the National Broadcasting Company.

He may have listened in amazement to Floyd Gibbons as he described, in rapidfire fashion, the start of the Graf Zeppelin on her round-the-world trip in August, 1929, while walking around the Naval Air Station at Lakehurst, N. J. More recently, he may have been thrilled by Dick Powell. of the Edgewater Beach Flying Club of Chicago, who told what the Hunter brothers' endurance plane and its pilots looked like as he dropped past them in a parachute shortly before they came down at the Sky Harbor airport on July 4.

BUT he does not know how it is done. And even the radio fan with a general knowledge of the mechanics in back of those feats is unaware of the many difficulties involved in their performance and the ingenuity required of the engineers who solve the problems.

Frankly, I was one of the army of uninformed listeners. But I am no longer one of them. Officials of the National Broad-

casting Company and of the Columbia Broadcasting System recently told me how these clever tricks are turned and of the thousand-andone obstacles that must be overcome in the process.

It should be understood that there Ted Husing, seated center, is on the job giving a word picture of the Pennsylvania Relay Carnival. His short-wave report was picked up and then rebroadcast on long waves.

Ted Husing, wearing his portable broadcasting outfit, is telling the radio fans how Bobby Jones stroked the ball at the recent Open Golf Tournament at Minneapolis. Thus equipped, Husing followed the play from the first tee to the last green.

are two kinds of portable shortwave transmitting equipment. One type, used in airplanes, on boats. trains, and the like, is contained

in four boxes, weighing a total of 300 pounds. The other is the miniature transmitter designed to be carried by a man. That used by the National Broadcasting Company weighs twenty-four pounds. looks like a portable typewriter encased in a canvas knapsack, and is strapped to the chest. Columbia uses a device weighing thirty-five pounds. which looks like a suitcase and is carried on the back.

For ordinary remote-control pick-up jobs, such as prize fights and baseball games, the broadcasting companies use a



On the N. B. C.'s Fifth Avenue, New York, building, where the short-wave set sent messages from roof to flying plane.

set of equipment contained in two boxes weighing seventyfive pounds each. It consists of batteries and amplifiers that amplify the microphone input to a point where it can be carried on a wire. This outfit is really a miniature studio, but not a broadcasting station. It resembles the portable sound

> recording equipment used by the newsreel compa-nies (P.S.M., Aug. '30, p.116), with the exception, of course, that the electrical impulses transmitting the sound are fed into wire lines instead

of into machinery that records the sound on film.

Now, in broadcasting from some inaccessible spot or from a plane

or a train, the same equipment plus two more boxes, also weighing seventy-five pounds each, containing short-wave transmitters and the necessary batteries, is used. In other words, what then is carried is miniature studio equipment and a miniature broadcasting station.

AGAIN, the comparison with the sound reel portable holds good, except that now the sound impulses are fed into a short-wave transmitter instead of into a wire line. These transmitters range in power from seven and one half to fifty watts. An ordinary electric light bulb is

rated at forty watts.

As for the knapsack and suitcase types, National Broadcasting Company's twentyfour pound unit consists of midget speechamplifying equipment and oscillating unit. Its power is only 500 milliwatts (one half watt), one eightieth that of an electric light bulb. The canvas bag in which it is inclosed is padded in back and on top to prevent injury (Continued on page 141)

Flying with a Test Pilot



Thrilling stunts on untried wings are all part of day's work to man whose job it is to put a new plane through its paces. To give you a clear picture of this sensational branch of aviation, the author of this article rode in a machine on its first flight.

By EDWIN W. TEALE

600-HORSEPOWER Conqueror motor was thundering at full throttle as we walked over to the starting line at Mitchel Field, Long Island. Mechanics were warming up a new Curtiss "Falcon," with chrome yellow wings and deep-chested fuselage. William Crosswell, Curtiss test pilot, was to find out what the new ship would do and I was to go along as observer.

While we buckled on our parachutes, the bellow of the big engine subsided. The steel propeller idled lazily in the sunshine. The ship was warmed up, ready for the

gun. Crosswell slipped a loop of green cord, holding a stop watch, over my neck. He is 25, steady-nerved, a member of the Caterpillar Club, having saved his life by a parachute leap from a disabled bomber.

Trained at the Army air school at Kelly Field, Texas, he has been test pilot and a member of the engineering staff of the Curtiss organization for the last two years. He has tested more than two dozen different types of planes, ranging from the giant 1,200-horse-power "Condor" to the "Hell Diver," a winged bullet which he rode in a sheer 10,000-foot power dive last April in demonstrating it before Navy officials at Washington, D. C.

"The first test we make," he explained, "is over the two-and-one quarter-mile speed course to get the ship's top speed. We fly low beside a straight stretch of high tension wires. Keep your eye on the leading edge of that lower wing. When the first pylon passes it, snap

on the stop watch. When the last pylon flashes past the same place on the wing, snap it off. Ready?"

We had climbed into the machine. Crosswell settled into the forward cockpit. I buckled the safety belt to hold me in the rear compartment. Mechanics removed the chocks from in front of the wheels. Smoke shot from the exhausts as we taxied to the far end of the field.

swung about and faced


the wind. Crosswell ducked his head from side to side looking for other ships in the air. Then, with an earth-shaking bellow, we charged down the field with the throttle wide open. A gale tore past the cockpit. Halfway to the hangars, the wheels left the ground and we passed over the buildings 200 feet in the air.

We made a climbing turn to 1,000 feet. Then in a fast, wide circle we swung to the east. The nose dropped and the speed noticeably increased. We were approach-

ing the high tension line. Now we were 300, now 200, now barely seventy-five feet above the ground. A golf course, with players looking up, streaked under our wings. Usually, the throttle is opened wide a full mile before the speed course is reached in order to gain maxi-



Crosswell, left, putting the stop-watch cord around the neck of the author, right, who served as speed observer on the first test flight of the new Curtiss "Falcon." At right, unusual photograph of Navy machine being tested by putting it through the spectacular split-S turn.



mum velocity for the start.

Crosswell raised his left hand from the throttle and pointed to a steel pylon, holding up high tension wires, just beyond a black crossroad ahead. It was the start of the speed course. I glued my eyes on the front edge of the lower wing. A blur of green fields. A flash of whitish-gray latticework and I snapped the stop watch. We had passed the first pylon. The race against time was on.


BY FOCUSING my gaze ahead, I could see, with surprising clearness, objects on the ground that swirled beneath us—a green, horse-drawn sprayer being driven between the rows of a potato patch; a gravel pit; a dumping ground where a dozen rusted auto bod-


ies lay piled together; a greenhouse that flashed in the sun and disappeared. The pylons streamed past like a picket fence. Crosswell half turned and pointed ahead. The black ribbon of concrete that represented the Vanderbilt Auto Speedway run-

ning parallel to the pylons swerved to the left. At the point of its turn was the last pylon of the speed course. I concentrated on the wing again and snapped the watch as the steel post flashed by. As I started to look at the watch to see what time we had made, I was thrown hard against the seat. The ship had zoomed into a high climbing turn.

AS WE circled for the return run, I looked at the watch. We had covered the two and one quarter miles in exactly 48.7 seconds. We had been hurtling through the air at the rate of 164 miles an hour, and .0455 miles a second!

Speed trials are held at low altitudes in order to obtain the maximum power of the engine. The higher a plane ascends, the less power is developed by its engine because of the decreasing density of the air. Four runs, two each way,







Hanging by its propeller. With engine on full, the plane is pointed up by the test pilot in order to find stalling speed.

are made and an average taken to determine the top speed of a new ship. When we landed, our records showed that our average speed for the four runs had been 164 miles an hour.

The second test was to find out the climbing ability of the plane. It started with a complicated "sawtooth" climb. We took off and with the nose at a steep angle climbed steadily until the altimeter hand touched 1,000. The ascent had taken us 44 seconds. All the way up, the air speed had been kept at 85 miles an hour. We swooped down and started again. This time Crosswell kept the air speed at 90. Our time was 41 seconds. Then we tried it again, this time at 95 miles an hour. The air speed indicates the steepness of the climb.

The huge Curtiss "Condor," when first

tested by Crosswell.

carried 3,000 pounds

of shot as ballast.

The slighter the angle of ascent, the greater the speed, just as an automobile goes up a slight grade at high speed while

it slows down as soon as it begins climbing a steep hill. In climb tests, the engine is always kept running at full throttle. The results of the three tests showed that the best climbing angle corresponded to the air speed of 91 miles.


AFTER we found the most effective angle of the climb for the first 1,000 feet, we began at 1,000 and climbed to 2,000 in the same way until we discovered the best angle as indicated by the air speed indicator for that altitude. In testing a new type of plane, the pilot continues this "saw-tooth" climb until he obtains the data that indicate the best climbing speed all the way up to the "ceiling." Then he

starts at zero and climbs, using the best speeds during each step, until he gets to a height where the plane will ascend only 100 feet a minute. This is the "service ceiling" above which it does not pay a commercial operator to fly the plane. After reaching the "service ceiling," he keeps right on until the ship refuses to climb another foot. This is the craft's "absolute ceiling."

The complete test of a ship's climbing ability often consumes as much as a week. When a radically new type is tested, the work may cover three or four months. Crosswell and I rode the Falcon on only part of the tests demanded of a new design before it is put into production.

In a long steady climb, the Falcon rose to 10,000 feet. Its absolute ceiling is about 21,000. Crosswell pointed to the air speed meter. The hand had been edging slowly back, showing a smaller air speed as we rose. This (Continued on page 136)

Machines Work Cup Defender




OLD IRONSIDES, REFITTED, IS GOOD AS NEW

Towed by modern tugs, the U.S. S. Constitution went down the waters of Boston Harbot the other day. As soon as rigging and sails are installed the old ship will sail the seas as she did 132 years ago. The

did 132 years ago. The vessel, once used as a training ship, was put to bed in 1897 at the Boston Navy Yard where she lay rotting.

When news of her condition was spread. Americans contributed cash to help save her. Congress appropriated \$300,000 for the work. Lieut. John A. Lord, builder of such super-



Above: The Constitution, Old Ironsides, being refitted at the Boston Navy Yard. At left: Model of the famous ship made from plans published by POPULAR SCIENCE MONTHLY.

dreadnaughts as the New York and Arizona, was commissioned to refit the famous old fighting ship.


To insure historical accuracy, some of the lumber used was live oak brought from the Pensacola Navy Yard, where it had been submerged since 1878. Rope used on the refitted Constitution, of a type no longer used, had to be made specially at the Boston Navy Yard's rope works.



TRANSPARENT SLIPPER USED TO FIT SHOES

Where the shoe pinches can be pointed out instantly by shoe store clerks using a transparent slipper recently invented for fittings. This slipper is made of a synthetic transparent material.

Shoe stores that use the slipper keep a cabinet of transparent models of the standard sizes. These are tried on by the buyer until a correct size is found. Selection of shoes can then be made with assurance that the fit will be right.




Slippers made of transparent material are used by clerks to give a perfectly fitting shoe.

THIS PHONOGRAPH ALSO SHOWS PICTURES

Phonograph and projector are combined in a unique portable instrument that provides illustrated musical shows for children. While a record is playing, a strip of film automatically moves before a lens and the enlarged pictures are thrown, one at a time, at intervals of nine seconds, on a screen or wall.

Film that will not burn is used, and an electric bulb provides the light for the projector. The mechanism that feeds the film is operated by the phonograph's spring motor. The light is the only part using electric current, which is obtained from any wall socket.

Standard ten-inch records may be played by the phonograph part of the device, which is run and hand-wound in the usual way. Special phonograph records are obtainable with strips of film to illustrate them, including familiar nursery rhymes. The device may also be used as an ordinary portable phonograph, without taking advantage of the picture attachment. The instrument is housed in a case with room for ten of the special records and twenty strips of film. It weighs fifteen pounds.



All the family can enjoy this combination phonograph and still picture projector, which uses film that will not burn. An electric bulb, plugged to wall socket, furnishes light.

MECHANICAL FISH CUTS MINES LOOSE

Public demonstration was recently made by the British navy of a mechanical fish for cutting loose enemy mines. This device, known as the "paravane," was one of the mystery inventions developed from World War trials and kept secret until now.

The paravane, at the end of a cable, is dragged through a mine field, its sharp projecting "fins" cutting the nets or cables to which mines are attached. The mine, thus released, comes to the surface where it can be destroyed by rifle fire.

Shaped much like a torpedo, the paravane, as it slides through the water, looks exactly like a big fish. Its great advantage is the

swift destruction of deadly mines with minimum of danger to the destroyers.



sun, and lights already installed, do the trick. Their installation has won the approval of western motorists.

STREET SIGNS LIGHTED BOTH DAY AND NIGHT


THE SUN by day and electric lights at night illuminate a new street sign recently tried out in Los Angeles, Calif. Passing

motorists can easily identify a street corner at any hour without straining their eyes, as the lettering stands out brilliantly against the background.

Letters of the sign are transparent lines in a pane of black glass. Behind the glass a mirror directs daylight from the sky through the pane, and at night they do the same with light from a street lamp directly above. The sign was recently patented by H. K. Palmer, Los Angeles inventor. One of its most favorable features is the fact that it is illuminated without cost, the

BIG ROCKET MAY RISE 13 MILES

When an eight-foot rocket that Prof. Herman Oberth, German experimenter, has built soars aloft soon from Horst, on the Baltic seacoast, it may rise to a greater height than any projectile or vehicle ever designed by man. It will carry fuel enough for an hour's flight. Professor Oberth



the big fellows being swung aloft by derrick so that a huge steam hammer can drive it into foundation. estimates that it will reach an altitude of 70,000 feet, about thirteen miles, and may obtain valuable scientific data.

Whether it does or not should be easy to tell, for the rocket will carry a brilliant red tail light so that it can be observed during flight. As soon as it whizzes aloft from the launching platform, which is a tower resembling an oil well derrick, telescopes will be trained upon it to follow its course.

The new rocket, built of white metal, marks the resumption of Professor Oberth's attempts to build rocket vehicles that might be capable of a transatlantic flight with mail and human passengersor even of a jaunt into outer space. It will be the first rocket, if successful, to use the powerful liquid oxygen and fuel mixture with which two Germans recently drove an automobile, a daring experiment in which one of them was killed by an explosion (P. S. M., Aug. '30, p. 25).

HOLLOW CONCRETE PILES RESIST STEAM HAMMER

Hollow concrete piles received one of their first try-outs recently in the construction work on a new Buffalo, N. Y., newspaper building.

These piles, called "hollow-spun," are made by a new whirling process. A metal mold, holding six half-inch steel reënforcing bars, is filled with wet cement and set spinning. The cement flies against the inner wall of the mold, leaving a hollow center.

In building the Buffalo structure the piles were driven by the usual steam pile driver into a surface of sand, hardpan, and shale. The piles were declared to be uninjured by the terrific battering they thus received.

THIS POWERED CRADLE ROCKS BABY TO SLEEP

AN ELECTRIC cradle that swings baby from side to side has just been invented. This new method of rocking the cradle was originated by V. D. Standley, of San Diego, California.

In the new device, the customary cradle is swung from two uprights, standing on a base mounted on rollers. Turning a switch starts the cradle rocking by means of a lever which pulls downward alternately at either side. Drawers in the base afford plenty of room for storing toys and other playthings.

ELECTRIC CUTTING TOOL IS PORTABLE

For cutting wallboard and wood of less than an inch thickness, a new portable electric cutting tool has been invented. Bevel or slant edges may be cut with a special attachment for the machine.

An aluminum body makes the tool light and easy to handle. Hand plungers determine the depth of the cut and move the machine along the desired design. A number of special tools to be used for cutting a wide variety of materials are available. The cutters are driven by gears.




This portable tool is electrically powered. Aluminum body makes it easy to handle,

ALL-ELECTRIC TYPEWRITER NOW HERE

On a NEW all-electric typewriter every operation is carried out directly from the keyboard. On the new machine, carriage return, shifting for capital letter, back spacing, and indentation are carried out by power from the keyboard itself.

An automatic form letter writer can be incorporated with the typewriter. By means of a perforated paper roll, an unlimited number of duplicates of a message may be typed. One operator can keep four or five machines going, merely typing the salutation.

Estimating a normal day's work at 75,000 impressions, the typist moves in a day 20,000 pounds to a height of one foot. In the new automatic machine electricity takes care of more than ninety-nine percent of the actual mechanical work.



A new all-electric typewriter does 99 percent of the work. All operations controlled at the keyboard.

RAIN CLOSES THIS WINDOW

WHEN the first patter of rain descends, windows are slid automatically shut by a new electric device. The moisture of the rain causes an electric contact to

close that starts the motor. Thus it serves as a watchdog over an open window, saving upholstery and furniture from possible ruin. The device, containing a motor run from the light socket, is easily attached to any window sill.

RADIUM IN LAKES MAKES

ONTARIO'S FISH BIG

Water Charged with radium may account for the big fish of the lake country near Paudash, in the Canadian province of Ontario. So investigators have concluded, after visiting fishermen reported extraordinary numbers of five-pound and larger bass. While the fishermen were delighted, they were puzzled by the size of the abnormally developed fish.

Tests of the lake waters of the vicinity, made at McGill University in Montreal, show the water as strongly charged with radioactive material as are many of the famous spas of Europe. Radium, like X-rays, has been shown in laboratory tests to produce freak individuals in breeding animals and plants, and it therefore may be the cause of the remarkable run of large fish.

NEW PIANO PLAYER CAN BE CARRIED IN CASE

OPERATED by hand power, a portable piano player has been perfected by W. R. Wearham, an English inventor. It folds for carrying, and is said to weigh less than many portable radio sets.

The player, which can be used on any ordinary piano, is worked by the hands, which pull two levers up and down. Pneumatic action created by this pumping operates directly on the keyboard. Piano rolls of the usual size can be used with the instrument, which has an eighty-five-note range and can be played by anyone.

CHINESE RIVER MOVES ITS BED NINETY MILES

TWENTY-FIVE years ago Sven Hedin, famous Swedish explorer, predicted that the lonely Tarim River, in the interior of China, would leave its bed in the sands of Karakoschun and move ninety miles away to Kuruk-daria. His daring prophecy has come true, for the river, choked with sand and earth, has made the journey.

current. When the light ray is interrupted as by a passing person, the current fluctuates. Amplified by three large vacuum tubes, it sets in motion a small motor which operates a hydraulic door-opener. After the person has passed through and a pre-determined time has elapsed, the door closes again of its own accord.

TALKIES TO REVIEW 61 CENTURIES OF FIGURING

TALKING movies at the Chicago World's Fair in 1933 will exhibit both new and old wrinkles in mathematics such as Einstein's theory of relativity, differential and integral calculus, the ever-elusive problem of "squaring the circle," and the hypothetical "fourth dimension." They are the latest

aid in reviewing what people have learned

about figuring during the sixty-one cen-

ized what ancient Egyptians and Baby-

lonians knew about numbers. The Greeks, from 600 B.C. on, are generally considered

the first mathematicians. But the earliest

dated event in history, the establishment in 4,241 B. C. of the twelve-month, thirty

day Egyptian calendar with its five addi-

tional feast days, implied some use of

mathematics, according to Prof. R. C.

Archibald, Brown University expert in this

field. As early as 3,500 B.C., the Egyptians wrote numbers in units, tens, hundreds and

so on as we do, although pictures of objects

were used for numerals. The number

1,234, for example, would be written in

pictures as a god, followed by two tadpoles.

three bent fingers, and four lotus flowers.

the Great Pyramid, with its precisely-

measured base and almost perfect square

set north and south with remarkable accur-

acy. A less familiar, but even more extra-

ordinary surveying feat of engineers of the same period was marking the "nilometers"


along 700 miles of the crooked river Nile.

One practical application of the Egyptians' skill at figuring was the building of

Only recently have mathematicians real-

turies or so that they have been at it.

GREAT RACE HORSE GETS \$50,000 HOME



The mighty Reigh Count, his racing days over, looks out from the stall in his luxurious home.


ELECTRIC EYE OPENS AUTOMATIC DOOR

HOTEL WAITERS and waitresses, balancing trays of dishes, need not pause to open a new type of door, developed recently by the General Electric Company, Schenectady, N. Y. As if by magic, it opens of its own accord, stays open long enough to permit them to pass through, and then silently closes again.

The secret of the door's remarkable behavior is an inconspicuous ray of light crossing the path of approach, which is trained upon a photoelectric cell or "electric eye." This is a device for translating rays of light into an electric



Above, photo shows the automatic door magi-cally opening at the approach of the waitress. At left, diagram illustrates position of light beam and photo-electric cell that starts motor.



first and second stories and is reached by

an inclined walk. It is lighted with special

window-glass, which permits the healthful

ultra-violet rays in the sunlight to enter.

Brass trimmings are used throughout the


building, while Reigh Count's stall is fin-

ished tastefully with oak wood and tile.

MACHINE PARTS' SIZE RECORDED INSTANTLY

WHEN the thumb clamps of a new "adjustable template" are loosened and it is pressed against a gear wheel, or other odd-shaped piece of machinery, hundreds of thin brass leaves move to take the piece's outline. Thus an instant record may be made of the dimensions of a shop Turning the thumbscrews back part. again locks the leaves, and the template is then carried to drafting or file room. There a permanent record is made. The device also checks machine parts for wear and shows whether it has reached a dangerous limit.

Copyrighted material



RAZOR HANDLE HOLDS PENCIL TO CURE CUTS

Should the user of this new razor cut himself while shaving, a remedy is near at hand. The hollow handle contains a styptic pencil, which is withdrawn at once and applied to the cut. It sterilizes the wound and stops the flow of blood. The pencil is replaceable with a new one when it is nearly used up.

ALUMINUM GAS PIPE WILL BEND TO AVOID ANGLES

FLEXIBLE gas pipe, made of aluminum, is now on the market for connecting gas stoves and heaters to the main pipe line. Used for permanent installations, it eliminates the need for the angle fittings necessarily employed when rigid pipe is installed. The new thin-walled tubing may be bent to any desired shape and is capable of withstanding high pressures. This flexibility, it is claimed, gives it ease of installation and repair.

NEW LIFEBOAT IS DRIVEN BY LEVERS




Wearing life preservers, this lifeboat crew mans a craft that has no oars, but is driven with levers that work a propeller. Thus there is room for more passengers in the boat.

More space for passengers in a lifeboat was the need that inspired the invention of a novel craft propelled by levers instead of oars. When the crew pulls on the swinging levers, its muscular effort drives a propeller at the stern of the boat. Because the wide sweep of oars is eliminated, passengers can face each other on double seats. The new lifeboat was demonstrated recently in England.

The work of operating the lever is said to be less exhausting than swinging an oar and the speed at which the new type of craft is driven is practically the same as that of the oared boat in spite of the greater load which it will carry.

CAN WATCH WATER TURN TO HOT ICE



Hydraulic pressure forces the piston into the chamber and the observer at eyepiece sees water change to hot ice.

Through a round glass window smaller than a man's thumbnail, Prof. Thomas C. Poulter, head of the physics department of Iowa Wesleyan University, peers at things that no man before him has seen. He watches a piston squeeze a confined sample of water, oil, or radium with the almost inconceivable pressure of 450,000 pounds to the square inch.


This is close to the record pressure, 600,000 pounds per square inch, with which Prof. Percy W. Bridgman of Harward University, turned water into ice hot enough to boil an egg. It surpasses the capacity of the machine with which Jean Basset. French engineer, turned "incompressible" liquid petroleum into paste. Neither of these experimenters, however, could watch what was happening inside his machine.

A desire to see these marvels with his own eyes led Prof. Poulter to build his windowed apparatus. This device is a hollow block of tough steel. Two tiny windows of glass, seven sixteenths of an inch in diameter and five sixteenths of an inch thick, wall off material under test from an

observation tube. Resting loosely on oilsmeared steel rims, they withstand fifteen tons force when a hydraulic press drives in a rubber-tipped piston. Should one break, a "safety window" stops flying splinters. A telescope or other instrument safeguards the observer.

"While at present we feel that we have a relatively safe arrangement." Prof. Poulter told Popular Science Monthly. "we have had some rather exciting moments." Once a pressure cylinder, under 200,000 pounds to the square inch, exploded. A loud report, and two pieces whizzed across the laboratory, barely missing Prof. Poulter and his assistant. Another time, oil shot from a leak with sufficient force to inflict upon him a painful bruise.

With his new machine Prof. Poulter discovered that "Ice VI," a rare "hot" form of ice which exists only at extraordinary pressures, will twist a polarized, or flattened, beam of light much as rock crystal does. This and other optical experiments made possible by the windows are revealing new secrets of the structure of matter. In another test, Prof. Poulter found that the most terrific pressures did not slow or speed the natural breaking up of radium.



This simplified drawing shows piston that applies pressure and the safety window.



BATH. When an engine runs upon a certain section of the track, it auto-

matically operates this washing machine, which cleans the engine with hot water and steam. When done it shuts itself off.


economical; no brakeman


is needed on the cars.

Six New Ideas Developed for Your Auto



GAS AND BRAKE COMBINED. With this pedal installed in your car, a twist of the foot to the right turns on the gas and speeds up the engine. Moving the foot to the left shuts off the fuel and if the pedal is depressed at the same time the brake is applied as in the usual way.







CHARGES BATTERY WHILE YOU SLEEP. When the car is put in the garage for the night, a plug is slipped into the socket on the instrument board and the work of charging the battery begins. The battery charger is attached to the wall, connected with electric light wire, and the driver can start it without soiling his hands.

SPRINGS FOR CAR WHEELS. Shocks that jar wheel and chassis are said to be cushioned by these spokes of curved spring steel invented by W. E. Weaver of Houston, Texas. Inset shows a close-up of the wheel with the key-block near the hub, which make it possible to replace a broken spoke without dismantling the entire wheel, thus saving much time.



CAR COOKS YOUR DIN-NER. A portable kitchen, consisting of two hollow cylinders, can be bolted to the exhaust manifold under the hood of a car, and almost anything you wish cooked in them, exhaust gases furnishing the heat.

NEW AUTO JACK HAS GREAT POWER. Working the handle of this German-invented auto jack raises one end of a car high in the air, exposing the bottom of the chassis for inspection or repair. Hydraulic pressure works the strong cranelike arm of the jack.




MIRRORS CAST IMAGE ON SCREEN BEHIND SPEAKER

LECTURERS can operate a projector equipped with a new mirror attachment from their desks, inserting and changing slides at will while facing the audience. The attachment fits any standard projection machine or can be secured as part of a complete projection unit. It uses two mirrors to cast the image on the screen which is above and behind the speaker.

Objects within a picture can be pointed out with a pencil directly on the slide in the machine. The projector throws an enlarged image of the pencil on the screen.

This instrument does away with the necessity of placing the projector in the back of the room and having an assistant



With double mirrors, this picture projector throws an image on screen behind the lecturer so he can face audience.

AUTOMATIC WHISTLE WARNS MOTORISTS

BEFORE the traffic lights change at a certain corner in Scotia, near Schenectady, N. Y., there is a shrill whistle from an odd-looking automatic policeman on the adjacent sidewalk. Within the contrivance there is a regulation police whistle which is sounded by a strong blast of air created when the piston of a cylinder is suddenly released by a magnetic coil.

The device is electrically controlled, either by hand or automatically like the usual traffic lights. It should prove useful at locations where no "live" traffic cop is stationed to stop motorists.

CLOSING BOOK PUTS MARKER IN PLACE

WHEN this automatic bookmark consisting of hinged levers and two connected plates, is clipped to the book you are reading, it is impossible for you to lose your place. Closing the volume folds the metal arm of the bookmark between the leaves. and the book will open again at once to the same page. With this device it is unnecessary to damage a book by turning



Clamped to the back of any book, this device automatically inserts the plates as a marker.

AUTOS, OUSTING HORSES. BANISH LOCKJAW

IN THE PAST ten years, the spread of the automobile has practically banished lockjaw. This apparently curious fact is easily explained, according to Dr. C. O. Sappinton of the National Safety Council.

> The digestive system of horses is the normal breeding place for lockjaw germs. At one time, when horses were common, lockjaw germs were scattered by billions in the soil and dust. Any chance human injury, whether a scratch from a rusty nail, a fireworks burn, or a cut from

a dirty knife was likely to allow these germs to enter through the skin and produce the dreaded clenching of the jaw which gave the disease its name.

Today automobiles have displaced millions of horses, and a cut or abrasion. therefore is much less likely to be infected by lockjaw germs.



WORLD BLOWN UP TO STUDY GEOGRAPHY

BLOWING up the world actually happens with a new collapsible rubber globe with the map of the earth on its outside surface. Inflated like a toy balloon, it is then attached to a standard for use in the study of geography. The small size to which it folds when inflated and its lightness make it easy to carry from one room to another.

MOTORS CHALLENGE FAMED GONDOLIERS

GONDOLIERS of the Italian city of Venice recently had a narrow escape from oblivion. In a close vote, the Gondoliers' Association defeated the municipal government's project to banish gondolas entirely from the canals, which serve as streets, and


substitute speedy taxi motorboats. However gondoliers must compete henceforth with the growing number of motor craft. recently augmented by government order.


NEW PHONE BASE HAS DRAWER FOR INDEX

WHEN a new attachment for the telephone, a small circular base, is added to the instrument, finding a phone number becomes easy. A drawer slides out and reveals an alphabetically arranged index, where frequentlycalled numbers are listed. The attachment does not interfere with the use of the desk telephone.



With phone on this index-holding base numbers are handy.





Curious white discs hanging from fruit orchards are not to be mistaken for some relic of old superstition, but are being used at present in the war against the oriental peach moth, an insect pest that has done extensive damage to peach trees throughout the United States.

and Dr. Philip Garman, right, parasites hatch to destroy these pests.

Dr. Philip Garman and John Schread, of the Connecticut Agricultural Experimental Station, have perfected a means of combating the menace. Their weapon is another moth, the *Trichogrammum minu*tiem egg parasite, a deadly enemy of the


oriental peach moth.

In their Connecticut laboratories, these scientists have bred by means of specially constructed breeding cages, thousands of these parasitic moths. A device resembling a vacuum cleaner is used to collect the food for the parasite. About ten thousand of the parasite's eggs are pasted on a paper disc 1 and ½ inches in diameter. These discs are hung on the fruit trees. Peach moth eggs in the fruit orchard are destroyed by the parasites as they emerge from the discs and find their natural food.

A mosquito-like parasite, also being bred at the Agricultural Station, will likewise be used as it lays its eggs in the larvae of the peach pest, and the young live there, thus killing the peach blight. By means of this vacuumlike machine, the leaders of the war on Oriental Peach Moth collect food for parasite that eats the pest.

At left, each disc is loaded with about ten thousand parasite eggs which hatch after disc is hung on trees and then destroy the moth,

"MIKE" SHOWS CRICKET FINE MUSICIAN




Making a sound picture of the cricket. The movietone apparatus is seen at left and the outside of the soundproof booth is at right. Inset shows cage and microphone inside the booth.

The upper picture shows the cricket's musical instrument and the lower picture shows the under side of the front wing. Rubbing filed wings together makes its high pitched song.

Secrets of the skill of insect musicians have been revealed by sound movies of the cricket, taken under the direction of Dr. Frank E. Lutz, of the American Museum of Natural History, New York.

The music is played five octaves above "middle C" of the ordinary piano keyboard. It is impossible for the human violinist to reproduce these high notes.

To make the cricket talkie, a wire cage containing the cricket, and a microphone were placed in a sound-proof booth. A movie camera was set up outside the booth and focused on the cricket. A recording unit connected with the microphone caught the music.



On mountain road and desert trail, the American built car is now seen, modified to conform to customs and laws of strange countries,

Disk Wheels, Safe Headlights, and Electric Horns Banned in Far Places; Why a Jap Won't Ride in a Yellow Automobile

By GEORGE LEE DOWD, Jr.

LACE your finger at random on a map of the world. Whether it touches Afghanistan or Madagascar, Patagonia or the Fiji Islands, the chances are that American motor cars are familiar to the people who inhabit the spot. Automobiles from the factories of the United States have penetrated to the outposts of civilization. Last year, more than half a million of them were exported. Vessels that plow the seven seas carry in their holds American cars destined for all parts of the world.

In each foreign country where the exporter introduces his machine, he must take into consideration the customs, beliefs, and peculiar laws of the community. In the New York office of the General Motors Export Company, which ships many makes of American cars to foreign lands, several score "do's and don'ts" for selling cars abroad have been collected. They indicate the unusual conditions that have to be met in the auto markets of the far corners of the globe. They are catalogued under the heading: "Unusual Sales Resistance."

One division, for example, is "Color."

When a manufacturer paints his machines
for foreign delivery, he has to watch his
step.

A few years ago, a sales manager thought

In South America, cars must be equipped with standpipes on carburetor, since frequently they must ford rivers that submerge the engine.

he would boost sales in a South American country by sending down a special sport roadster with de luxe equipment. Resplendent in a coat of brilliant red paint, it started on its way. A few days after it arrived, a frantic cable raced north from the branch manager in the southern country. Not only was it impossible to sell the car, he reported, but he couldn't even drive it on the streets. A law in that country prohibited any automobile from being painted red. That color was reserved especially for fire engines. The only thing that could be done with the roadster, unless it were completely repainted, was to sell it to the fire department!

Japan is another country where red automobiles are on the "Not Wanted" list. Here the reason is the popular antagonism to the Russian "Reds" and everything suggestive of them. Also, in



In parts of Norway, motorists are delayed by laws that send traffic up in the morning and down in the afternoon.

"The Land of the Rising Sun" it is illegal for a private citizen to own a maroon colored car. That shade is reserved by law for the exclusive use of the Mikado and the royal family. Consequently, a motor car manufacturer who sent a maroon auto to Japan would find a limited market.

Other Asiatic countries also have decided color preferences which must be remembered. In many parts of India, for instance, green is thought to bring bad luck. It is the color of Yama, the Hindu Satan. So



Hard going but this auto got through. Driving along a main road overgrown with elephant grass after rainy season.

nobody wants a green automobile. In other sections of the same country, black is considered a potent bringer of misfortune and motor cars that are painted in that shade go begging.

In China, the color of mourning is exactly the reverse of that used in America. Instead of black, it is white. Consequently, those in the market for automobiles in



China shy away from machines painted white. That color is reserved for the dead. In Japan, "Yellow Cabs" would have small popularity, and autos of that hue are not wanted. For there, yellow, instead of black or white, is the mourning color.

But color is not the only thing that the automobile manufacturer, who has an eye on foreign markets, must keep in mind; there are many other things as well.

When four-wheel brakes came into vogue, one American concern sent a ship-

ment of cars to England.

"They can't be sold until they have a red triangle painted on the back," the dealer was told. This law is still in effect. All four-wheel-brake machines in Great Britain must carry such an insignia to warn motorists behind that they may come to a sudden stop.

Another safety measure that has caused American auto makers considerable inconvenience is in force in Japan. No automobile there can be equipped so the driver can turn on his headlights and taillight from a single switch on the dashboard. A separate switch must be provided on the tail-light so the driver has to get out and go around to the back of his machine to operate it. Then, he is sure his tail-light is on.

ist across a river in Africa. Cars for that region carry ropes, ready for any emergency.

Mud-splash guards are also necessary in Japan. These are rubber aprons which the driver is required to fasten to frames outside the wheels as soon as it begins to rain. They keep pedestrians from being splashed by passing cars.

BEFORE you can sell a taxicab in Japan, you must put two horns on it. One isn't enough. An electric horn and a bulb horn are required on every machine, so, if one fails, the other will still be in commission. Another regulation provides that there be two people running every taxicab, a driver and a helper. As the helper has little to do except man the auxiliary horn. Japanese taxis frequently dash through crowded streets with both horns going full blast. Eighty percent of all automobiles in Japan are taxis, so the honking is practically continuous.

In France, Poland, and several South American countries, the electric horn, standard on American cars, is outlawed entirely. Only bulb horns can be installed.

Motorists in some tropical countries refuse to accept disk wheels. The reason is that they are in the habit of tying ropes around the rims and tires to help them get out of deep mudholes. Other drivers, in the same countries, ask for the disk wheels because they believe wooden wheels swell and warp during the rainy season.

OFTEN, the season of tropical downpours has an important bearing upon the equipment that a dealer must install on his cars to make them sell.

In Porto Rico and Venezuela, machines frequently have to be fitted with stand-pipes on the air intake of the carbureto so the owners can drive through swolld streams. Thus equipped, the automobile with distributors placed high, can driven through water so deep that driver's seat gets wet.


One salesman, in delivering cars tropical country, had to plunge the stream whose current was so sw the water (Continued on the



Travel in far-off countries is just one automobile after another. Even in the frozen wastes of Russia, the picturesque sled and horse is giving way to the American built and imported cars.

Monorail Aims at High Speed

Streamlined cars on an overhead railway may whiz across country at 150 miles an hour-Offers new system of travel for interurban commuters



Driven electrically by two propellers, one at the front and one at the rear, this new monorail car recently was demonstrated at Milngavie, Scotland,

Bennie's monorail car speeding along track from which it hangs.

TREAMLINED carsvehicles resembling an airplane fuselage without wings-may soon whiz at 150 miles an hour along a new kind of overhead railway. Engineers who attended a recent Transport Congress in Glasgow, Scotland, saw the first of the cars to be built run along a short section of skeleton structure of steel near the Scotch city of Milngavie. Although the section of experimental track was too short to test the car's maximum speed. two air propellers pulled the

dozen passengers aboard.

The inventor, George Bennie, declares that double-track railroads of this kind would be ideal for superspeed commuting service between cities and suburbs. An overhead railway could be operated hrough a congested district without disurbing traffic. Building the towers and rack would cost much less than a suby, and the small amount of structural rk for a monorail track, such as Bencars use, would cut off less sunlight an ordinary elevated railroad.

cars are suspended on rollers from overhead rail, with a guide rail keep them from swaying. Airpellers at the front and rear are



A dozen passengers rode in the experimental one-rail hanging car when it made a trial trip. Bennie, the inventor, stands in the doorway.

car at a good clip with more than a run by electric motors, which take their dozen passengers aboard. of streamline and air propulsion is expected to give the cars great speed.

Few people realize, Bennie points out, that, although no cars like his have ever been built before, the idea of an overhead monorail line is not new. Such a railroad has been in operation for twenty-seven years over the nine-mile distance between Barmen and Elberfeld, in Germany, and in that time it has carried more than 700. 000,000 passengers without accident. This suspended monorail line uses cars shaped like those of present-day elevated railroads, either singly or in trains, all hung from a single overhead rail on an arched trestle above the streets. They are driven

by electric motors geared to the wheels that run along the rail.

At this moment, New York City officials are considering a proposal to build a similar suspended monorail line. on which 200-horsepower cars would run at fortyfive miles an hour, in an outlying borough.

A glance at their history shows that only by taking to the air have monorail lines succeeded.

America was to have a menorail road as long ago as 1910, when a singlerail line was built to connect City Island, N. Y., with the main line of the New Haven Railroad at New York City, But an overhead guide rail, to steady the car, proved insufficient and it jumped the track and was wrecked.

One of the most promising of monorail cars was the amazing vehicle developed by Louis Brennan, British inventor, which needed no extra rail to balance it, as it ran along a single rail on the ground. A gyroscope kept it upright with forty passengers aboard, in apparent defiance of the laws of gravity. However, it never came into commercial use. Another experiment was a short monorail line near Ballybunnion, in Ireland, where odd-shaped cars were drawn by a steam locomotive along a monorail track raised a few feet above the ground on an A-shaped trestle. Built in two parts, they straddled the rail for balance. Today, however, except for a few short lines at mines and quarries, the aerial monorail alone survives.

TWO ALONE BUILD STONE HOME

All the cement that went into Ernest M. Belanger's home, Arlington, Mass., was mixed by his wife as seen in photo above.

For six years Ernest M. Belanger of Arlington, Mass., and his wife gathered thousands of stones from nearby fields, and with them reared the walls of their "dream house," a remarkable modern home built entirely by the couple in their spare time. Working as a government mail clerk at night, Belanger devoted his available hours of daylight to playing the dual rôle of architect and contractor. The

twenty tons of cement which went into the walls of the completed house were mixed by his wife.

A geologist might note that the stones used belonged to the Ice Age. In that frigid era a thick blanket of stones was spread over New England. Such ice-dropped stones went into the walls of the post office clerk's home, so this material cost only the effort of gathering.

Six years were spent by the post office clerk and his wife in building this house of age-old stones.

CHICAGO TO HAVE FIRST ALL-METAL APARTMENT

What is said to be the first all-metal apartment building is soon to rise in Chicago. Its walls will be faced, on the outside, with a gleaming silver-colored alloy of chromium and aluminum. When a layer of rock-wool insulation is added, the outside walls, only three and a half inches thick, are expected to be as retentive of heat as walls of brick. The seventeen-story building will have long "modernistic" window panels of glass and will be warmed electrically. Its metal facing is similar to that on the shiny spire. New York's new Chrysler Building.

The thin metal walls of the Chicago apartment increase the rentable floor space by fourteen percent.

FOUR-FOOT BOAT HITS FORTY-MILE CLIP

A MODEL speedboat, four feet long, that can keep pace with its thirty-foot elders, recently cleaved the spray at forty miles an hour in a demonstration at Los Angeles, Calif. The remarkable little water runabout is reputed to be the fastest motorboat of its size ever built. It is powered by a steam motor equipped with flash boilers, which convert water into


The handsome model is almost an exact reproduction of the larger craft whose design it imitates, having complete trimmings ranging from port and starboard sidelights to ventilators.

BOULDER DAM, BIGGEST YET, NOW UNDER WAY

AFTER YEARS of discussion, work has begun on the Boulder Dam project—in many ways the mightiest engineering feat of its kind ever undertaken. A dam nearly twice as high as any now in existence will stem the Colorado River at the boundary between Arizona and Nevada. The artificial lake it creates is so large that it will take three to five years to fill. From it, water will flow through irrigation canals into the Imperial Val-

ley. The entire cost of the project is expected to be repaid by electricity from a million-horsepower hydroelectric plant.

It will be months before the construction of the dam proper actually begins. The job is expected to be completed in seven years.



Chieago's seventeen-story metal apartment building will look like this when finished,



POISON GAS TANK KILLS BOLL WEEVIL



All ready to destroy the boll weevil. This carload of cotton seed packed in the circular tank will be fumigated by vacuum pressure when the big door is sealed and air is pumped out.

VACUUM cleaning for the cotton crop in areas infested with the boll weevil, cotton's greatest pest, has been found to be the surest method of destroying the harmful insect.

A carload of cotton seed is packed into arcular metal container or tank. This tank is eighteen feet long and five feet in diameter. When the tank door is closed, a vacuum is created. This vacuum removes all air from the pores in the seeds. Hydrocyanic gas is then shot into the tank and permeates the seeds. Killing all insect pests that may be within with-

out doing the slightest harm to the seed itself.

Vacuum fumigation, using different pressure units and gases, is being tested for the preservation of meats, furs, drugs, grains and some foodstuffs. Citrus growers are also using this process with success to rid their stock of scale. The heavily infected boll weevil districts, however, are making the greatest use of the new method, under governmental supervision, in a determined effort to wipe out the destructive pest that has cost the cotton belt millions of dollars.



PINS IN BOOK PACKAGE ARE EASY TO CARRY

Books of pins, similar in form to the book matches in common use, are a handy and convenient new way of carrying pins in the pocket or handbag.

The pins are inserted in stiff paper, three leaves of which are contained in the cardboard cover. The cover folds over and catches under the stub, which holds it when the package is closed.


GAS SMELL NOW SAVED

Makers of gasoline now have found a way to use even the smell. They make it into bottled gas, for fuel and light. The gas is liquefied and bottled under pressure, and now refiners are purchasing compressors and tanks to capture and store the formerly despised "stink."

NO ACCIDENTS WITH NEW HARROW-PLOW

Combining a harrow and plow, a new farm implement, tractor powered, does two jobs at once. The pulverizing attachment, driven by a shaft from the motor. levels the furrow behind the plow and leaves the field ready for seeding. Its drive shaft has a joint that automatically releases it from the tractor when any object like a big stone or a stump is encountered. This is designed to prevent accidents to the driver and the machine, serious injuries resulting in the past when a tractor keeled over backward, catching the driver.

The plow also is hooked to the tractor by a patented connection. If the share strikes a root or a stone through or over which it cannot pass, the connecting rod buckles at a springed joint and the hook is freed from the motor. This plow-harrow is being widely used in the corn belt.



Drawing shows joint in shaft which allows plates to slip when resistance is met, thus freeing harrow from the tractor.



Above, the powered plow and pulverizer that do two jobs at once and leave the field ready for seeding. At left, a good view of the patented joint in the coupling rod that attaches the plow to the motor. When serious resistance is met, the rod buckles at the springs, and the hook jumps out of the ring, freeing the plow.




MILE-HIGH SKYSCRAPER WOULD EQUAL ANT HILL

THE PHOTO above shows a hill constructed by termites or white ants in Western Australia. As the ant is only a quarter of an inch long, it builds an edifice 960 times its own length. The Chrysler Building in New York, highest man-made structure, is 1,046 feet high. If you allow six feet as the height of man, he is building about 170 times his own height. If he built, as the ant does, 960 times his height, his building would be more than a mile tall.

The ants cement their wedge shaped skyscrapers with a salivary fluid.

BABEL OF TONGUES SORTED BY PHONE



convention in turn, how can the entire audience understand what they are saying? The illustrations show the ingenious way in which this question was answered at a recent World Power Conference held in Berlin, Germany.

Each of the audience was provided with a pair of headphones and a four-way electric switch. By turning the switch he could "tune in" to listen to either the speaker or any one of three interpreters. Suppose, for example, that a Spanish delegate was speaking. His voice, picked

up by a microphone and amplified, was carried directly to all the Spanish-speaking audience over one of the four electric

At a nearby table, three quick-witted interpreters were listening to the speaker and translating his speech word by word into German, French, and English respectively. They spoke into microphones with special "whispering" mouthpieces, designed to keep them from interfering with each other. The German, French and English translations, also amplified, went out on the other three separate electric circuits to the members of the audience who spoke those tongues. An electric-lighted signboard near the speaker showed at all times what translations were available, depending on the number of interpreters on duty.

HEAT CONTROL SAVES SOLDERING IRON

A NEW HEAT control for electric soldering irons enables the user to operate the iron at any desired heat. In the new device, a metal box contains an apparatus which regulates the electric current passed into the iron's heating element, in much the same fashion as attachments are used on electric light bulbs to dim the light.

heat control knob with the warning pilot light.

On the panel of this box, a three-position snap-switch and a heat control knob are placed. To start heating the iron, the snap-switch is turned to the first position, applying full voltage on the electric soldering iron.

Once the iron is hot, the switch is snapped to the second position where the

> heat control knob permits the user to adjust the current as

> also carries a pilot light which shows when the iron is on or off. The third position of the switch

Soldering irons, it said, last longer




BLAME NEW TINY GERM FOR CREEPING PARALYSIS

WHAT ARE said to be the smallest disease germs ever seen by human eye have just been seen in a laboratory of the Westminster Hospital, London, England. They are so small that they can ooze through the pores of solid porcelain, and were discovered only when they were magnified 1.800 times under the special

lighting of an ultra-microscope.

The new germs, according to Dr. Foster Kennedy of the Cornell University Medical School, who visited the London laboratory, may be the cause of "creeping paralysis," otherwise known as multiple sclerosis. This disease, not uncommon in America, affects particularly blond, blue-eyed persons, and is characterized by growing inability to walk. If the discovery is confirmed, a serum to fight it may at last be prepared and the disease conquered.



To keep the Mississippi from eating away its own banks, concrete slabs like those seen here are laid from the river bed to high-water mark.

We Have Found a Way to End Mississippi Floods

By BRIG. GEN. T. H. JACKSON, U. S. A.

All along the kinkiest of rivers, from Cairo, Ill., to the Gulf, steam shovels are swinging into action. With high water past, we can work the drag lines that scoop up dirt for the great new levees. Construction gangs are laying concrete mats along the curves of the river where it eats its banks. Monster machines that bite up six or eight cubic yards at a single mouthful are clanking. We're taming Old Man River.

Two years of work completed. Eight more remaining. Then we shall have finished the biggest dirt-moving job in history. And the terror of Mississippi floods, we believe, will be a thing of the past.

What has that to do with the man who lives far from the Mississippi region? It may not, at first, seem to concern him personally that we are saving thousands of acres of farm lands from inundation, and safeguarding the lives of the people on them. But there is a good reason why it should concern him—he is paying for it. Since Congress decided the \$320,000,000 job was one for the whole country to shoulder, it is being paid for out of the Federal treasury to which every taxpayer contributes. It is the greatest gift that any nation has ever made to a por-


tion of its people. Let us see how this money is being spent.

First, get an imaginary aerial view of the Mississippi region. Beneath you the wide, muddy Mississippi winds through a fertile valley. At once your eye detects something unusual about this river back of its banks.

On each side the land slopes downward. Ten to fifteen miles from the river's banks it may be fifteen or twenty feet below the bank level. The Mississippi itself has built up those banks, higher than the surrounding country, with the silt and sand that it carries. That is the start of our whole trouble.

As EARLY as January we look for signs of a flood. By the end of February, it may reach flood height at the upper end of the river. Then the water level goes up all along the way. When it reaches the top of the natural banks, it overflows them—only by a few inches, but enough to inundate thousands of square miles of low country.

So our predecessors decided to fix that. They built levees, or earth dikes, all along the river and only made matters worse. They tried to pen up a river that squirms and slashes like some giant fire hose by crowding it into a narrower space than



This map gives a clear idea of the work to be done by floodways in saving life and property.

would hold it. For a few years, perhaps, the Mississippi would be docile enough, but it would merely be biding its time. Every ten or twelve years along would come a big flood, and away would go the levees. Through a break perhaps as wide as 3,500 feet, a torrent of water would pour into the valley. When the levee break was choked and plugged at last by silt, then would remain an azure pond or "blue hole" upon what was once farm land.

Despite popular belief, Mississippi floods are no greater on the average than they ever were. It is the unsuccessful attempts at

confining the river that make the damage all the worse when a levee breaks. A vivid example is the flood of 1927, the worst in the fifty years that we have kept records. Congress decided it was high time to do something to prevent similar floods in the future. The result was

the present Flood Control Plan which Congress adopted on May 15, 1928.

This engineering plan does not attempt to do the impossible

and hold the river in one channel behind levees. Instead, it combines in one project the three things that are needed-levees to confine as much of the water as possible to its normal channel; leveed floodways to carry the rest harmlessly through other waterways; and lastly, a controlled floodway just above New Orleans to relieve dangerous flood heights at that point, by dumping flood water via Lake Pontchartrain, La., into the Gulf of Mexico.

The first step in planning the system was to decide how big a flood it must be prepared to handle. Floods of any



On big barges, concrete revetments are built, a section at a time; then laid from shore to center of channel,

given size seem to recur in a certain cycle of years. Such a high flood as that of 1927 might be expected only once in twentyfive to forty years. The flood control system we are now building will handle a flood twenty to twenty-five percent greater, proof against a flood far worse than any ever recorded—one such as might occur once every other century.

schedule. You could hardly put your finger down on a map of the Mississippi without striking a spot where we are

The job is going ahead squarely on levee along. working. What are we doing?



The Mississippi on a rampage. Thousands of acres are flooded and homes are washed out when the levees break, setting Old Man River free. Flood control work is to end this loss.

First, we are turning little levees into big levees. Some of the old ones are only fourteen feet high, although they average nineteen feet. We are making them average twenty-two feet, able to cope with superfloods. They will not hold all the river water, in flood time, but they will hold a lot of it.

Concrete revetment being laid from barge to

keep river from constantly changing course.

Everyone has heard about levees in songs and stories, but how many have any definite idea of what a levee looks like? In the first place, they are usually nowhere near the river, as so many imagine. Only about twenty miles of the 1,500 miles of levee are actually on the river bank. Most of the levees are from six to 3.800 feet back of the bankline. This gives the river room to slash around and carve away some of its bank without taking the

THE levee itself is a bank of earth either sand, loam, or clay. To spike another misconception, it is not watertight. Water will seep right through it. We simply shape our levee so that by the time water has seeped through the back face it has sunk below ground level using the longest back slope for sand, the most permeable material. If it comes out above, it will start trouble.

The first sign of a badly leaking levee is a "boil" that appears behind it. Water comes "boiling" up in a round spot, build-ing up a rim curiously like the geyser holes in Yellowstone Park. Some boils reach a diameter of ten feet, and last year we had one even larger than that.

At flood times, patrols go up and down the levees constantly, looking for such leaks. The instant a boil appears, we throw up a temporary dike of sandbags behind it. The water leaking through the levee forms a pond between the two walls. As soon as it becomes a few feet deep, the back pressure of water in the pond keeps any more from coming through.

Most levee failures occur when the foundation, undermined by such a leak, gives way. We had one narrow escape last year just below Greenville, Miss. Thirty or forty feet of the levee settled, but did not collapse. We dug in, after flood danger was past, to (Continued on page 149)

PHOTOS SHOW STEPS IN GROWTH OF THE EXPENSIVE ORCHIDS




WHY ORCHIDS COME HIGH. Seeds of the famous exotic flower are kept for two or three years in incubator bottles. When the plants are half an inch high, they are put in flowerpots. Photo shows transplanting of seedlings.



READY FOR THE MARKET. Mature orchid plants in blossom and waiting to be sold. In this country six or seven years are needed to bring the plant to this stage but in the Orient from eight to ten years lie between the seed and the flowering plant. In spite of its long life, about fifty years, after it starts to bloom, the upkeep of the nursery is so great that the high retail price of the flower, three to five dollars each, is easily understood. The price, however, does not interfere with the market, and one eastern nursery produces over 100,000 flowers each year.

WORTH A MILLION DOLLARS. These orchids are nearing maturity after having been carefully tended for five or six years. They will bloom next year and will continue to bear blossoms for fifty years. Each plant is so valuable that one California nursery easily contains over a million dollars worth of them. Enormous boilers are used to keep the temperature of the hothouse uniform as any sudden change might be fatal to the strange plant that grows wild near the equator.

WAITING FOR A LADY. After seven years of careful attention, the plant bears a flower like the one in full bloom shown at the right. It has petals of pale lavender with a center of dark crimson and a yellow throat. There are five thousand species of orchids growing abundantly in the tropics but the varieties familiar in this country are comparatively few, only about five being generally grown for the American market.



BREAD FOR THE SYRIANS. An oven is unheard of in Syria, and when bread is baked, the nearest doorstep serves as a fireplace. Rolled into thin, disk-shaped loaves, the dough is baked on the stones, which are heated by a brush fire that is always in need of fuel.

MIXING DOUGH IN THE EAST. Below, girls of Cochin-China are getting ready to bake their bread. A stick is used to whirl the dough about in a pot. Afterwards, it is poured into the flat dishes and baked over an outdoor fire-

How the Staff of Life Is Made Here and in Foreign Countries




CANADA'S OUTDOOR OVEN. Near Quebec, Canada, natives build tiny outdoor ovens and while the quantity output is small they boast of the bread's quality.




TURKS PREFER PILLOWS. The oblong loaf common in this country wouldn't suit these Turks at all. They want bread made in round, pillowlike loaves.



BIG CREW SPEEDS BAKING. Teamwork does it in the Near East, where many hands are kept busy when there's baking to do. Little oblong loaves are baked in narrow pan.



MACHINERY DOES IT IN AMERICA. All the other methods illustrated on this page seem primitive by comparison with this big modern dough mixer, which automatically shapes the loaf for baking in a large bread factory.



Perfumed disinfectant, mixed with oxygen, is sprayed by the propeller of this Zeppelin-like device to purify the air in theaters.

Air in theaters and other public places is now purified by a device that resembles a Zeppelin. Recently installed in the Coliseum, a London playhouse, it freshens the air during intermissions by spraying a mixture of oxygen and perfumed disinfectant.

When the machine is dropped from the ceiling of the theater by a hollow cable, an electrically driven propeller sends it spinning in a circle over the heads of the audience. Oxygen supplied from outside tanks through a hollow cable is ejected and scattered by the propeller. This dirigible-like affair is illuminated


with colored electric lights.

SMALL AUTO RUNS ITSELF WHEN LIGHT HITS IT

Beams from a lamp, held by one of its student builders, control a miniature automobile recently exhibited at the University of Illinois. It starts and stops itself, turns on its lights, and blows its own horn.

The two students, A. F. Rus and J. R. Woodfill, decided to apply for themselves the wonders of the "electric eye" or photoelectric cell which they had learned about in classes. They installed one of these special vacuum tubes in an electricpowered model auto.

To lead the car forward, a lamp is directed at the tube, which is mounted on the model's windshield. This actuates the motor and starts the car. Flashing the light twice works a selective relay that turns on the lights.



Light, striking a photo-electric cell, controls this car built by two University of Illinois students.

CRASH CAR INTO WALL IN TIRE TEST

At a speed of thirty-seven miles an hour, Dick Grace, noted stunt flyer for the movies, crashed an automobile into a solid brick wall to test the blow-out resisting qualities of the tires. The force of the impact threw the driver out of the car, but he was uninjured except for slight bruises. The entire wall was moved several



ARROW ON BIKE SHOWS RIGHT OR LEFT TURN

BICYCLES, as well as larger vehicles, may now have their safety signals. A new invention is a diminutive arrow which, mounted on the rear of the bicycle, indicates whether the cyclist is about to turn

left or right. It swings in either direction at the touch of a lever on the handlebar, and at other times it lies in a vertical position. With the device is combined a small red bull's-eye that reflects the rays of automobile headlights at night.

The signal arrow, which is also designed for use on motorcycles, is being used by many bicycle riders in France, where it was invented, and has prevented many accidents.

inches by the shock of the 3,000-pound car's impact, and the framework of the automobile was bent and twisted.

MODEL OF EIFFEL TOWER BUILT FOR RADIO MAST

A MODEL of the famous Eiffel Tower of Paris has been built by Bernard G. Warr, a young English architect, for use as a radio mast. As a change from the usual pole, which he considered unsightly, Warr built his model in odd moments and completed it in six months.


The structure is forty feet high. It is built entirely of wood, thin laths being used, without dependence on guy wires. As the illustration shows, the tower is strong enough to support the weight of a man without difficulty.

The proportions of the French tower, which is 984 feet high, are exactly maintained throughout in the graceful model, which makes a fine radio mast.



Built entirely of thin laths, this forty-foot Eiffel Tower model serves as a private radio mast.

Pacific Ocean Now Being Carried 92 Miles Inland



two miles from the coast, is to have the Pacific Ocean brought to its door to give it the benefits of waterway commerce. Although there is now a channel between the city and the ocean, with its outlet at San Francisco Bay, its depth of nine feet has made it impossible for sea-going vessels to ascend it. Dredging of this water route to a depth of twenty-six feet and a width of 460 feet was started recently and is expected to be completed in 1933.

center of the Stockton business district which will be 1,200 by 800 feet in size. Monster electric dredges are moving 21,000,000 cubic yards of earth from the channel. The cost of bringing the ocean to the heart of the city will be nearly six million dollars, with the federal government providing approximately half the money. When finished. ocean going ships will be able to sail right up to Stockton under their own power.

TANK TO GUARD BASE OF LONDON BUILDING

FOR PROTECTION against the action of tidal water and shifting soil, a new office building in London will have its foundations surrounded by a huge underground tank. It is being constructed with an outer layer of steel, within which is a brick wall nine inches thick, covered with a coating of asphalt. Finally there is a concrete

> wall seventeen feet thick at the base. The floor of the tank will be covered with a heavy bed of waterproofed concrete. Excavation of the ground was made through layers of Thames River mud, peat, and green sand, into the blue clay below. Dirt material weighing 150,000 tons was removed from the area in building the tank.

THIS TRANSFER SLIP IS PRINTED ON CAR

Transfers are printed while you wait by a new machine put into use on Berlin, Germany, street cars to speed up rush hour service. They also avoid fraud by the conductor, for the entire operation is performed before the passenger's eyes and he can see that a new transfer is issued to him instead of an old one pulled out of

the conductor's pockets.


The transfer machine is carried slung around the neck of the conductor and is in a small metal case. A series of wheels on one side allows the machine to be set for the correct transfer. The conductor turns a crank on the other side which prints the transfer on a continuous roll of paper. As the crank is turned completely around, the transfer issues from the case and is torn off by the conductor and given to the passenger.

The machine is credited with being able to print and punch a transfer in less time than the conductor could tear one off and punch it under the old system. It also keeps a mechanically exact record of the number of transfers issued, thus reducing the possibility for theft by the employes and making it easy for the auditors to get quick report on total business.



Above, the transfer machine printing and issuing slip to passengers on Berlin street car. At right, the machine operated by conductor.

GATHERING TO THE FEAST, Literally thousands of gulls make their headquarters at St. Ives, Cornwall, England. They are prime scavengers and assemble in enormous noisy flocks.



Odd Views of Animals Caught by Camera Reveal Unusual Traits




CAUGHT IN THE VERY ACT. This lioness wanted to get up a tree, so she climbed it and the camera was snapped at the very instant she was clawing her way upward into the branches.



wild ass this strange look-

ing colt resulted. It has its mother's markings plainly seen on its leg and ears.


PLAYTIME IN THE ATLANTIC. Dolphins can't fly but they are experts at hurling themselves out of the water in great leaps that carry them several feet above the surface. This remarkable picture of a leaping school of the big fish was taken recently off the coast of Africa from the deck of the steamship Windsor Castle and shows clearly how they tumble about in what appears to be pure abandonment to the one idea of play.







BOAT OR AIRPLANE? This strange craft, two views of which are shown, looks as though it would be more at home in the water than the air. Its inventor, a former member of the German air force, is sure it will fly. The air stream from the propeller is directed straight through the fuselage, which is hollow. The rear view, above, shows the rudder and the opening through which the air from the propeller escapes, At left, it is seen landing on Lake Florence, near East Berlin, N. J. Its inventor claims the craft will fly 300 miles an hour and he is ready to try a flight in it from America to Berlin.

NO PROPELLER NEEDED. This plane, in the main designed along accepted lines, has, in place of a propeller, paddle wheels similar to those used on old boats. They are expected to drive and lift it; no practical tests have been made.





ALOFT UNDER FULL SAIL. Equipped with sails, this glider took to the air after being towed by an automobile. It flew, but aviation experts say it did so, not because of the sails it carried to help it, but in spite of their resistance.





"THE LAST LAUGH." Shaped like a beetle, this strange craft has long narrow wings and its inventor, who named it The Last Laugh, says it will fly.





SHOCK-ABSORBING RAILS ADD TO TRAIN'S COMFORT

Shock-absorbing rails for railroads are the recent invention of a German engineer. They are said to cushion the vibration of wheels rolling over them and to make traveling more comfortable for passengers in the coaches.

At intervals in a standard rail is inserted a section of special "breathing rail" of modified form and bearing a number of slots. These sections, welded to the regular rails against which they abut, give the whole track resiliency and absorb the jouncing of a train passing over it. Tests of the device upon German

railroads are planned.



of sailplane flying.

GLIDER-KITES DO STUNTS WHILE HELD BY STRING

THE newest sport designed for glider enthusiasts is a glider-kite, to be flown by a cord from the ground. It is almost an exact model of an actual size glider and has a wing spread of about five feet.

The glider-kite is capable of all varieties of stunting—loops, barrel rolls, and tail spins. It is believed that it will prove valuable in learning facts about the performance of a real glider, under various wind conditions and maneuvers. As a target in antiaircraft gun practice, it is also con-

FRONT BUMPER WORKS NEW AUTO BRAKE


An electric brake for automobiles, just placed on the market, sometimes does not wait for the driver to apply it. Although he can operate it at will by pressing a button in the dashboard, an electric contact on the front bumper trips it automatically if the car strikes anything.

In a recent demonstration in New York City, a man stood in front of a moving automobile equipped with the device and allowed himself to be hit. Instantly the brakes of the car slammed on, and it stopped in its tracks.

Any car may be equipped in a few hours with the brake, which takes its power from the car's own storage battery. The working part of the electric brake, housed in a small oblong box, is mounted on the chassis and acts upon an extension of the regular brake rod. When tripped, it first snaps off the ignition and then applies the four-wheel

brakes, bringing the car

to a quick stop.



Touching a red button on the instrument panel makes a connection that automatically slams on these new four-wheel brakes.

At left is view of the brake attachment that goes on the front bumper, and the electromagnetic device that operates the brakes.

pole to pole, but it may be possible to use a thin-walled tube of copper or stainless steel, filled with a sodium core.

AUTOMATIC WATCHMAN RINGS ALARM BELL

An automatic "night watchman," who keeps tabs on all the rooms of an apartment house by sounding an alarm and indicating the number of the room where an attempt at intrusion is being made, has recently been introduced by an Italian inventor.

The novel burglar alarm is a signal board placed at some easily accessible point in the building. The locks of all the apartment room doors are connected by wire with this board. When one of the doors is forced or a wrong key inserted in the keyhole, a bell rings and the number of the room is registered on the board. The janitor, other inmates, or passers-by on the street may thus be summoned to the scene.

The door to each apartment is connected with this switchboard. Bell rings if door is forced.

SODIUM LINED TUBES MAY CARRY ELECTRICITY

Built like a small glider, these kites fly easily in a light wind, and at the end of a string will do many queer stunts.

sidered a valuable training aid. In

addition the kite is expected to fur-

nish data of great value to students

Will tubes or pipes, instead of wires, carry electricity to your home in the future? Such a possibility is proposed as the result of a recent survey of the prices of metals, which show that modern methods have made the curious metal sodium as cheap, bulk for bulk, as iron.

Pure sodium is a silvery metal, lighter than water, and so soft it may be cut with a knife. Thrown into water, it will explode.

One of its most interesting properties is that a wire of sodium need be only one third the weight of copper wire to carry the same amount of electricity. The metal is too soft to string, by itself, from

BABIES BRANDED WITH ULTRA-VIOLET LIGHT

Ultra-violet rays are used to "brand" new-born babies at the Delaware County Hospital. near Philadelphia, to prevent the possibility of giving a mother the wrong child. The marking, entirely painless and harmless, will make impossible the repetition of "exchanged babies" such as took place recently at a Chicago hospital.

In placing the "coat-of-tan" markings upon the new-born infant, the ultra-violet rays are directed upon a stencil in which numbers or letters are cut so that the "sunlight" reaches only the exposed skin. The markings remain visible for two weeks or longer, until the child is taken from the hospital, and, of course, bathing

does not disturb the markings as would be the case if put on by usual means.




With this ultra-violet machine, hospital babies are branded with a number or initial by means of which they are identified.

MOTORISTS CAN NOW GET THEIR CHANGE IN GAS

When a driver stops at a new kind of filling pump to buy gasoline for his car, he may receive his change, if he prefers, in gasoline. Beside the regular glass tank is a smaller one containing exactly one gallon of gas. It is graduated in cents. Any number of cents' worth of fuel may be drawn from the small tank, when the attendant presses a lever at the nozzle of the regular filling hose.

If a driver buys five gallons of gasoline, for example, at nineteen cents a gallon, his bill would be ninety-five cents. Giving the attendant a dollar, the motorist need not wait for his change. He receives it immediately in five cents' worth of gasoline drawn from the small tank. Filling stations may add the device to their regu-

lar gas pumps without appreciable alteration. Faster service and increased sales are said to be a result.



A one-gallon tank, graduated in cents, is used to give purchaser his exact change in gasoline.

PRESSING TRIGGER FIRES OIL FROM THIS CAN

A NEW oil can that works like a gun shoots lubricant into hard-to-get-at places. Built like a miniature force pump, it is operated by pressure on a trigger. In response to the touch, a jet of oil spurts through the long spout and easily reaches the machine part to be lubricated. There is no need to turn the can upside down and attempt to splash on oil from above with this positive feed.

Within the can, a plunger connected to the trigger advances into a cylinder in which a measured quantity of oil is trapped and when the trigger is pulled it ejects this oil. The forcible action makes the spout proof against clogging. This

insures the lubrication of the invisible parts of the motor.



Bearings hard to get at are easily lubricated with this gun device which shoots the oil out.

OFFER \$50,000 IN PRIZES FOR MODEL MAKERS

Boys between twelve and nineteen years of age may win university scholarships, and other valuable prizes, in a national coach-modeling competition just announced. This is the first time that university scholarships have been given as awards for craftsmanship.

Entrants in the contest, sponsored by the Fisher Body Corporation of Detroit, Mich., are required to construct a duplicate of a Napoleonic stagecoach model from working drawings supplied them. For the most

nearly perfect specimens of handiwork, prizes totaling \$50,000 in value will be awarded, including four fouryear university scholarships.

The contestants will be divided, according to age, into a junior and senior class. Scholarships awarded in the junior class will be held in trust for their winners until they graduate from high school, or are ready to enter college. A jury of prominent educators, headed by Dan C. Beard, will judge the models.



SLOWS MOTORBOAT DOWN TO RIGHT FISHING SPEED

An outboard motorboat is slowed to rowing speed by a new propeller attachment for fishermen who wish to troll. The device covers the propeller blades and thus takes away their normal pitch. With the motor throttled down, the usual speed of the boat is reduced by half with the trolling attachment.

All standard makes of outboard motors may be fitted with this invention of a Little Falls, Minn., manufacturer, and it is made for both two- and three-bladed propellers. It can be attached or detached on the water, and is made of cast aluminum so that it will not rust.

When the motor is speeded up, wings on the device automatically spread and expose the propeller blades. Nearly normal speed may therefore be reached without removing the attachment.

Two parachutes must be worn by every jumper who makes an exhibition, training, or testing drop, the Department of Commerce has ordered. The auxiliary 'chute is carried for protection in case the first fails to open or becomes fouled with some part of the airplane. Pilots wear

only one parachute as they jump only in

emergencies and the added bulk of a second

would interfere with their work.



STUDENTS LEARN TO FLY IN CLIPPED WING PLANE


Now students can learn to fly on the ground, yet get all the sensations of actual soaring, in a plane that has had its wings "clipped." It will tip, bank, and behave in every way like a real airplane, but it cannot leave the ground.

The earthbound craft, devised by two Los Angeles inventors, is a small glider powered with a two-cylinder motor. Its wing surfaces are responsive enough for the machine to answer its controls while jogging along at only ten or fifteen miles an hour. When the student has mastered it, he replaces the stub wings with full-sized ones and flies away.

PARACHUTE FOR PLANE WORKED BY SPRINGS

Springs fire into the air the plane-lowering parachute invented by Dr. J. T. Parr, an Oakland, Calif., dentist. When the pilot of a disabled plane presses a control lever,

a trapdoor in the upper wing opens and the parachute swings plane and pilot to earth. Such "airplane parachutes" have already been shown feasible in tests, and Parr declares the release of his device so positive that it will check a plane in headlong fall, out of control. The parachute is attached to the plane at the exact center of balance, so that when put into use it will, according to the inventor, hold the plane on a level keel during the descent so that it will not be damaged when the ground is reached.



Above is view of parachute, released by springs, lowering plane to earth. Below, how 'chute is packed at center of wings.

RADIO BEACON GUIDES PILOT'S BLIND FLIGHT

Fog might have blanketed his whole trip, yet it would not have stopped Capt. Arthur Page, crack Marine Corps pilot, who recently flew "blind" from Omaha, Neb., to Washington, D. C. Stopping only twice on the way, at Chicago and Cleveland, to refuel his plane, Captain Page guided his plane solely by the instruments on the dashboard in front of him.

The illustration shows the visual radio beacon indicator that kept him on his course without the necessity of watching the ground. To avoid risk, he carried an observer who did watch the earth, but the observer found it unnecessary to give Page any directions and contented himself with keeping a lookout for other planes.



The visual radio beacon guided Captain Page, above, from Omaha to Washington, D. C.

2,000 COMPANIES BUSY MAKING MODEL PLANES

NEARLY 2,000 full-sized airplanes, motors and all, could be purchased with the money now invested in the model airplane industry of America. Last year, more than 2,000 companies, ranging from "basement factories" run by schoolboys to producers with large financial resources, were turning out the light, rubber-band-propelled machines. One firm sold \$400,000 worth of miniature planes in twelve months. The model airplane industry in the United States now represents an investment of approximately \$4,000,000.

WORLD'S BIGGEST AIRSHIP TO BE NAMED AKRON

When the world's largest dirigible emerges next summer from the hangar at Akron, Ohio, where it is being constructed with a sister-ship of equal size for the United States Navy, it will carry the name Akron.

This recently was selected as the name of the new super sky dreadnaught by Navy officials. Heretofore the airship was designated as the ZRS-4, and its sister-ship, still unnamed, the ZRS-5. These giants will have a gas capacity greater by a million and a half cubic feet than the largest airships now in existence. Each will hold 6,500,000 cubic feet of helium. The only Zeppelin type dirigible now owned by the United States is the Navy's six-year-old Los Angeles, originally the ZR3.

PLANE'S NEW MAIL BAG UNHARMED BY FIRE

ONE of the great menaces to the safety of air mail is fire. To protect air cargoes—sometimes valued at more than a million dollars—a new fireproof asbestos composition mail bag was tested at Chicago recently. Soaked with gasoline, ignited, and left for fifteen minutes, the bag kept the mail within unharmed. The new mail holder is said to be capable of withstanding heat that will melt sheet metal.



Taking his ease in an armchair, Alford J. Williams, dare-devil of the air, carefully plans out his most breath-taking aerial stunts.

At right, the model plane Williams uses to rehearse his thrillers. Here he is demonstrating the half-roll, used to turn plane over.

Below is shown the interior of the

ball equipped for record ascent.

STUDIES AIR THRILLERS WITH MODEL AT HOME


When Lieut. Alford J. Williams, former Navy flyer, plans an air thriller such as his recent spectacular "inverted falling leaf," he uses a model plane to do it. Sitting comfortably in an armchair at his Washington, D. C., home, he can study out at leisure just when he will have to advance the control stick or kick over the rudder.

Even an experienced airman might become bewildered at some point in the midst of the hair-raising stunts that Williams has performed. For instance, when a plane is standing on its side the rudder and the elevator, controlling respectively the horizontal direction and tilt of the plane in normal flight, exchange duties. At such a time hesitation might be fatal. That is why Williams, reckless as he seems in the air, has rehearsed his stunt with a model so many times that his responses when in a tight place are automatic.

FLYING BOATS USED TO CATCH FISH POACHERS

Poaching fishermen within the threemile limit along the British coast on the North Sea are being caught with flying boats. Machines of the Royal Flying Corps patrol the sole fisheries in these waters. When French and Belgian fishing vessels were sighted by the winged game wardens, they radioed to the ships of the Fisheries Protection Flotilla. Arrests followed. With the success of the aerial patrol, it is planned to extend the use o the flying boats to the herring fisheries at other points along the coast.


PLANS TEN-MILE CLIMB IN BIG BALL




In this seven-foot aluminum ball two men will be carried ten miles above the earth.

A TEN-MILE ascent into the air is planned by Prof. M. Piccard, of the University of Brussels, in Belgium. As this issue went to press, the trial was awaiting favorable conditions.

He expects to be swung aloft by a balloon to a height of 52,000 feet. Not only is the air at such a height too thin to breathe, but it is possible that a human being would "blow up" under the reduced pressure. Therefore Piccard constructed a hollow ball of aluminum, within which he and a companion plan to be sealed. Air supplied by a machine similar to that used in submarines would be kept at normal atmospheric pressure within the ball, despite the low pressure outside.



85-MILE-AN-HOUR BUS STREAMLINED



France is soon to see this streamlined, high powered bus with porthole windows, whizzing across the

feet high.

country on overland routes, carrying 100 passengers and running at more than express train speed.

PORTHOLE-shaped windows will give passengers a view of the roadside they are scudding past at eighty-five miles an hour, in a remarkable bus just completed at Paris, France. This juggernaut of the roads seats 100 passengers, besides its two drivers. Every part is streamlined for speed, even to the curved emergency door in the rear. The machine is designed for express cross-country travel.



travelers' way.

"BELGIAN ROLL" TO

SHAKE CAR APART

of them. A rack at the back holds coats and hats out of

REVOLVING SEATS ADD

TO RAILROAD COMFORT

THESE double seats for railroad cars, mounted on a pivot, turn toward the win-

dow like Pullman chairs at the will of the

occupants. The innovation in railway

An automobile is turned into a bucking broncho by a mechanical device called the "Belgian Roll," which is used in a Detroit automobile plant to test cars. The function of the "Belgian Roll" is to shake and shock a car to pieces. If the

test car discloses weak spots, they are made stronger in future models.


The "Belgian Roll," built in a pit, consists chiefly of four large eccentric rollers. When a car is lashed in position over the test pit with its wheels on these rollers, their wobbling revolutions throw the car up and down in a series of rapid jolts.

NEW LENS CLEANING KIT MADE FOR CAMERA MEN

CLEANING a photographic lens, without doing it more harm than good, is not as simple a matter as it sounds. Experiments made at Hollywood, Calif., where there

are many lenses to clean, showed that most of such cleaning was worse than useless, and in many cases it was said to actually impair the quality of photography and projection.

To meet this situation a new lens cleaning kit has just been developed. It consists of a fluid, the nature of which is a trade secret, a piece of specially tanned and hand-brushed chamois, and a bit of lintless linen made from Irish flax. A camel's-hair brush to remove dust completes the outfit. It is designed for use with all kinds of lenses, including those of a microscope.



LUMBER PILING MACHINE

AIDS RUSSIAN INDUSTRY

PILING boards twice as high and many

times faster than men could do it, a new

machine for stacking lumber is the latest labor-saving device put into use in Soviet

Russia. The machine is operated by an electric motor and stands about thirty

Lumber is laid on steel bracket exten-

sions attached to an endless chain. The

planks are carried to the top of the machine where levers shift them from one

side of the bracket extensions to the other so that they are always on top. The planks

are then carried down the other side of the machine until they reach two long steel arms down which they slide. A laborer on

the stack of lumber then picks them off

and places them on the pile, as illustrated

three men are able to do the work for

which, under the old method, a large crew

was needed. As the lumber industry of

Russia is in the process of rapid develop-

ment, a machine of this kind was indis-

pensable. It was designed by native inven-

tors at the request of the government.

With the use of this machine, two or

in the photograph below.

Soviet Russia has just installed this lumber piler which does the work of many men.



The "Belgian roll" in operation. The picture was taken while the auto was being violently agitated by the erratic rollers. This test is made to discover any weak spots in the car.

Copyrighted material



insects that were destroying it has just been revealed by Fernand Cellerier, official "doctor" of the statues and paintings in the French institution.

An Alsace museum presented to the Louvre the statue, seven feet tall, of the Virgin carrying the infant Jesus. It was highly valued as a choice example of fifteenth-century German sculpture.

Two years ago, a vast cloud of insects swarmed from the statue. Consternation seized the museum officials and the priceless relic was immediately examined. It proved to be the nesting place of quantities of insect grubs whose growth had been

hastened by the gallery's warmth. Antiseptics were injected to kill them and the statue was replaced.

In April of last year, another swarm of insects appeared. Cellerier, the statue expert, was called in and set up a laboratory in the Louvre.

Taking small slices of wood from the back of the statue, he examined them under the microscope and found them to have come from the trunk of a linden tree. It was then easy to identify the insect as a

beetle-like species of the family known as Anobies.

Virgin of Isenheim, priceless sculpture,

saved from insects by powerful lamps.


The last step was the use of one of Cellerier's own inventions, a hermetically sealed cabinet in which the statue was exposed to the rays of powerful lamps for thirty days. This type of treatment is used widely to preserve rare woods. Applied to the statue, it baked it dry of sap, which had served as food for the larvae. When the statue was removed from the case, it was free of the pest.

NEW PROCESS SHOWS MITES AS GIANTS

MITES become monsters before the camera of J. G. Pratt, United States Department of Agriculture photographer. After years of research, he has discovered a process by which he can take pictures of insects and plants magnified to astonishing size-from twenty to three hundred diameters.

Pratt's achievement is considered remarkable because he can picture with clarity of detail a whole insect, magnified to giant size. Formerly a textbook of biology could show only a drawing of such a subject, necessarily failing to give a clear idea of its appearance.

Armed with his special camera, Pratt has pictured such insects as the plant aphid or "ant cow" which supplies ants with honey food. According to Pratt, the tiny insect has never before been photographed. Other pictures which he has made show how a fern propagates itself by spores.



I. G. Pratt, Government photographer, shows how he makes highly enlarged pictures of insects. Inset is a photo of tiny aphid taken by Pratt and magnified about twenty-five diameters.

TO MAKE COLORED MOVIE OF FISH



What are said to be the first natural color movies of undersea life are to be filmed by Arthur C. Pillsbury, Berkeley, Calif., photographer. He and Mrs. Pillsbury recently sailed for the tropical island of Suva, in the midst of the Fiji Islands, where he plans to photograph giant starfish, sea anemones, and rare tropical fish at depths from fifteen to fifty feet beneath the surface. There, clad in bathing suits and diving helmets, Pillsbury and his wife will work in shifts of one hour.

The special cameras which they took with them have been proved water-tight by immersion in San Francisco Bay for twenty-four hours. Each is inclosed in a sealed housing of brass, with a window of fine optical glass. Attachments on the

Two exposures of sea-urchins made with the camera to be used under water in filming fish.

box permit Pillsbury to change films under water. Pillsbury plans to expose 25,000 feet of film, if man-eating sharks and barracudas do not interrupt his work.

No effort will be made to get pictures of marine life at great depth, as Pillsbury is not equipped with a diving bell. His interest primarily is in the more highly colored fish that live near the surface of the tropical seas. His photographs, supplemented with the data he will gather, should add largely to the scientific knowledge of these fish.



CALORIE COUNTER TELLS YOU WHAT TO EAT

DETERMINING the number of calories, or units of heat energy, a person should have in his daily diet, a "calorimat" is being installed in public places of Berlin, Germany. The machine tests one's weight and height and then delivers a printed card from a slot giving the calorie ration for the day. Various foods contain different amounts of calories per pound, and by consulting a diet table showing these a person can adjust his eating habits accordingly so that he will be sure to get the required amount of nourishment.


Inserting a coin starts the machine. A system of levers and plungers operated by the person standing on the machine sets it in motion and out comes the card telling how much you should eat today. To assist people in determining what and how much to eat, some restaurants in the United States print on their menus the number of calories each dish contains.

UNSINKABLE BOAT MEETS TEST IN GERMANY

More like a submarine than a surface craft, this novelty in lifeboats is said to be unsinkable. Its seaworthy qualities were demonstrated not long ago in a trial trip over Lake Constance, Germany. The conical hull is divided into six water-tight compartments and a weight below helps maintain stability.

WORK WITH BIG ROCKETS IS AGAIN UNDER WAY

New aid for his experiments with highaltitude rockets enables Prof. Robert H Goddard, of Clark University, to continue the work he began several years ago. Daniel Guggenheim, backer of a recent safety contest for airplane types and of other important aviation researches, is helping Goddard. The rocket will be used for observations at high altitudes.



LIQUID PAPER, SHOT OVER LAND, HELPS FARMERS

Strips of soft paper to cover farm land have been tried in this country, where they protect growing shoots and increase the yield of corn and other agricultural products. The labor of laying these strips properly is lessened by the invention of a German engineer which sprays a fluid solution from a device like an air gun. When this strikes the ground, it hardens into paper, of a sort that is not dissolved by rain and impossible for the wind to blow away.


According to the inventor, Arthur Streich, who recently demonstrated the device in Berlin, it benefits growing farm plants by raising the soil temperature, killing undesirable insects, and protecting the beneficial bacteria in the soil.

TOOL IS HANDLE, WRENCH, HAMMER ALL IN ONE

A PIECE of cold-rolled steel about a foot long and deeply notched is a new tool for the man who works around the house, as well as for professional house painters and decorators. It is scientifically designed

MIRROR GIVES DISTANCE TO MOVIE

A MIRROR is the secret of a new movie trick which makes a small room appear like a big one, thus saving studio space. The mirror supplies part of the distance. The picture and diagram show how it is done. Pointed at the mirror, the camera records the reflected images of the actors in the "set," thus adding appreciably to the depth of the scene as seen on the screen. The diagram below illustrates the process.





The suggestion of distance in the background is obtained by photographing the actors in the mirror, instead of turning camera directly on them. Left: How it's done.

NEW HACK SAW BLADE HAS BIG AND LITTLE TEETH



Teeth, graduated from fine to coarse on this German hack saw, adds to tool's efficiency.

FINE teeth for starting a cut, and larger teeth for regular sawing, are combined in a new kind of hack saw blade. From one end to the other the teeth gradually increase in size. Only one half of the blade is used at a time. Made for cutting iron and steel, the blade is said to be unlikely to jam and break. The new blade is a recent German invention.

HIGHEST THING ON SEA IS MAJESTIC'S MAST

THE highest thing on the sea is the mast tip of the transatlantic liner Majestic. Operated at its slightest possible draft, its topmast towers 229 feet above the water line. This was disclosed by a survey recently made by Army engineers for the Port of New York Authority, in order to pass on a proposal to erect a railroad bridge over the Hudson River at a point where transatlantic vessels would have to steam under it. The survey showed that a fixed bridge 172 feet above high water at midstream, which had been proposed at first, would make it impossible for nineteen transatlantic passenger liners to pass underneath.

for the greatest possible number of uses. The five-ounce tool makes a convenient

handle for carrying two buckets of paste or of kalsomine. Laid across the top of the bucket, the tool may be used as a rest for the brush. Slots engage the sides of the bucket, and the brush is held either horizontally or vertically. Its straight edge is more convenient than the curved edge of a bucket for wiping surplus paint from a brush. Two buckets can be carried and still have one hand free.

In addition, the tool serves as a hammer or as a stirring paddle, while a slot in its center enables it to be used as a wrench.

CAMERA COPIES RARE BOOKS


Copies of books so rare as to be without price will soon be available to students and historians the world over, through the modern use of photography. A New York society will select book treasures from the greatest collections of the world and photograph their leaves. These will be bound and distributed at a nominal fee to sixty-four libraries and to the members of

> the society. Five rare volumes have already been copied in this way, and a dozen more are immediately to follow them.



has many uses. Above, painter uses one to carry his buckets and two to hold the brushes.

PINCHOT GETS FINE VIEW OF SKATE



At right an 800-pound skate is being hauled aboard Gifford Pinchot's boat. Above, a remarkable picture of a big skate swimming.

Unusual photographs of skates were obtained by Gifford Pinchot, former governor of Pennsylvania, on his recent expedition through the Marquesas and French Oceania in the southern Pacific Ocean.


The cruise, taken as a fishing and scientific trip, covered 15,000 miles. Off the Marquesas, island colonies of France, Pinchot landed

some remarkable specimens of skates, large members of the sting ray or devilfish family. After a long fight, an unusually large skate measuring almost twelve feet from fin tip to fin tip was captured and hauled on board by means of block and tackle. It weighed almost 800 pounds. Clear photographs were also obtained of skates swimming near the surface of the sea.

SELF-ADJUSTING CASTER KEEPS TABLE LEVEL

TABLES cease to wobble when their legs are fitted with a new kind of automatic. self-adjusting caster invented in England. A wood-screw attaches each one permanently to the furniture leg. Because of its ingenious construction the caster keeps furniture steady on an uneven floor.

Within the caster is a plunger, which, under the weight of the piece of furniture, descends and slowly forces a few spoonfuls of fluid against the resistance of a ball valve into an airtight chamber. As soon as the weight is removed, the fluid spurts back



and the plunger rises of its own accord. Thus all four casters of a table are kept firmly on the ground, because absence of support from a short leg increases the weight on the others and they sink.

"EXTINCT" PASSENGER PIGEON SEEN ALIVE

RECENT reports that the passenger pigeon, which supposedly became extinct in 1914, may not have perished after all have been given added weight by a scientific observer.

The first reports concerned the observations of two laymen. A Michigan publisher reported seeing a pair of passenger pigeons on the road sixteen miles from his Munising home. From a distance of only ten feet he could plainly identify them by the sheen on the neck and the red eyes. A Traverse City, Mich., physician, driving from Florida, observed a flock of about fifteen between Indianapolis and Kokomo, Ind. Both these men had hunted the birds in the years when they were common and were

thoroughly familiar

with them.

Now Dr. Philip Hadley, University of Michigan biologist, reports that he Limself recently saw a bird that may have been a passenger pigeon; his companion, a vetnaturalist, obtained a better look and positively identified the bird. Doctor Hadley suggests that the species may be returning to the northern peninsula of Michigan, once a famous nesting ground for

Science has long considered the passenger pigeon as extinct

as the auk or dodo. The last known specimen died in 1914 in a Cincinnati, O., zoological park. Previous to that, the last wild bird was seen near Detroit, Mich., in 1898, according to report.

REAL GAS ENGINE FLIES EIGHT-POUND PLANE

WHEN Canning Godfrey, formerly a pilot in the Royal Flying Corps, wanted a souvenir of his flying days he and his cousin built this remarkable model airplane of seven and one half foot wing span and powered it with a one-eighth horsepower gasoline motor. The machine is almost a perfect reproduction of one of the machines Godfrey flew. It makes flights under its own power, though no pilot, of course, can be carried aboard.

A veteran model maker can appreciate Godfrey's feelings when he first filled the half-pint gasoline tank and set the fragile model free. But automatic controls operated perfectly, and the model, after a short flight, landed gracefully without damage. The half pint of fuel will keep the plane in the air for twenty minutes. The total weight of the model, ready to fly, is eight and one half pounds.



Canning Godfrey shows his seven-foot model of the 1,000-horsepower liner City of Liverpool.

"THUMB TACKS" IN ROAD STOP CARELESS DRIVERS

Monster thumb tacks are now being placed at strategic points about the city of Cincinnati. These tacks bump thoughtless motorists who ride over them into keeping their cars as quiet as possible when approaching a hospital or passing through other quiet zones.

The tacks are imbedded in the road while their heads stick up just high



Thumb tacks, placed in roadways, serve as warning to drivers who ignore white lines.

LOCOMOTIVES USED TO FIGHT FIRES



Railway locomotive equipped to fight fires, by pumping water at high pressure from its tender tank. In photo, the engine is seen throwing water over flaming coaches in a test.

Engineers of the Chicago, Milwaukee, St. Paul, and Pacific Railway have also become fire-fighters, their new job resulting from the installation of fire-fighting apparatus on switch locomotives.

High-pressure hose lines, operated by powerful pumps fed from the water tank in the tender, are the feature of the equipment. It is expected to give valuable aid in fighting blazes along the railroad right of way. The locomotive fire engines were tried out successfully on a trial blaze of old railway cars.

CAMERA ON ROCKET GETS HIGH ALTITUDE PHOTOS


MOTORCYCLE GIVES GLIDER SEND-OFF

A MOTORCYCLE was used recently to launch a motorless plane. The glider, towed at the end of a 150-foot rope, rose into the air as soon as sufficient speed was attained. When the cable was released the glider made a successful flight, with the president of the University of Detroit Glider Club at the controls.

The launching was described by the glider pilot as the smoothest he had experienced. Automobiles, airplanes, and motor boats have been used to give soaring planes a start, though of course, in the vast majority of cases, a shock cord, in the hands of a number of men, is drawn taut and in response to this the glider rises into the air, the cable automatically dropping off. This experiment with a motorcycle indicates that, where the terrain

permits, the use of man power may be displaced by the more powerful machine which it is expected will give a smoother and more certain send-off.





How a motorcycle rider towed a glider at the end of a 150-foot rope until the plane rose into the air. Above, the glider is up and the towline has dropped clear.



The camera is inserted in rocket, powder added, and then set off to get sky photos.

A VERITABLE flying camera is the invention of a twenty-three-year-old German student at the Hindenburg Polytechnic Institute. When he wanted to take pictures from a height of a quarter-mile or so above the ground, he had this novel rocket built at a nearby fireworks plant and equipped it with an automatic camera. It snaps photos of its own accord while the rocket whizzes through the atmosphere. A protective device saves the camera when the rocket falls.

GIANT HARROW IS 65 FEET WIDE



Tractor powered, the world's biggest harrow is being used on an Oregon ranch, near Wasco, where steep side-hill fields are not uncommon. The huge drag is sixty-five feet wide in sixteen sections.


A GIANT among agricultural implements, this enormous harrow recently went into service on a Wasco County, Ore., ranch to prepare the ground for wheat-growing. It measures sixty-five feet from end to end. Hills have no terrors for it, since the tractor-drawn implement can cultivate on a slant.

SIX ASTROLOGERS FAIL TO MEET SIMPLE TEST

"ASTROLOGERS" try to read an individual's future from his birth date. How well six of them succeeded in doing this is reported by Dr. Walter F. Prince, of Boston, Mass. No two of these astrologers agreed about a certain man on any point. In everything they guessed ninety percent wrong.

FAUCET HOOK-UP EASY WITH NEW HOSE REEL

It is unnecessary to unwind the entire length of hose from a new hose reel to make the connection between the nipple and the water faucet. A hole in the center of one side of the reel allows the nipple end and about six feet of hose to be carried through. The connection can be made and only as much hose unwound at the nozzle end as one needs.




The end of the hose to be attached to the water faucet comes out at the side of this new reel.

WIRE-STRIPPING PLIERS REMOVE INSULATION

A STRIPPING device on the handles of pliers recently put on the market can be used to scrape insulation from an electric wire.

The improved plier can also be used to scrape the wire-end, leaving it ready for contact. The plier ends allow the jaws to bite into the insulation, but not to cut into the wire. Twisting the plier once or twice around the wire severs the insulation, and it can be easily removed.



Stripping insulation from wire is easy with these pliers, which have a device to do this.

BLIMP LANDS ON SHIP'S DECK FOR PASSENGER

As THE first lighter-than-air "tender" to pick up a passenger from an oceangoing steamship before it docks and

bring him to port, the Goodyear blimp Mayflower, recently made aerial history in New York Harbor.

While the liner Bremen lay in quarantine waiting to steam to its pier at Brooklyn, the 86,000-cubicfoot silver blimp circled overhead and then settled down on the small mattressprotected after deck of the vessel. Thirty members of the Bremen's crew steadied the airship, and Paul W. Litchfield, president of the Goodyear Tire and Rubber Company, climbed into the gondola. With propellers humming, the motored gas bag sailed away. Litchfield was able to arrive at his hotel in New York City an hour before his sons, who came ashore in the regular manner.

MECHANICAL ICEMAN NOW GIVES ICE TO DINING CAR

A MECHANICAL iceman now takes the place of four to six men with ladders and pails who formerly loaded dining cars of the New York Central Railroad with ice.

The new device is a speedy electric truck that rolls down the train platform at eight miles an hour, bearing seven 400pound cakes of ice.



Refrigerators on dining cars are now filled by this truck which has an elevator attachment.

the ice platform rises like an elevator until a man standing on it can easily drop chopped pieces of ice down the receiver in the roof of the car.

Bigger pieces are loaded through the side doors of the car, with the platform brought down to the proper level. The first of the new "mechanical icemen" was recently placed in operation in the New York Central yards at Buffalo, N. Y.



The blimp Mayflower made history when it landed on the deck of the Bremen, picked up a passenger, and carried him ashore.

15 TONS AT A BITE IN IRON MINING

ROM the appearance of the picture at the right, this curious scene might be a miniature model with a toy train, but it is actually one of the largest of the huge iron mines in the region of northern Minnesota and Wisconsin known locally as "The Range." The unusual photograph shows just how "open pit" mines supply a large part of the iron that, converted into steel, goes into bridges and skyscrapers.

Though most persons think of a mine as a deep, narrow, shaft, these mines are worked in the open air. Their ore is reached by a process known as "stripping." A shallow covering of earth is

removed, laying bare the ore, which is loaded on cars on a circular railroad to be brought to the outer level.

Giant electric shovels, a recent invention which is revolutionizing this type of mining, are now displacing steam shovels for loading the trains. A typical 1,100-ton monster illustrated here snatches up a fifteen-ton mouthful and reaches out in a circle whose diameter is as long as a city block. If necessary, it could raise its bucket as high as a ten-story building.

On its arrival at the surface the iron ore goes through the "washing shed," where it is washed and sifted to remove foreign substances. Then trains carry it to the ore docks at the head of the Great Lakes, whence it is shipped to foundries.



The earth is stripped away to expose the ore in the great iron mines of Minnesota and Wisconsin.

locomotives for the Union Pacific Railroad.

Making the whole frame in one piece is considered a triumph of modern steelcasting. Since even the cylinders are integral with the frame, the locomotives will have fewer parts requiring adjustment in service. This results in greatly reduced operating costs and is expected to add to the life of the engine.

VIOLET LIGHT IS ALL SEA GETS 700 FEET DOWN

FAR below the surface of the sea, an observer sees a scene illuminated in violet light. William Beebe, New York explorer, described this light in a recent report to the New York Zoological Society.

Beebe and a companion made a record 1,426-foot dive off the Bermuda coast in a steel globe invented by Otis Barton, Philadelphia engineer (P.S.M., Sept. '30, p. 56). From within the window-studded globe, Beebe, with a spectroscope, made studies of the weird light. As the globe descended, the color of the water changed from greenish to blue and then to violet. Below 700 feet, there is total darkness.



This mammoth stripping shovel digs 15 tons at a bite,


BIGGEST ENGINE FRAME IN ONE PIECE

What is said to be the largest one-piece locomotive frame in the world has just been rolled out at a Granite City, Ill., foundry. Some idea of its size is gained by comparing the figure of the man standing at the right-hand end in the picture.

The monster frame measures sixty feet from end to end, and weighs 82,000 pounds. It will be used in the first of an

order of twenty-five high-speed freight





This sixty-foot skeleton of a great locomotive is cast all in one piece, including the cylinders. When the engine is finished it will look like the giant seen above and will be one of twenty-five that the Union Pacific Railroad will use in hauling trains of freight.

The Architect Builds His Own Home-A Series

Build in Haste, Repent at Leisure

Is the warning of this Akron, Ohio, expert whose home cost him more than he had planned on. Here he tells you how that happened to him and why, and how you can avoid expensive changes.



The house is fundamentally a cube, which is the most economical form a building can take. Note stonework about the front entrance.

By CHARLES W. FRANK

that is wasted. The reason is

The reason is simple. Almost everyone who builds a home will plan and talk about it for months, and sometimes years, before the project takes form. But the decision actually to begin construction usually is made suddenly. Everything then is rushed,

including the construction. Costs are often inaccurate and high. The contractor's conception of the house is not clear-cut because the work had not been fully planned before the contract was awarded. Consequently, considerable guessing must be done in bidding. In the end, the owner pays more than if he had proceeded systematically and without undue haste.

The most fundamental rule that can be followed in building a home is to take plenty of time to study both the preliminary plans and the working drawings and specifications, so that when bids are asked, the contractors will not be forced to guess. The owner should be able, through his study, to visualize the completed project. It will then not be necessary for him to go on the job and make changes that bring additional expense.

My home cost more than I had anticipated because I wanted to put into it the most modern and efficient products and devices I could find. I felt that, being an architect, it was necessary to make a model home for myself. But, after all, the additional cost represented by such items is really a part of the basic cost of the house, if it is to be a comfortable home.

I HAVE tried to make my house substantial—livable but not luxurious. I had a good plan. I know that because it works. And it works because one can live in the house without inconvenience or

For his own home an architect builds the best house he can design. This is the first of a series of articles in which leading architects in various parts of the country describe the homes they built for themselves. You will find these the most novel and useful articles ever published on housebuilding.

—THE EDITOR.

ARCHITECT, no matter how expert he may be, is after all only human. And so like the layman, when he builds his own home, he may change his mind after construction is started and thereby increase the cost beyond his original estimates. I myself recently demonstrated this when I started out to build what I intended to be a small and economical home and ended by having it cost me twenty-five percent more than I had anticipated.

A fireplace is the

center of attraction in this living room.

However, such changes as I made resulted in increasing the value of the house more than sufficient to offset the additional expense.

The majority of home builders find, though, that the extra money they have spent does not show up in the finished house and therefore represents money **OCTOBER**, 1930

POPULAR SCIENCE MONTHLY

regret. I am just like everyone else and if I built another residence for myself, I should make some changes. That, however, is true of almost every building that is constructed. Regardless of study, improvements are always possible. There are no absolute standards of good taste, for taste is, in a large measure, a question of opinion. I, therefore, do not hold up my house as an example either of a model home or one that is architectually perfect. I do say, however, that the plans as shown are practical for a small family.

IN exterior appearance, the house is fundamentally a cube. That is, the four sides of the main portion are nearly square, and the roof is plain, being broken by only one dormer. This is the most economical form that a building can take. It gives the maximum of usable space for a given set of dimensions, and at a low relative cost. But such a house is more difficult than other types to make attractive. Unless great care is taken in the design, an ugly structure will result.

By giving attention to details that might be considered superfluous, I tried to make the house pleasing in appearance. The front entrance affords an example. About it is considerable stonework that could have been omitted; but then the doorway would not have been inviting. The wrought-iron balcony on the window directly above the door is another item that might have been left out, but it would have detracted from the appearance. The

combined cost of the balcony and extra stonework was not more than \$200. I consider money spent for such items well invested.

The first floor embodies most of the features usually found in a large residence, but seldom found in a small one. For instance, there are two stairways, a full main stair hall, a refrigerating room, breakfast room, pantry, and downstairs lavatory. In order to include these features, I arbitrarily cut down the size of my living room, dining room, and kitchen, but not to such an extent as to impair the practicability of the plan.

Step through the front doorway, and you find yourself in the hallway having a faience tile floor. I put this floor in the main stair hall, lavatory, and coat room because these rooms receive direct traffic from out of doors, and accumulate dirt quickly in bad weather.

I provided a telephone booth in the coat room to the right of the main entrance. Anyone may use the telephone without disturbing others in the house or without having to turn off the radio or silence other sounds that might interfere with hearing. In small homes such as this, telephone conversations are heard easily in any part of the house. I find that the sound of the bell, being more penetrating than the normal voice, can be heard easily by anyone in any part of the house when the closet door is shut. In fact, I had to muffle it a little.

Rubber floor of a gray and white pattern is used in the kitchen, refrigerating room, pantry, and breakfast room. I felt when I built the house, and I have learned since, that this material is about the most practical that can be used for the purposes I have mentioned, because it outwears any other material of its nature, is surely much easier to keep clean

A refrigerating room is, perhaps, not essential in a home, but it is an important convenience. Experience has shown me that to have your refrigerating plant right in the kitchen is a mistake. It might save a few steps a day, but the heat from cooking and from the kitchen radiator keeps your refrigerator working overtime. A small room for the refrigerator, immediately adjoining the kitchen, also makes a splendid place for cold storage of vegetables, fruits, and other foods.

In a projecting portion of the house, directly to the rear of the kitchen and its



Plans show the first and second floors of this model small home into which are incorporated most features usually found in large houses,

adjoining rooms, is a two-car garage. This is convenient, but has the disadvantage of leading directly into the kitchen. This can be overcome in a large home, but in a small residence it is the most practical arrangement.

THE second floor plan was designed for a family of four—the husband, wife, two children, and a servant. It has a large owner's bed and sitting room, dressing room, and bath. That comprises what I designate as the owner's suite, and is accessible only through one door to the owner's room. There are two additional rooms with bath, and a maid's room and bath over the garage. In the owner's bedroom is a fireplace, equipped for gas.

The third floor is finished for recreational purposes. It includes, also, a large cedar storage room with drawers and shelves.

The house contains three baths in addition to the downstairs lavatory. In order to get three baths in a house of this size, it was necessary to make them all small. In fact, they are just about the size of a typical hotel bathroom. The advantage of making them of modest dimensions is that you can make them better for a given amount of money than if you built them large. And they are just as serviceable. Each of the baths has a shower, built-in fixtures such as soap dishes, and is tiled to the ceiling.


The house has a basement, but I have not mentioned (Continued on page 148)



At the right of the living room fireplace is a built-in bookcase. Directly beneath the large lamp is a panel in the wall that gives ready access to the plumbing when any repairwork is necessary.

A single dormer, as seen at the right, interrupts the lines of the roof. Such a plan makes for simplicity and economy. On this house shingles of copper were used.







Easy New Ways
to Do Old Familiar
Household Jobs




REVERSIBLE IRONING BOARD. Clamped to a kitchen table, this board serves a double purpose. There is a wide surface upon which ordinary ironing is done and a narrow arm for pressing sleeves.



RUBBER BUT FIREPROOF. By a special process these dishes of hard rubber are kept from burning and come in attractive colors.



HANDLE LIFTS THE LID. To raise the cover of this all metal coffee pot, just snap loose the hinged handle. The pot's top contains a vacuum.







NO SPOON IS NEEDED. This ingenious device stirs the contents of a glass by lifting handle which whirls a loop.



WATCHDOG OF THE ICEBOX. This thermometer, placed inside your refrigerator, tells you if the temperature is right to preserve foods. A red mark indicates the 50 degree danger line.





SKILLET GOES IN OVEN. The handle of this alumi- / num dish is removable, which makes it possible to bake in it without crowding other utensils out of the oven.



SHREDDED FOR BABY, Just enough vegetables for the little one's meal can be shredded in a jiffy with this perforated metal sieve which fits over glass dish. A spatula to force vegetable through the mesh comes with the set.



FOR PICNIC OR FIREPLACE, The forked stick, upon which hot dogs are roasted when out in the woods, is passée. This fork, with a double crook, does the trick better and the food can not fall off.


NO METAL TO MAR WOODWORK. This improved floor cleaner is designed to mop right up to baseboards or furniture

as there are no exposed metal parts. Inset shows lever that quickly wrings mop dry without touching it with the hands.



STOPS SPLASHING. This metal shield, clamped to the edge of the sink, keeps the water from flying all over you and makes unnecessary the use of a rubber apron. When not in use to protect your clothes and the kitchen floor, it can easily be slid out of sight beneath sink.







RAYMOND J. BROWN, Editor ARTHUR WAKELING, Home Workshop Editor ALFRED P. LANE, Technical Editor ISRAEL DOSKOW, Art Editor

Published Monthly by Popular Science Publishing Company, Inc., 381 Fourth Avenue, New York City. Single Copies Twenty-five Cents. In the United States and Its Possessions and in Canada, \$2.50 the Year, In All Other Countries, \$3.00 the Year,

Is It a Sporting Chance?

7ITH characteristic energy and thoroughness, a group of multi-millionaires have set about the business of defending the America's Cup in the series of races with

Sir Thomas Lipton's latest yacht.

Unlimited financial backing has made it possible to commandeer the finest of materials and the greatest of nautical architects in the building of four racing yachts, the Weetamoe, the Yankee, the Whirlwind, and the Enterprise. The engineering skill that has gone into the job may be judged by studying the drawings on page 30.

POPULAR SCIENCE MONTHLY is, of course, only interested in the scientific aspect of the building of these yachts. From this point of view, we believe our readers will agree that the ex-

pense seems justified.

However, it occurs to us that many sportsmen in this country will feel that it is hardly sporting to mass such an aggregation of brains and capital against Sir Thomas's single craft. Only one of the four American yachts will race, yet that one will represent, in effect, the best of four attempts to build a speed yacht.

Wouldn't it have been a bit more sportsmanlike for the American backers of yacht racing to pool their resources and take a sporting chance on the production of a single yacht to race a boat that crossed the ocean under its own canvas?

Your Eye Beats the Camera

IN CERTAIN ways the human eye is far better than the finest of cameras. In others, the camera is far superior. The lens in the human eye is, for example, a crude piece of mechanism as compared with a fine camera lens. The camera lens sees objects over a considerable area with uniformly good definition. The lens in the human eye, on the other hand, is so crude, optically speaking, that it would be almost useless if the retina of the eye were flat like a photographic plate.

However, the eye is better than the camera in visual acuity. which means the sharpness and accuracy with which things are seen. Within a small area known as the center of visual acuity, the human eye sees things with truly marvelous precision. Minute detail that would be lost in the relatively coarse grain of

the photographic plate is quite clear to the eye.

It is this difference between eyesight and camera sight which makes the picture contest on pages 24 and 25 so interesting. The camera sees everything within its field of vision with approximately equal definition or sharpness, whereas the human

eye must turn and shift about so as to make the center of visual acuity cover every portion of the picture. Things that the camera has been made to see wrong-trick photography, in other words-are not seen by the eye unless it centers on each one individually. Even then they won't register on the brain as errors unless mental alertness signals that something is wrong!

S O S of Prevention Now in Use

JUST twenty-one years ago, January 23, 1909, radio waves carried the first distress call from the high seas. In the wireless cabin of the rammed and sinking Republic, Jack Binns sent out his famous "CQD" call for help and neighboring vessels rushed to the rescue.

As a life-saving instrument, radio has come of age. Its twenty-one years of service have been packed with achievements in response to calls for help in time of disaster. Now it has turned to preventing disasters as well as summoning aid when they occur. Turn to page 22 and read how complete weather maps are being sent by wireless to ships at sea, enabling captains to avoid storms and thereby increase both the comfort and safety of passengers.

Bravery That Means Progress

SINCE the beginning of time men have been braving sudden death in various forms. Cave men were continually forced to risk their lives in combats with animals and with each other.

Modern civilized men, perhaps because of inherited chance taking instincts, continue to flirt with death. In many instances this willingness to face danger is directly responsible for the advances civilization has made.

After reading the article on page 28, we are sure you will agree that testing new types of airplanes comes under this head.

However, the line between commendable chance taking and mere vainglorious foolhardiness sometimes is none too clear. Now that it has been amply demonstrated that an airplane may remain in the air for weeks at a time, it is extremely doubtful if further attempts to beat the endurance record can be classed as anything more than circus stunts.

Certainly there cannot be a single iota of scientific value in airplane stunting close to a ground surface crowded with human beings. The nitwit who does such things displays less intelligence than the pole sitter, the marathon dancer, and the gentle-

man who goes over Niagara in a barrel.

The Home You Want to Build

THE old saying that the shoemaker always was poorly shod and the tailor poorly clad may have been true in the days and the tailor poorly clad may have been true in the days when artisans of all types were poorly paid. Modern tailors are, however, regular fashion plates, and the modern chain shoe store manager wears old shoes only if he happens to have corns,

The local builder of olden times, who, with his helpers, did everything from designing the house to laying the foundation stones and carpentering the lumber may have himself lived in a comparatively humble dwelling. The article on page 66, the first of a series on homes built by architects for their own use, conclusively proves that the modern architect usually lives in a home that may, within its price class, be taken as a "fashion plate," a model of what such a house ought to be.

If you are contemplating building a new home or buying one already built, this series of articles should prove helpful.

As any architect will quite frankly admit, his ideas may not exactly fit your requirements or desires, but a study of these articles is sure to show you how to go about satisfying yourself.

Cars Roll Over Racial Fears

THE reader of the article on page 40 will be astounded at the queer customs which interfere with the sale of American cars in various parts of the world. In reality that article is a remarkable record of scientific progress. It proves, for one thing, that the idea of individual mechanical locomotion has now penetrated virtually to all the peoples on earth.

Skins may be brown, red, black, or saffron; religions may be as far apart as the poles; methods of government may be equally diverse; yet the human brains underneath these external trappings are rapidly becoming alike in their yearning for the very

latest in mechanical progress.

HELPFUL HINTS FOR RADIO FANS

How Liquid Condensers Work

New Small Units Prove Handy and They Are Self Healing-How to Tune for Best Quality

OST RADIO beginners are familiar with the paper condensers used to filter out the pulsations in B eliminator circuits. They consist of sheets of tin foil or aluminum foil separated by thin sheets of specially prepared paper. The capacity of such a condenser depends on the area of the metallic foil and the thickness of the paper placed between the sheets of foil.

For two reasons the size of a paper condenser is governed by its capacity and its rated working voltage. Obviously more foil and paper must be used to get greater capacity and the higher the rated working voltage, which, of course, is the highest voltage that the condenser will stand in regular use, the thicker must be

the insulating paper.

Knowing these facts, the modern electrolytic condenser appears to be a queer piece of apparatus that does not conform to the usual rules. That is because of the principle on which the electrolytic condenser operates. Instead of paper, the insulation in an electrolytic condenser is a microscopically thin layer of aluminum oxide which forms on the surface of the aluminum electrode. The plates of the condenser are, therefore, the aluminum electrode and the solution. Contact with the solution is obtained by way of the metallic can which holds the solution and the electrode.

ENORMOUS capacity in a small space is possible in the electrolytic condenser because of the thinness of the oxide film. The capacity of any condenser is in proportion to the spacing of the plates, and the aluminum oxide film is many times thinner than the thinnest paper used in the ordinary foil condenser.

Early types of electrolytic condensers had many disadvantages. They often leaked solution and their rated working voltage was not high. Now electrolytic condensers have been improved so greatly that it seems likely that more and more manufacturers will use the electrolytic type in place of paper condensers in the filter circuits of the future sets.

One special advantage of the electrolytic condenser lies in the fact that it is self healing. If, by any chance, it is subjected to excessive voltage, a breakdown will occur as with the paper condenser and as long as the high voltage is maintained the condenser will be out of commission. However as soon as the excessive voltage is cut off the insulating film is restored.

The illustration shows the latest type of unit electrolytic condenser. The capacity of this small unit is eight microfarads

SHORTED OR OPEN UNIT IN CONDENSER At right, latest type of unit electrolytic condenser with eight microfarads capacity. Above, drawing shows unit in place of blown section. at a peak voltage of 430 D. C. Units of this size sell for about two dollars and a half at retail and they are useful to substitute for a

blown out section of a paper con-denser block as indicated in the illus-

tration at the right. As the illustration shows, the bottom of the metal can is threaded and screws into a thin brass socket which can be screwed or riveted to the metal chassis.

Electrolytic condensers can be used only on pulsating direct current. This

A B C's of Radio

BECAUSE no two localities are exactly alike, the golden rule for good radio reception is to try different antennas and ground connections until you find the combination that gives best results. Not infrequently when two antennas are put up, there will seem to be no difference between them. Yet it may happen that the use of both antennas at the same time will effect a noticeable improvement. The same thing may happen when you are experimenting with ground connections. Ordinarily the water pipe is the best ground, but at times a metal plate may be better.

is because the electrolytic condenser is a "one-way" outfit. The oxide coating forms only when the current is flowing in one direction. If high voltage is applied in the other direction, the film breaks down and there is a heavy flow of current.

Electrolytic condensers are, therefore, only useful as filter condensers in B eliminator circuits of a radio set or in other

commercial uses where the conditions are substantially the

Three units of the type shown will give a total of 24 microfarads of capacity at a cost of less than eight dollars. They will appeal to home builders of electric sets or plain B eliminator circuits. A paper condenser block of the same capacity and rated working voltage would take up a lot more room and cost much more money.

SET TUNING BY TONE


THERE is just one point where any given

station can be brought in with best tone quality. That is the point where the dial is tuned squarely on the wave. A fraction of an inch of dial motion either way makes a definite difference in tone quality. As the dial is moved away from correct position, the deeper tones become weaker and there is an excessive amount of the higher tones.

That is why a person with a poor ear for music is so likely to tune the set so that the tone quality is not all that it should be.

To get the station with the best possible tone quality, rotate the dial slowly back and forth across the proper setting until you are sure of the point where the tone seems most natural and lifelike. This is particularly important with modern sets fitted with an automatic volume control. On powerful local stations, there may be no appreciable difference in volume over several degrees and yet the slight tone changes that occur are quite clear if you listen closely for them, especially if you have a good ear for music, trained to catch fine distinctions.

New Tubes Increase Battery Set's Power



Battery sets using the revolutionary new tubes, which have just been developed, may be housed in these console cabinets with compartment for dry cell battery.

By ALFRED P. LANE

HREE remarkable new radio vacuum tubes recently developed will effect a revolutionary improvement in radio reception in the millions of homes still unwired for electricity.

Many more millions of radio enthusiasts who already have electric sets will be interested in the new tubes because they make possible the solution of a problem that has, up to now, baffled the most expert engineers. The dream of a portable set that would be really light, exceptionally efficient, and economical to operate will, with the aid of the new tubes, soon become an actuality.

In the early days of radio broadcasting, all radio sets were battery operated. The city man had no advantage over the man in the country as far as radio reception was concerned.

Then came the big demand for radio receivers that could be operated from the electric light socket and engineers concentrated on meeting this demand. Battery operated sets became obsolete. The man who owned one saw his equipment hopelessly outclassed in every detail of performance by the new "electric" sets.

The vital parts of any radio circuit are the vacuum tubes. Electric sets were better than their battery operated predecessors simply because the new tubes designed for alternating current operation were so much more efficient.

Now, at last, engineers have turned to

Fig. 1. Above, on the left, is the old type 199 tube. At its right is the new UX-230, a longer and larger tube.

Fig. 2. In the oval are the elements of the two tubes shown above. Note

larger elements in type

230, seen at the right,

battery operated tubes to see what can be done to bring them up to modern standards. The resulting development exceeds the most sanguine expectations. A new screen grid tube has been produced that is close in operating efficiency to the best of the alternating current type screen grid tubes and yet it draws far less current from a set of dry cells than even the much inferior battery screen grid tube it displaces.

Imagine a general purpose tube practically as good as the 201A or 227 that takes only two thirds of the filament power needed for the inefficient and short lived 199! And a power tube with an undistorted output almost equal to the 171A that draws only two thirds as much power from the dry cell A battery as the tiny 120!

THE new general purpose battery operated tube, type UX-230, is similar in general appearance to the old type 199. The base is the same but the glass tube is a trifle larger in diameter and a bit longer. These two tubes are shown exactly two thirds full size in Fig. 1. In the oval appears an enlarged view of the elements with the glass removed. The new type 230 appears at the right in each view. Note the larger and more substantial elements in the type 230 as compared with the frail elements in the 199 at the left.

Actually, the elements of the 230 tube are like the elements in the storage battery tube type 201A, although reduced somewhat in size to fit the smaller glass bulb.

The 199 tube requires a trifle over 3 volts on the filament and draws a fraction over six hundredths of an ampere of current. The type 201A tube requires 5 volts on the filament and draws one quarter of an ampere of current. The new type 230 general purpose battery tube needs only 2 volts applied to its filament, and yet draws no more current than the 199 tube.

This means that the new tube can be operated on only two ordinary dry cells instead of the three required to operate the 199. The current consumption being the same in either case, the cost of dry cells needed to heat the filament of the new tube is only two thirds of that required for the 199 tube. Or, if both types of tubes were used on three dry cells, the useful life of the cells when operating the 230 tube would be considerably longer than with the other

tube because they could be used to a lower minimum voltage.

In the electrical characteristics which govern the efficiency of the tube for radio reception, the type 230 closely approximates the results obtainable from the 201A battery tube which is, in turn, about equivalent to the 227 A. C. heater tube used in the latest electric sets. The amplification factor of the 230 is 8.8 as compared with 8 for the 201A tube and only 6 for the 199.

When used as a radio or audio frequency amplifier, the 230 tube draws a fraction less current from the B batteries than does either the 201A or the 199.

IN SHORT, the new 230 tube is about on a par with the 201A and 227 tubes for reception results and costs only two thirds as much as the 199 for A battery power. That is a notable improvement, and users of older types of dry cell operated sets will be glad to know that the 230 tube can be substituted without important change in the set, in any receiver designed for the 199 tube. The substitution will cause a marked improvement in reception, although of course not as much as if the circuit is especially designed to take advantage of the new tube's better electrical characteristics.

In the new types of battery sets designed around these new tubes, the 230 probably will be used as detector and first

stage audio amplifier.

In the radio frequency stages, however, the new type 232 screen grid battery tube undoubtedly will be universally used. This new tube is shown with the type 222, the old battery operated screen grid tube, in Fig. 3, two thirds full size.

The improvement, both in electrical characteristics and in economy of operation, is much greater, even, than in the case of the 230 general purpose tube. The filament voltage of the new tube is only two volts as compared with a trifle over 3 for the old 222 and the filament current consumption is but half that needed to operate the 222.

While the construction of the elements in the new 232 tube is not exactly like the heater type screen grid tube designed for alternating current, that is, type 224, the 232 is nearly four times as efficient as the old 222.

Summing up the advantages of the new 232 battery type screen grid tube, we find




Fig. 3. At the right is the new type 232 screen grid battery tube and at its left is the old type 222 which it replaces.




Fig. 4. From left to right the tubes above are the old 120 type, the 112A storage battery tube, the new 231, and 171A. Position indicates their relative power handling ability.

that it is far more efficient for radio reception and costs less to operate than the former battery type screen grid tube.

The third member of the new group of battery operated tubes is the type 231 power tube. This tube is shown in Fig. 4 two thirds full size. From left to right, the four tubes are the old 120 battery type power tube, the 112A storage battery power tube, the new 231, and the well-known 171A power tube so popular for use in both battery operated and electric type sets. The tubes are arranged in this order to indicate their relative power handling ability. The new type 231 has a greater undistorted output than either the 120 or the 112 and is only slightly inferior to the 171A when operated at the same voltage.

It also operates on volts applied to the filament, but the filament current is a trifle over twice that needed for the new

230 general purpose tube. The required B and C voltages are the same as for the old 120 tube; in other words, B voltage, 135; C voltage, -22½.

For the benefit of radio fans who wish technical data in table form, here are the specifications of the new tubes:

UX230 UX232 UX231 General Series Power Purpose Grid Tube Filament voltage Filament current (amperes) .06 .06 .150 Plate voltage 90 135 135 Plate current 1.5 8 (milliamperes) Screen grid - 67.5 -voltage C bias voltage -4.5 -3 -22.5 Amplification 8.8 440 3.5 factor milliwatts Undistorted - - 170 Output

A feature of the new tubes that will be much appreciated is their ability to stand knocks and bumps without producing sounds like the twanging of a guitar. They are far less microphonic than the old dry battery tubes which they will displace. .

As already mentioned, the new 230 tube can be used in any set designed for the 199. Similar replacement is possible with the other two new tubes. The 232 can be used in place of the 222 and the 231 will take the place of the 120. All the new tubes are fitted with the X type base so it is not necessary to change sockets. If it is desired to substitute the 232 screen grid tube for 222 tubes in a 6-volt storage battery operated set, a 50 ohm fixed resistor should be inserted in the negative wire to the filament. This will reduce the current flow to the proper value and, if the grid return is changed to the battery side of the resistor, the necessary increase in C bias also will be provided for.

No output transformer is needed with the 231 power tube as the plate current. 8 milliamperes, is not great enough to injure the windings of any ordinary loudspeaker.

IT IS not known at present how many radio manufacturers will bring out special battery operated sets designed to make the most of the new tubes, but it is safe to say that there will be several during the next few months.

Probably these sets will be housed in the popular console cabinet with special compartments for the dry cell battery supply, perhaps along the lines of the outfit which appears in the illustration at the top of page 70.

It is quite likely that several of the larger storage battery manufacturers will bring out special, small single cell batteries designed to supply the filament current for sets using these new tubes. Such batteries will appeal to battery set users who are situated not too far from a battery charging station. Because of the small size and light weight of these special batteries, it will be easy to carry them in to the service station for charging.

It is estimated that about twenty percent of the homes in the United States still remain unwired for electric light current. If you happen to live in one of these homes, the new battery tubes are bound to improve your radio reception and materially reduce the cost of operating your radio set.

Grease and Stay Clean, Says Gus



EE THE beautiful country by motor!" Madison muttered jeeringly to himself as a fresh gust of wind dashed a torrent of rain against the windshield. "Three days out and three days of rain. See the beautiful country! I've seen about as much as you could see out of a sub-marine! Now all I need is a real good break-down or a first class smash-up to make this vacation a perfect flop-and if I don't get this steering gear fixed pretty soon that's just what'll happen to me."

oil pan drain plug so you needn't use a wrench."

Madison swore gently to himself as he yanked the wheel to round a curve in the road. A mile or two farther on, the rain stopped and he caught sight of the Model Garage.

"Steering gear's on the bum. It's almost impossible to turn the wheel," he growled as he pulled in.

Gus Wilson, veteran auto mechanic and half owner of the Model Garage, twisted the wheel back and forth a couple of times. It groaned protestingly.
"Dry as a bone," he commented. "Run

it over here where I can shoot it up in the air and give it a good greasing."

"Say listen, mister," Madison snapped disgustedly, "I had it greased last night at the garage where I stopped over. Can't you see the grease smeared all over the fittings? Guess again!"

Gus chuckled. "That's an old one. They knew you were just passing through so they spent two minutes dabbing grease on the fittings that show and let it go."

"Stung again!" exclaimed Madison. "The tourist hasn't much chance these days, has he?"

"It isn't as bad as that," Gus replied,

as he turned the valve and the car rose from the ground. "Most of 'em wouldn't do a trick like that."

"Well if I've got to watch 'em to make sure," said Madison, "I might just as well do the job myself. I started to when I first got the car but the grease gun busted. It's awful messy, though. I got grease all over everything the last time I tried it."
"Why get all smeared?" Gus asked.

"Take more time and do it right.

"In the first place," Gus continued, "you want a grease gun that shoots grease or oil out where it is supposed to come out and not out around the handle and every joint. Next, squander two bits on a pair of leather-faced canvas gloves with gauntlets-the kind they sell to truck drivers. Then make a raid on the rag bag

GUS SAYS—

THE older a tire gets, the more likely it is to be neglected. And that's dead wrong, because the old tire is the one that needs babying along to make it go as many miles more as possible. Watch an old tire like a hawk. Keep it pumped to just the right pressure. Too much may make it pop like a firecracker and too little speeds the wear on the old and weakened shoe.

and get a good wad of clean rags. Put on the gloves and keep 'em on till you get through."

"But I can't work with gloves on,"

Madison objected.

"Sure you can," Gus asserted. "After you've done the job a few

times with gloves on you'll get the habit and when the gloves get so greasy it starts to work through on your hands, throw 'em away and get a new pair.

"Here's another point where you win out by doing the job yourself," Gus added as he reached for a clean piece of waste. "You'll notice that I clean off every bit of dirt from each fitting before I shoot in the grease. Lots of

service stations are mighty sloppy about that. They just shoot the grease in and the dirt along with it and believe me, that grit doesn't do the bearing surfaces any good. If you do the job yourself, you can take the time to get the

"How often ought I to do the job?" Madison asked.


"Stick to the oiling chart that came with the car," Gus suggested. "Of course if you're running a lot through mud in summer or slush in winter oil the bearings that get splashed about twice as often. That will keep the water out of 'em."

"When you get through there," said Madison, "you can sell me a good grease gun. And can you sell me a wrench that will really fit that plug in the oil pan so I can drain the crankcase myself? I nearly ruined a couple of knuckles the last time I tried it with a regular wrench."

"I can do better than that," Gus offered.
"Just say the word and I'll fit a petcock in place of the plug so you won't have to use a wrench at all."

"Sounds like a swell idea," said Madison enthusiastically. "I always wondered why they don't fit all cars with some way to get the oil out of the crankcase that isn't so much trouble as taking out a plug, I've had a lot of trouble with plugs. Twice dumbbells at service stations have chewed all the corners off the plug so I had to get a new one and once a bonehead stripped the threads so I had to have him plug the hole with a wooden plug so I could get to a service station. Cost me ten dollars that time!"

"Well," Gus explained, "a good bronze petcock costs more than a plug. Besides, the oil runs so (Continued on page 151)



New Drive for Power Tools

Unique shaft mounting permits instant adjustment of belt tension to suit the load—Easily applied to any workbench

By FREDERICK D. RYDER, JR.

LIPPING belts cause more trouble and delays than any other item in the motorized home workshop. Just when you have to rip a piece of tough hardwood, the circular saw ceases to bite because the belt starts to slip. Then, if the saw is driven by a pulley on a shaft that also drives other tools, work is interrupted while a piece is cut out of the offending belt. The tightened belt will make the saw function as it should, but more delay may be encountered if the same piece of hardwood causes the jointer belt to slip.

The common solution, apparently, is to keep all the belts so tight that they will not slip on the toughest job. However, extra tight belts mean lost power and excessive bearing wear on the light work that comprises nine tenths of the jobs in the home shop.

What is needed is a quick way to adjust any individual belt to just the proper tension for the job in hand—a system. in short, that will permit the belts to run relatively loose on the lightest work to save wear on the bearings and yet permit instant temporary adjustment to heavy tension for the occasional tough jobs.

I have found that a special mounting for the pulley shaft and motor satisfactorily meets these requirements. The various tools, consisting of a circular saw, lathe, jointer, and jig saw.




Fig. 1. The motor belt is adjusted by moving the motor platform vertically, a motion of 2 in, being possible.




Fig. 2. The shafting and motor are mounted on a special framework hinged to the back of the bench. The frame can be swung back as much as 2 in. to adjust the tension on the belts.

are screwed to a bench 5 ft. long. The drive shaft runs in bearings bolted to a special swinging frame attached to the back of the bench by hinges at the bot-toms of the vertical 2 by 4 in. pieces which form the ends of the frame. The motor is bolted to a platform that is clamped to one end of the swinging frame. The frame carrying the pulley shaft and the motor can be swung back from the bench a full 2 in., which, with the doubledrive, continuous, round-belt system I am using, gives an adjustment equivalent to taking a full 8 in. out of each belt. And when you have, by long and hard use. stretched a short belt 8 in., the belt will be worn out anyhow!

The motor is mounted on a platform attached to the frame that carries the pulley shaft; therefore swinging the frame to get the right tension on the belt driving any particular tool will not change the tension of the motor belt. The latter can be independently adjusted by moving the motor platform up or down on the vertical




Fig. 3. The swinging frame locked at the limit of rearward motion. This is equivalent to cutting 4 in. out of a single belt.

"two by four" that forms the end of the frame (Fig. 1). Here, too, a full 2-in, adjustment is provided.

A rear view of the whole outfit, showing the swinging frame with motor attached, is shown in Fig. 2, and the amount of adjustment permitted is indicated in Fig. 3 where the frame is moved back to the limit of motion. Figure 4 illustrates the motor end of the frame with the frame clamping block removed and the motor clamping block swung out of line so that the slots which permit movement are clearly shown.

THE dimensions given on the drawing (Fig. 5) are those of my own
outfit. Of course, no two homemade
workbenches are alike, so that the
actual dimensions are given only as
a guide to help you figure the lumber
needed and to help you design a similar frame for your own bench. The diag-

onal pieces are put in to reënforce the frame and make it rigid; they should not be omitted. Except for the three clamping blocks and the motor platform, dressed 2 by 4 in. lumber is used throughout. This is actually about 1¾ by 3½ in.

As you will note from the illustrations, T-hinges are used with the wide part of the T screwed to the bench and the long end sawed off so that it can be screwed to the bottom of the upright end piece.

Assuming that your bench is flat at the back, the first job is to cut and fit the vertical end pieces to the hinges and screw the hinges in place on the bench. Then, with the vertical pieces clamped against the bench, fit the top section which carries the pulley shaft. It should be fastened at each end to the uprights by means of two 3½-in. No. 18 flathead steel wood screws. Of course, if you wish to

go in for mortised joints, that is your privilege, but the large wood screws make a very firm joint and one that can be kept tight no matter how much the wood shrinks. After the top rail has been fitted, cut and fasten on the diagonal braces.

With the frame braced or clamped tightly against the back of the bench, the next job is to fit the locking blocks A, Fig. 5. These are 2 by 4 in. pieces placed endwise against the bench ½ in. below the top rail and then clamped to the uprights. The ½-in. space is necessary to allow the top rail to swing back without jamming against the tops of the locking blocks (see Figs. 2, 4, and 5).

While firmly clamped, the locking blocks should be bored with two 3%-in. holes, one near each edge. Bore clear through the locking block and the bench behind it. Then two 3%-in. carriage bolts of suitable length are used to bolt each of the




Fig. 4. The motor-platform locking plate swung out to show the slots that provide adjustment.

blocks to the back of your workbench. If your bench is so constructed that the locking blocks, because of an overhanging top, cannot be fitted this way, arrange to bolt them to the legs of the bench.

After the locking blocks have been fitted and while the frame still is braced or clamped against the back of the bench, run the ½s-in. auger bit through the upright frame ends at a point where it will pass through the locking blocks a trifle above the center line between the bolts that hold them in place. Then swing the frame back 2 in. and clamp it at that point. Using the holes through the frame ends as guides, bore another hole in each locking block.

NEXT swing the frame out of the way and join the two holes in each locking block into a slot by boring a row of holes between them and chiseling out the remainder. Two clamping plates, which are squares of 1-in. wood, are used to cover the slot and give a better clamping action. These are bored with 3/8-in. holes and placed under the wing nuts on the 3/8-in. locking bolts. By means of these wing nuts, the frame can be clamped at any desired point within the 2-in. limit of motion. And it will be found that the framework, wherever it is set, is as rigid as though permanently fastened.

The motor platform will fit almost any standard ¼-horsepower motor of the squirrel-cage, split-phase starting type. After the 2 by 4 by 16 in. piece is cut, it should be clamped to the upright at the low position. Bore two holes with the ⅓s-in. auger bit approximately in the positions indicated in Fig. 5. Then clamp the piece 2 in. farther up and run the auger bit through each hole again. With auger bit and chisel, form slots in the frame uprights just as was done in the case of the locking blocks. One of these slots is shown in Fig. 4.

Then finish the motor platform, being sure to place the lower 3/6-in. bolt in its hole before you add the diagonal bracing piece. This completes the job, and you can proceed to mount the shaft bearings and the motor.

Next month Mr. Ryder will present a solution of another problem in driving small power tools. He will show you how to end your troubles with belt hooks and belt lacings.




Fig. 5. The framework is made mainly of "two by fours." The dimensions should be altered to suit your bench. Two heavy screws are used at each joint; be sure to drill pilot holes for them.


Woodworking Do's and Don'ts


CHARLES A. KING gives tips worth remembering on bits, scrapers, slip stones, screws, and hammer handles







Few novices in woodworking find it easy to bore straight holes. The sketch at the left shows the correct position in starting a hole. Center the bit exactly and make a few turns with the vertical plane A passing through the bit, the axis of the bit brace, and the eye. Then, with the left hand held rigidly as a center, move around squarely in front of the vise and remedy any inaccuracy. Sight several times from each position. This care will prevent boring as at B.






At the left is shown the correct method of sharpening auger bits. The spurs should be sharpened on the *inside* as at A, not as at A^{\dagger} of the right-hand sketch. The cutting lips B must be sharpened on the top as at C, the cutting edges being kept as thin as possible. They should never be sharpened on the bottom as at C^{\dagger} in the sketch at the right. At D of the left sketch is a damaged bit from which the spurs have been filed; this bores readily into end wood.







Scrapers with a beveled edge as at A are suitable for floors and other coarse work. The square edge of B is preferred by cabinetmakers for fine work. After a scraper has been filed and oilstoned, the keen corner should be turned over as at C, but not too far as at D. Make one stroke with the burnisher held in position E and at about the angle 1, and another stroke at angle 2. The right-hand sketch shows the wrong way, the burnisher pointing as at F, 3, and 4.







Awkwardness in handling sharp tools may result in a bad cut. In no place is lack of experience fraught with more danger than in the use of the slip stone in sharpening carving tools and gouges. The left sketch shows the method of grasping both the stone and the tool—correct because it practically eliminates the danger of cutting the fingers, which is ever present when the stone is held as in the right-hand sketch, where one slip might result in a bad cut.





In driving screws in softwood bore a hole as at A, start the screw with a tap of the hammer as at B, and turn it home as at C. In hardwood bore a hole as at D, countersink it, and drill another hole somewhat larger than the core of the screw at D^1 . Apply soap to the point of the screw, enter it as at E, and drive it home with the screw driver held straight as at F. What may happen when no hole or only one hole is drilled is illustrated at the right.





The craftsman selects a hammer with a handle in which the grain texture is very close and hard, the annual rings extending in layers upon the sides and showing lengthwise upon the elliptical end of the handle, as indicated in the left sketch. Also, he applies judgment in using the hammer. In drawing a large spike, for example, he will place a block of wood under the head of the hammer. The right sketch shows a handle picked at random and how it was broken.

Adding Figures to Our Model of a Queen's Sedan Chair



A sedan chair suggests a world of old-time romance and beauty even when only a model.

HILE the model of Marie Leszczynska's sedan chair described in a preceding article (P.S.M., Sept. '30, p. 73) is beautiful enough in its own right to make an attractive ornament for the home, yet its interest is increased manyfold if the figure of a dainty lady is placed inside and if the sedan is hung from the capable hands of a pair of strapping chairmen in miniature.

Such figures are not difficult to make. No great care need be taken with anatomical detail since the clothes will hide a multitude of faults. The work will be found considerably easier, however, if POPULAR SCIENCE MONTHLY Blueprint No. 124 is obtained (see page 113),

because it contains full size drawings of the figures as well as patterns for the costumes and a full size detail of the base. This blueprint is a companion sheet to No. 123, which gives complete full size drawings for the sedan chair itself.

To make the figures and base, the following materials should be obtained:


For base, hardwood 34 by 51/2 by 12 in, and dull green linoleum, 1/4 by 5 by 11 in.; for chairmen, scraps of soft white pine; a few brads 11/4, 3/4, and 1/2 in. long; Nos. 1/2, 0, and split 6/0 sandpaper; and a tube of household cement or glue. For decorating, four-hour enamels -black, red, white, and yellow. For chairmen's suits, medium-blue satin, 8 by 9 in., or equivalent; for coats, dark lilac or purple satin, 8 by 9 in.; for lining, the same quantity of orange-red silk; for trimming, 4 ft. of gilt braid, 1 yd. of 3/8-in. lace edging, 1 ft. white baby ribbon; for hats, flannel 11/2 by 5 in.; for shoes, leather 11/2 by 5 in. (or old purse or kid glove). For

By EDWIN M. LOVE

queen, a porcelain figure. For queen's dress, pink taffeta 4 by 9 in.; for coat, light-blue silk 4 by 10 in.; for roses, 1 yd. pink baby ribbon; for wigs, small wads of cotton; also thread to match cloth.

CHAIRMEN: From white pine or other softwood, cut pieces for heads, trunks, arms, and legs. Trace the front and side profiles from Blueprint No. 124, transfer them to the blocks with carbon paper, and carve.

Trunks: If a power scroll saw is avail-



The colorful little sedan chair model with the queen inside. Mr. Love is tying the poles to the wrists of the men.


able, cut out the front tracings with it, and the cut will automatically be square with the pattern; but if power equipment is not at hand, the sawing can be done well enough by hand. Temporarily nail back the waste sidepieces with two brads in each, and saw the profiles. With these pieces removed, most of the shaping is done, leaving only the corners to be rounded. However, the lower curves of the breast muscles, and the rib arches, should be outlined with a veining gouge (or pocketknife). The breast muscles form a thick flat layer that projects somewhat at each side, forming a sort of receptacle into which the arms fit. Give a little relief to the vertical abdominal

> For those who prefer to model the figures rather than cut and carve them out, an alternative method of construction is to shape the parts from a prepared wood putty which is plastic when taken from the can but hardens to a substance like grainless wood. When hard, it can be further shaped with a pocketknife.

> Legs: Saw out like the trunks, and round to the sections shown. If the toes break off, it matters little.

> Arms: The upper arms are oval in section from front to back, as are also the wrists, while the forearms near the elbows are oval from side to side.

> Head: The head is oval from any position, and egg-shaped when viewed from either front or back. After rounding the corners, hollow the eyes and round the cheeks. The eyes are sliced in and down with oblique strokes, and the line of the chin is hollowed beneath, fading toward the ears.



PACKARD Pioneers the Sky-Ways

First Practical Aero Diesel in the World is Equipped with the Highest Priced Bearing in the World

PACKARD has blazed the sky trails toward cheaper, safer, more dependable air transportation . . . Packard has given wings to the time-tried principles of Diesel power and opened up new vistas of aerial possibilities for the world.


Yet the Packard Diesel has this much in common with every other great airplane engine...it is equipped with SESP, "The highest priced bearing in the world."

The crankshaft of the new Packard Diesel with its single throw that takes the power impulses of all nine cylinders is supported by three SEF Bearings. The auxiliary drive gears of the new engine are mounted upon three SEF Bearings.

For Packard with a new world of possibilities looming ahead would not take

> a chance on any other than the best of all bearings.

If you have a bearing problem, whether it's in the air, on the land, or on the sea, our engineering department will gladly help you solve it. ESF Industries, Inc., 40 East 34th Street, New York, N.Y.




The single throw crankshaft of the new Packard Diesel. Note the two SECP Cylindrical Bearings mounted alongside of counterweight.

The third BISF Bearing supports forward end of crankshaft and takes propeller thrust.

SKF

2565



How to cut the cloth for the costumes. Note that only half of some of the pieces is shown and that the pattern for half the cuff is drawn as if laid in its proper position on the chairman's coat,

Assembly: Glue and nail the members to the body. The feet should toe out, but not too much. Trim the upper ends of the thighs and the joint-parts of the trunks to get the proper attitudes. Carve to smoothness, building up false depressions

with a wood composition. The upper arms, viewed from the sides, hang nearly vertical, with the forearms inclined slightly forward.

Supports: Drill the feet and ankles to receive sixpenny finishing nails whose projections fit into holes in the base.


QUEEN: Purchase a porcelain figure at a five-and-ten-cent store-one without legs, so that it can be seated in the chair. The head should be about 11/16 in. high, with the hair modeled close; bobbed hair is best. The writer chose a figure pressing roses to her bosom, but any graceful attitude of the arms will do, provided the gesture is reasonable in the seated figure.

DRESSING THE CHAIR-MEN. Waistcoats: Cut these in two parts and run a band of

household cement around the outer edges. inside. Slip them in place, and glue the backs and shoulders. Glue the front edges overlapping near the lower corners, as in Blueprint No. 124.

For buttons, rip a strip of hardwood 1/16 in. square, round with sandpaper, and cut off slices with a sharp chisel. Glue these to the right edges of the waistcoats, 1/8 in. apart, except where the other sides are buttoned over; there put three buttons on each as though they came through buttonholes. The buttonholes are painted with black, using a fine-pointed artist's brush.

Breeches: Make each leg separately,



Method of assembling the chairmen. These views appear full size on Blueprint No. 124.

and draw it tightly around the thighs either sewing over and over, with the seam at the outside, or using cement. If bare wood shows between the breeches and waistcoat, glue in a triangular piece. A gilt band encircles each leg below the

knee. The stocking seams are at

the back.

Shoes: Cut from a thin purse or a kid glove. Glue around the feet and bind with twine until dry. Then trim, glue on cardboard heels, and color black with India ink.

Cravat and Shirt: Wrap a band of white satin around each neck, gluing the ends outspread to form the small bit of shirt exposed.

Coats: Cut each in one piece, gluing at the edges a lining of orange-pink silk. Split up the back for 11/2 in. Fold a length of 3/8-in. gilt braid lengthwise along the center and glue it around the outer and lower

edges, as shown by the dotted lines in the pattern. Leave the ends loose at the col-

lar, for adjustment after fitting.

Sew or glue the coats in place, and continue the gilt bindings around the necks, which lie flat instead of standing up like collars. Any widths of braid can be cut without fraying if the inner face is first coated with glue. Gather the coats under the arms a little.

Cuffs: These are bound with gilt braid along the tops and at the backs where the ends come together.

Shirt Ruffles: Glue three lengths of





"RCA Radiotrons bring out the full tone beauty"

says

E. F. McDONALD, JR.

President
ZENITH RADIO CORPORATION

Zenith Radio. It is engineered and built on the basis of RCA Radiotron characteristics—and tested with RCA Radiotrons. RCA Radiotrons bring out the full beauty of Zenith tone...For the full thrill of Zenith performance we urge all Zenith owners to use RCA Radiotrons. Zenith dealers are instructed that the dependable performance of RCA Radiotrons makes them the logical choice for initial equipment and replacement burposes."

RADIO ENGINEERS ADVISE:

Replace all the vacuum tubes in your radio set with RCA Radiotrons at least once a year. This is the only sure way to maintain good performance and minimize disagreeable noises and other troubles caused by inferior tubes. RCA Radiotrons will give you the maximum in selectivity, sensitivity and tone quality.

Old tubes may impair the performance of the new. RCA RADIOTRON CO., INC. HARRISON, N. J.

> This is the 23rd in a series of enthe leading radio



dorsements of RCA Radiotrons by set manufacturers.

UX-245 POWER AMPLIFIER FIL VOLTS FLATE VOL

RCA Radiotrons

THE HEART OF YOUR RADIO

3%-in. edging lace in the upper opening of each waistcoat, gathering them.

Wigs: Glue a small wad of cotton to each head. Pat it down thin, roll it up over the ears, and gather it into a short queue by tying with thread.

Hats: Sew the crowns together, gluing the three side rims to each, with one corner in front and the other two at the sides. Color black with India ink. When dry, brad and glue the hats to the heads. Adjust the rims to flare outward.

QUEEN'S COSTUME, Skirt: Cut from pink taffeta ribbon and glue to the doll around the waist. When dry, trim the upper edge with a razor blade to fit the arms.

Bodice: Glue pink taffeta, in two halves, to the body, tucking around the sides and trimming

around the hands. With black paint draw two cross laces directly above the roses.

Coat: Edge with glue to prevent fraying, and glue to the figure. Gather the
back at the waist with a draw thread.
Trim to hands and arms. Glue on the
sleeves. Notice that the large flaring cuffs
are edged with 3/8-in. lace, and a 1/8-in.
strip cut from the same material forms a
collar on the coat and also edges the
bodice above the lacing. For the roses,

Above: Sawing a leg profile for one of the

Above: Sawing a leg profile for one of the figures. Note that the front shape has been sawed, the waste pieces having been tacked temporarily back in place. At right: The parts after being sawed out and ready to be carved.

twist pink baby ribbon and roll into small blossoms. Glue tiny medium-green silk leaves around the roses.

Wig: Cover the porcelain hair with cotton.

BASE: Trace the shape on hardwood (the oval is 53% by 12 in.) and saw it out. Gage for the rabbet and carve the molding. Shape the linoleum, trim off the back until the thickness is ½ in., and outline the stones with a veining gouge. Glue

the linoleum to the wood and drive brads in the edges at the joints between the stones. Set the nails and fill the holes with bits of linoleum. Paint the exposed wood black, three coats, rubbing the first and second with split 6/0 sandpaper, and the last with pumice stone and water.

MOUNTING: Drill holes in the base to receive the nails in the feet of the chairmen, insert the poles in the chair, and tie the ends to the hands of the men with several wraps of white thread passed around the

wrists and back of the fingers around the grips. The chair need not be exactly vertical; in fact, a little cant will give action to the model.

Seat the queen inside, tucking her skirts down behind the door in a manner to suggest knees beneath.

Another article scheduled for early publication will describe stagecoach and covered wagon weather vanes.

How to Turn Totem-Pole Candlesticks

SOMETHING different from ordinary designs and quite simple to make are the electric totem-pole candle sticks illustrated. The Indian-like patterns are obtained by the use of woods of various colors.

In most variegated wood designs, the work is built up in layers, but in this method the wood is placed around a core, all four sides being covered. Care must be exercised in building up the stock, and a good glue is imperative. While ordinary hot glue may be used, a waterproof glue is preferable on account of its moisture-and heat-resisting qualities.

A core of black walnut ½ in. square and 12 in. long is planed true, and a ¼-in. hole is bored through its center. If a drill 6 in. long is not available, the core may be made in two halves and a groove cut in each with a gouge. The halves are then glued together. In either case the holes are plugged with soft wood for the turning operation.

Around this core is glued a 316 in. thick layer of sycamore or other white or light

FIRST STEP

(THE CORE) SECOND THIRD
STEP STEP

("X"X"X12" (" AROUND) ONCE AROUND)

(ONCE AND AROUND)

How the stock for the upright members is built up from three woods of contrasting colors. By H. CALDWELL



colored wood. Opposite sides are glued first and held with C-clamps while drying. When dry, these are trued up with the plane, and the other sides are glued on. Plenty of glue should be used, and the clamps must be securely fastened or there will be uneven contact and when the pieces are turned gaps will show between the different woods. A piece of hardwood about 13 in. long should be used to protect the wood from the clamp marks. The sycamore is followed by a layer of African padouk (red), and finally a round of satinwood (yellow). Other woods, of

course, can be used provided they are sufficiently colorful.

After thoroughly drying, the blanks are turned in the usual manner. Those not expert in turning may hestitate to undertake the job for fear of spoiling the builtup stock; if so, it will cost little to have them turned by a professional turner.

The stock for the base is made 6 in. square of ½ in. thick black walnut and ¾ in. thick layers of satinwood, padouk, and sycamore. A side hole for the electric wire may be bored in the base after it is turned. A brass bushing is inserted in the end of the candlestick, and the socket and other electrical fittings are added. The design for the turning, which was taken from the Home Workshop Manual, lends itself well to this style of work.

It is better to finish the candlesticks before assembling, as the work can be done so easily in the lathe. A coat of equal parts of raw oil and turpentine is first applied to bring out the colors of the wood. This is allowed to dry overnight. Then three coats of white shellac, with a sanding between each coat, are followed by two coats of rubbing varnish or lacquer. The first varnish coat is sanded and the final one is felt-rubbed with pumice and water. Finally, a coat of wax is applied and polished, and the result is a very rich luster.

Various combinations of woods may be used. A good thickness is 3/16 in. because it builds up rapidly, although 1/4 in. would give a more variegated effect. Dealers in fret or inlay woods always have a stock of suitable woods.

MAKE THESE TESTS

12 % MORE EFFICIENT INSULATION THAN ORDINARY TO INSULATION BOARDS



INSULITE



STRENGTH TESTS OF FOUR WELL KNOWN INSULATING BOARDS 40/ PROVE INSULITE STRONGER

Place a cube of ice on a piece of Insulite over an automatic electric iron set at hot. See how long it takes the heat to penetrate the Insulite and melt the ice. Make the same test with other insulating boards—the result shows the greater efficiency of Insulite.

Drive a nail a half inch in from the edge and through a board of Insulite. Loop a strong cord around the nail and with hand scales see how much greater pull is required to tear the nail through Insulite than through other insulating boards.

After all - QUALITY TELLS THE FACTS hat's why - we urge you to send for FREE SAMPLE and test it yourself.

THERE are lots of good insulation boards on the market. Insulation in your home means big returns in fuel savings — a warmer home in winter — as well as a cooler home in summer.

Certain discriminating people, however, want more than just a good insulation board — they want to know which is the best.

It's to these people that this advertisement is addressed.

First of all — Insulite is a board form insulation material in broad rigid panels 4 feet wide and in various lengths up to 12 feet. It is easy to apply, and because it may be used as sheathing in place of lumber, or as plaster base in place of wood lath, it is not an expensive extra.

Furthermore, as sheathing Insulite has several times the bracing strength of lumber horizontally applied, and as plaster base, it grips plaster twice as tightly as wood lath — this means freedom from unsightly plaster cracks.

You know the enduring qualities of wood. Insulite is made from the strong tough fibers of northern woods, chemically treated to resist moisture, rot, vermin, or rodents. It is not subject to disintegration. And made a full 1/2 inch thick, Insulite gives

121/2% more efficient insulation than ordinary 7/16 inch thick insulation boards.

You want your home strong. A recent test of four well known insulation boards shows *Insulite te have* 14% greater strength—(we will gladly send you an Insulite sample with which to make the above pictured tests.)

Insulite has many other advantages—It is an efficient sound deadener — but, let us send you our booklet on "Increasing Home Enjoyment". It tells how easily Insulite may be used to line your attic, basement, build extra rooms, closets, garages and other buildings. Send the coupon now — test Insulite yourself — then we know you will specify Insulite when you order from your lumber dealer.

SEND FOR SAMPLE AND FREE BOOK

		SULIT us-Brooks In		
1200 B	offices IN	Dept. 43J ALL PRINCI		s, Minn.
Please ser pictured a	d me a sample of Insu bove—also a copy of	lite and full info your free book,	rmation how to mal Increasing Home E	ke the tests njoyment.
Name				
Address.				
The Same		Sta	il a	

I S S I I I I F F E B o a r d

Useful Hints for Car Machinists

How to Use Tire Pump to Fill Vacuum Tank —Siphon in Lye Solution to Clean Radiator

PROVIDED the filler cap on the gasoline tank can be screwed down tight enough to prevent much air getting by the threaded portion, Fig. 1 shows a good way to fill the vacuum tank after the car has run out of gasoline. There is always a tiny hole in the cap. By placing the end of the tire pump over this hole and operating the pump plunger several times as rapidly as possible, sufficient gasoline usually can be forced into the vacuum tank to start the engine.




Fig. 1. Raising the air pressure in fuel tank will force gasoline into empty vacuum tank.

SOLDERLESS TANK REPAIR

An ingenious way to repair a hole in a gasoline tank is shown in Fig. 2. If a hole develops on a flat surface, it can be enlarged to the size of a small screw. Then a disk is cut from the end of a cork and a hole made in it just large enough for the screw, with a washer under the head, to be forced through. With the aid of a wire clip, the screw is passed through the filler hole in the tank and set into the hole. Then a nut is screwed on. The pressure on the cork will make it gas-tight around the screw and against the inner surface of the tank.




Fig. 2. A cork, a screw, and a washer can be successfully used to repair hole in gas tank.



Fig. 3. Putting a rubber mat under the step plate will save the mudguard from scratches.

MUDGUARD SCRATCHES

CLIMBING into the rumble seat of the roadster is easy enough by way of the step plates provided, but the heel often scratches the mudguard enamel around the plate. Remove the step plates on the mudguard; then replace it with a piece of rubber matting under it as shown in Fig. 3.




Fig. 4. To save car finish from lye solution start siphon with water and then pour lye in.

POPULAR SCIENCE MONTHLY awards each month a prize of \$10, in addition to regular space rates, for the best idea sent in for motorists. This month's prize goes to Walter E. Wikdahl, Brockton, Mass. (Fig. 4). Contributions are requested from auto mechanics.

LYE IN RADIATOR

A SOLUTION of lye is fine for cleaning radiators but it is bad medicine for auto finish. If you want to get the solution in the radiator without spilling any over the car finish, use method shown in Fig. 4.

SIMPLE DOOR STOP

STICKS of wood and a couple of hinges make up the novel and simple door stops shown in Fig. 5. As the drawing shows, two sticks are driven into the ground for




Fig. 5. Hinged sticks set at side of garage door, as shown above, will make a simple door stop.

each door, one a trifle more than the thickness of a stick lower than the edge of the door and the other to act as a stop. Then sticks are hinged to the uprights.

GET RID OF POUNDING

Tool marks on the braking surface of the drum may cause a pounding noise. The remedy is to polish out the tool marks as shown in Fig. 6, below.




Fig. 6. Tool's marks on braking surface of drum cause pounding. Polishing ends it.



Drive this car five days to prove your purchase!

If it does not come up to your expectations, return it. This is the way the Studebaker pledge protects your investment.

INDER the terms of the famous Studebaker Pledge, you may drive the used car you buy five days before you decide. If it does not please you, you may return the car and apply your payment on any car in your Studebaker dealer's stock, new or used. This is one of the provisions which has made the Studebaker Pledge famous as the fairest, squarest used car sales policy in the industry.

More than 150,000 thrifty motorists

bought Pledge-backed used cars last year. They got good appearance, good performance, and good value with the cars they bought. You will, too, it you buy a Pledgebacked used car. And you'll get a 30-day guarantee on Certified cars-plus plainly marked prices on all cars sold on this plan.

Seeyour Studebaker dealer first—get Studebaker Pledge protection when you buy your

used car-your geatest assurance of complete satisfaction.

properly reconditioned, and carry a

30-day guarantee for replacement of defective parts and free service on ad-

Every used car is conspicuously marked with its lowest price in plain figures, and that price, just as the price of our new cars, is rigidly maintained. 2 All Studebaker automobiles which are sold as CERTIFIED CARS have been

Every purchaser of a used car may 3 drive it for five days, and then, if not satisfied for any reason, turn it back and apply the money paid as a credit on the purchase of any other car in stock-new or used. (It is assumed that the car has not been damaged in the meantime.)

C DON'THE SINGSLAND CONTRACTOR AT BOSTON

INVEST 2c YOU MAY SAVE \$200




Spend 2c now for your copy of this interesting and instructive booklet,"How toJudgeaUsedCar" -itmay saveyou as much as \$200 on the used car you buy. Mail the coupon now!

STUDEBAKER

Builder of Champions

	IE STUDEBAKER CORP. OF AMERICA
Di	v. 1610, South Bend, Indiana
1	Please send me copy of "How to Judge a Used Car."
Na	me
Sin	
Cit	y State

Complete Shop Built in One-Car Garage



not prevent one from having a well-equipped home workshop is illustrated graphically by the accompanying photographs of the shop of Holt Condon, a reader of POPULAR SCIENCE MONTHLY, in Pasadena, Calif. Only one side of the shop is shown; the other side is given over to a carpenter's bench and tools, a jig saw, and garden

car garage.

The workbench proper is 15 in. wide. 3 ft, high, and 8 ft. 6 in. long. On it is a line shaft running in ball bearings and driven . by a 1/4-H.P. motor through a flexible coupling. This provides power for bench grinders, scratch brush, and buffs, A heavy piece of plate glass bedded in cork

At the right, on a lower stage of the bench, is a 9-in. screw-cutting lathe. With its countershaft, four-jaw independent chuck, drill chuck, and tool holder, the lathe represents an original investment of something under two hundred dollars. Homemade tools and fixtures have greatly expanded its usefulness.


An Ingenious Way to Use a Hack Saw Blade


REPAIR jobs can be carried out suc-cessfully in many instances by the use of a little skill in adapting common tools for a special purpose. An example of this type of ingenuity is illustrated in the tool shown in the oval-a hack saw blade fitted into a slot in the edge of a 1 by 2 in, board and held by two nails.

This improvised saw was devised to cut away a badly dented and twisted panel of an automobile door, the cut being made immediately below the band molding. After the panel had been removed, a piece of No. 24 gage steel was laid over the lower part of the door and marked with accuracy 1/2 in, larger all









CUT and FIT them Correctly

Shown in This NEW ATKINS 32-Page Book on Home Workshops!

THIS is the book thousands of men and boys have always wanted—a complete guide to home workshop activities, condensed into 32 pages!

It tells how to start your own shop and select the proper tools . . . describes 20 types of saws and their uses . . . shows how to make the 24 joints most widely used in wood-working . . . tells how to build saw-horses, work benches, tool box and wall cabinet . . . suggests 200 other articles for you to construct . . . tells where you can get plans to build them . . . and gives helpful information on the care and use of saws and tools.

Written by an Expert

Prepared by a veteran craftsman, this new book is packed with practical instruction on wood-working, metal-eutting, and how to get the best results in all your shop work.

And on the final pages are pictures and brief descriptions of leading AT-KINS Silver Steel Saws and Saw Tools, which are aiding home craftsmen everywhere to do all their cutting jobs faster, easier and better.

An indispensable book for the beginner, and mighty helpful for the expert! It costs only 10c, but is worth dollars to every one who likes to work with tools. Send the coupon with a dime, and get a copy.

Mail Coupon for Your Book

WOOD JOINTS and How to Make Them!

0

WITH this new book, you can quickly learn the secrets of making strong, accurate joints that fit like those of a master joiner. Page after page of easily-followed drawings, photos and explanations show you the best way to mark, cut and fit all these joints—butt, halved, lap, dado, rabbet, miter, mortise-tenon, dowel, glued, coped, matched, splined, dovetail, etc. Tells where each type of joint should be used.

This book will help you tackle any job where careful joinery is needed. The section on JOINTS alone is worth many times the price of the book. Write for your copy NOW. E. C. ATKINS & COMPANY, Est. 1857 428 S. Illinois St., Indianapolis, Ind.

I enclose 10c for a copy of The New ATKINS SAW BOOK for Home Craftsmen.

Name.....

Adden

My dealer is.....

This seal on an advertisement in POPULAR SCIENCE MONTHLY signifies the approval of the INSTITUTE OF STANDARDS. See Page 8.

Decorative as a painting, yet useful as a cabinet

This Sewing Screen Is a Gift to Please Any Woman

SEWING cabinet that will hold the many articles required for needlework and can be closed to form a decorative screen when not in use will prove to be a much appreciated gift in most households. Such a cabinet, if made as shown in the accompanying illustrations, offers a rare opportunity to one of artistic taste to add a note of color and distinctive design to the decoration of any room. A noteworthy feature is the small hinged table which lets down when the screen is in use and at the same time locks the screen firmly in the open

Oak, walnut, and mahogany give the effect of choice cabinetwork in the hands of a capable craftsman, but one of the softer and more easily worked woods, such as basswood, will be serviceable since it can be stained and waxed to a dull finish, or enameled or lacquered.

Supposing basswood to be used, the two frames should be made of 1/2-in. material. The shelves and bottom are glued into dadoes (grooves) in the uprights, and the top is rabbeted, as shown. The dimensions are to a certain extent optional. A height of 30 in. and a width of 18 in. are suitable for general use, unless a more imposing screen effect is desired. A depth of 3 in. for each screen will allow for ample fittings, yet this depth, when the cabinet is closed, will not unduly detract from the screen effect.

With these outside dimensions the shelves will be 21/2 in. wide. This will allow the main frame to be rabbeted out to a depth of 1/2 in, to take the front and back panels. In the case of the top shelf, which is fitted for spools, the width must be only 2 in. as room must be allowed for the table when it is tipped up. This table is 12 in. square, the front corner being rounded, and is hinged to the middle shelf. When the table is down, a hole in the top corner engages a pin set in a strip

TWO DRAWERS HOLE TO TAKE PIN-PINS FOR SPOOLS BRASS ROD FITTED FOR SCISSORS, ETC. HINGED TABLE PIN TO LOCK TABLE 2-6 SPACE FOR SPACE FOR WORK POCKET WORK POCKET 18 FRONT VIEW, OPEN END VIEW, CLOSED

Two views of the screen which show its construction and give suitable dimensions. Under the top shelf of the righthand frame are two shallow drawers for small accessories,



of wood which projects below the middle shelf of the opposite screen.

The panels are made from three-ply wood, which should be chosen for its pleasing grain if the screen is to have a natural finish. They are fixed in position by rabbeting out the frame to a depth of 1/2 in. and are held secure with narrow molding mitered at the corners.

The other inside fittings may be varied. but a general arrangement is shown. On the top shelf on one side is a row of brass pins to hold spools of thread. Brass wire hooks could be cut down for this purpose. leaving them 1 in, long. Below the table is a space for a pocket for folded work. The top shelf of the screen on the other side is fitted with a brass rod to hold in place such articles as skeins of silk and

> cards of mending wool. A small brass curtain rod would serve well for this purpose. The space below has a pincushion and is fitted for scissors and various accessories. Below the shelf which supports the table is another space for a work pocket.

The inside surface of the panels, the work pockets, the pincushion, and the fitting for scissors are all covered with some good quality material, such as heavy silk or a cretonne. having a small, subdued pattern. This material is glued flat to the panels

before they are set in place. As the fitting for the scissors is subjected to considerable use, it should be made up separately in the following manner: Cut a strip of wood 1/4 in. thick, 3/4 in. wide, and long enough to fit neatly within the screen, and glue silk around it. Prepare a strip of cardboard 34 in, wide and cover in a similar manner. Have ready all the articles to

> be accommodated and lay them in order on the strip of wood. Bend the cardboard strip to form slots to hold each article in position. Glue this securely to the wooden strip between each slot. To add, further strength to the slots, screw down the top corners of each with 1/4-in. roundhead brass screws; then fix the bar in position on the panel with screws.

> The pincushion is made separately in a similar manner. About 3 by 8 in.

is a serviceable size, and the lid of a cigar box makes a suitable base. Glue three sides of the cotton covering on to the back of the wood, leaving one end open. When the glue is dry, fill the cushion with bran, well shaken down; then glue down the opening securely. Face with silk material in the same manner, and finally glue the cushion into position.

THE work pockets are made from the silk. The top edge is sewed to a heading which incloses a piece of elastic, the ends of which are fastened to the main frame with screws. The bottom edge is held down by a strip of wood nailed to the lowest shelf.

The design suggested in the illustration is done in stained marquetry, a firm outline being first drawn in pencil and then the spaces being filled in with transparent stains. A final wax finish is given to the

whole panel.

Whatever materials are used for making this work screen, care should be taken to adopt a harmonious color scheme. A suitable one would be to stain the screen a soft green, using bronze-green silk for the lining, and tint the landscape design in subdued greens, blues, and brown. An alternative would be to use brown throughout, with warm autumn colors for the landscape. For a gaver effect the framework could be enameled, the inside lined with chintz, and the panel painted; or tapestry could be applied.



"Build me such a coach as the world has never seen"—this was Napoleon's command!

That peerless warrior — Napoleon! Behind him, a record of conquest and achievement that had dazzled the world! Before him, only a few weeks away, the victorious ceremony that would crown him Emperor of France. And now, all about him, the most elaborate of plans and preparations. For this coronation must be a memorable occasion.

"Build me," was the order to his master craftsman, "such a coach as the world has never seen. A coach more magnificent than was ever dreamed of by the Bourbons. Secure the finest artists, designers, artisans, craftsmen. Bring me something worthy of the glory of my Empire!" And such a coach as they did build him!

Today, this "Sacred Coach" of Napoleon is familiar to millions of motorists—for it appears, in modified form, on the world-famous emblem "Body by Fisher." And this very coach has been selected as the model for the coach-building competition now being conducted by the Fisher Body Craftsman's Guild.

See Your Chevrolet Dealer
Join the
Fisher Body Craftsman's Guild
This Guild offers a wonderful opportunity for every boy in the

At the right is the emblem of the Fisher Body Craftsman's Guild. A membership button like this will be mailed to you after you enroll!



United States. More than 900 awards, totaling \$50,000 in value, including university scholarships, cash awards, and trips to Detroit, will be given those boys who do the best work in building a miniature model of a Napoleonic Coach. No fees or dues will be charged for membership. And Chevrolet's nationwide dealer organization is co-operating in enrolling members.

See your nearest Chevrolet dealer, today, and join the Guild. Take advantage of the co-operation Chevrolet is ready to give you. Get started on the model that you will enter in the competition. And win a substantial award!

CHEVROLET MOTOR CO., DETROIT, MICH.


Division of General Motors Corporation

See pages 10 and 11 for full information about the Fisher Body Craftsman's Guild

CHEVROLET SIX

IT'S WISE TO CHOOSE A SIX

Better Ways to Cut Thin Metal



Outlining can be done in a drill press with the special tool and guide shown in Fig. 9.

N A FORMER article (P. S. M., Aug., '30, p. 80), the writer discussed ways and means of putting round holes through metal. The present article will deal with producing out-of-round and odd-shaped holes or blanks from sheet metal and plates when single-purpose dies would be too expensive.

Cutting off strips is one of the most common jobs. If a power shear is available, you will have no trouble; if there is not, then the easiest method is that of sawing. Naturally, you will avoid ruining the hack saw and at the same time doing a poor job as shown at A in Fig. 1. The simplest correct way of holding work for a power saw is shown at B, and for a hack saw at C. If the metal is thin and comparatively wide, these methods can still be employed by the help of blocks clamped to the strip as at D.

How a number of fairly heavy strips can be successfully cut at once by using a piece of belting placed against the strip edges on the "off" jaw of the vise is illustrated at E. Strips too wide for any vise may be cut by the simple rig at F. By loosening the two screws a, the sheet can be advanced as needed.

The wrong method shown at A, Fig. 1, may be corrected as indicated at A in Fig. 2 by the application of two blocks of cold-rolled flat stock. This expedient is suitable also for cutting a number of thin strips at once, as indicated at B. One block should be slightly sprung, and the saw should be "canted" a little as at C to keep its edge hugging the blocks. Round the block edges slightly as shown at D.

Cheaper in the end than these makeshift blocks is the permanent guide at E. It is suitable for hand sawing, but may be adapted to some power saws as at F, although the same guide will be usable only with one or the other because of the difference in the thickness of the blades.

Where more cutting is to be done, a shop with any kind of a press can quickly rig up a satisfactory and inexpensive shear from two discarded dies as shown

HENRY SIMON on sawing, shearing, punching, and profiling irregular parts

at A and B in Fig. 3. One good edge of the lower die a is trued up with a clearance angle of about 2° and clamped together with a combination stock guide and gage b made from strip metal. About the only new part that is likely to be needed is the punch holder c. This must be large enough to give a good, solid seat for the blade die d, which is pressed in with a light force fit.


If no die and shoe are available, an inexpensive shear may be made on the simple plan illustrated at A and B in Fig. 4. The base consists of heavy cold-

rolled steel, and the blade is a piece of flat tool steel that extends slightly over the base on both sides. The combination stock guide and gage is similar to the one of the previous figure. Either of the gages shown can have only a limited amount of adjustment, and new ones must be made for different jobs.

Small square, hexagonal, octagonal, and other polygonal holes, as well as rectangular slots, are often required. If it is only a question of a few small holes in very thin or soft metal, they may be punched by hand to an accurate scratch line by the use of the tools illustrated in Fig. 5,

any of which may be ground to shape from lathe bits. Regular polygons with an even number of sides are best made with the double-edge tools at C and D, which make two accurately parallel cuts at once. A cast-iron, brass, or end-grain hardwood block is used as a pad.

If any number of identical holes of this kind must be produced in sheet metal, it pays to make a die. A simple one that will take care of a number of different sizes of triangular, square, or rectangular holes is that in Fig. 6 at A. This die is for use in a regular shoe in




A shear made from two old dies (Fig. 3), another shear (Fig. 4), and hand punch shapes (Fig. 5).

any kind of screw or punch press. The form of the stripper plate allows the work to be lined up by eye.


A universal die that requires considerably more work, but can be set to any exact size, square or rectangle, within its range, is that at B and C. This die is suitable for lighter jobs only. In the smaller sizes the blades may be made from high-speed tool-bit stock. Because of the slow wear of such a die and the fact that a damaged bar can be easily replaced, it is practicable to attach the stripper to the frame piece b. The stripper c should be given ample leeway to "float" by making the holes d large.

An adjustable square and



Ways to hold sheet metal for sawing (Fig. 1) and how special blocks can be used to aid the work (Fig. 2).

PRECISE MACHINES SERVE



In the switch rooms of the big exchanges, complicated mechanism snaps smoothly into action when you lift the receiver of your dial telephone.

On most calls, your finger, dialing the number, is the only human touch. Machines do the rest... machines so complicated and so delicate that almost every part must be held within the most rigid limits of accuracy. A mis-adjustment of a thousandth or two in the terminal selectors at the left, for example, would give you a wrong number.

The precision of telephone switching equipment is a matter of scrupulous care . . . and fine tools. Tools like Starretts.

When you use Starretts, you use the same tools that are responsible for the faultless performance of most of the intricate machines which serve our age. In your home shop, or at your serious work, Starretts will bring surer precision to your hands, a new pride in craftsmanship.

In the new Starrett Catalog No. 25 "W" appear over 2500 Starrett Tools, almost all of them designed for wood and metal-working shops. The coupon will bring your copy.

Above: Western Electric Selector Frame, the mechanism which selects the exchange trunk over which your call is routed. Photo, courtesy New England Telephone and Telegraph Company. Right: Starrett Micrometer Depth Gage No. 440, typical of the precision tools which skilled machinists prefer; Starrett Steel Tape No. 530 and Starrett Pocket Slide Calipers No. 425, two of the many Starrett Tools which belong in every kit. Below: the coupon. Send it for your copy of Starrett Catalog No. 25 "W"




THE L. S. STARRETT COMPANY ATHOL, MASSACHUSETTS

Please send me Starrett Catalog No. 25 "W"

Name

Street ...

City.....State.....



Use Starrett Tools 1880—1930

rectangular die that is suitable for much heavier work and is more dependable all around is illustrated at A, Fig. 7. This tool is particularly well suited to precision slotting. It is simpler in construction than the previous tool, but requires a new set of blocks a for each new width. This die also may be made from regular hardened high-speed stock-the main bars from 1/2 or 3/4 in, square bits, and the narrow centerpieces from cutting-off blade stock. The clearances and angles are shown at B. Examples of the work possible with a single set of spacers are given at C, and with additional spacers at D. The stripper blank appears at E, and a universal type of punch holder for use with this die is suggested at F.

CUTTING sheets and plate metal to an irregular outline is no longer as difficult a job as it used to be, thanks to the nibbling machine and the cutting torch. These helps are not always available in the small shop, however; and moreover, each is not suitable for all gages of work an I kinds of material. In cutting screwmachine plate cams to shapes like that of A, Fig. 8, for instance, drilling seemed the only way out in the writer's shop until he designed a simple outlining punch that did a better job in ten minutes than had previously been possible only through hours of drilling.

Figure 8 gives the details of a simplified and improved design of this device, which is adaptable to roughing out a blank or an irregular hole of almost any shape and in any material from 1/64-in, brass to 3/4-in, steel plate. The tool has a cast-iron base a, in which a round die b is maintained flush with the top surface c by means of blocking washers. The stripper d may be set to any distance from the die by interchangeable spacers e, in accordance with the material being handled.

The position of the punch is indicated by a finger f, which is held on the

work in a position corresponding to the die opening while the punch is up, but sidesteps cach time the punch descends. This is accomplished by the constructi, seen in detail at C. The finger f is fastened to a lever g pivoted at the foot in a plate h, which is screwed into a recess in the bottom of the die. A leaf spring i keeps the finger-position adjusting screw j in contact with the bottom of a notch k in the stripper d while the punch is up. The punch holder l is made with a tapering end, which in descending forces back the lever g, thereby moving the finger before the punch can strike it. The clearances, punch and die sizes, and hardening data are given in the diagram F.

The work should be marked with a plainly visible scratch line. A full round hole is punched for a starter, but successive holes are overlapped, as indicated at D. The finger point makes it possible to punch close to the line. As will be seen from E, far less metal is left for removal by grinding than is the case when a drill is used. Moreover, punching each hole is a matter of only a second or two in the heaviest plate. The saving in time thus made is so great that even a very few jobs pay for making this device.

A different kind of "outlining" tool is that of Fig. 9. While it has less power and speed, it leaves even less waste material and is also suitable for producing grooves. The cutter, which revolves in the same way as a regular slotter, may be either an ordinary twist drill ground as at B or, preferably, a


special tool as at C.


A die for different sizes of holes (Fig. 5), and an adjustable squareand rectangular die (Fig. 7).

As shown at A in Fig. 9, the tool a is used in an ordinary high-speed drill press and is guided close above the cutting end in a regular drill bushing b. This bushing is set in a heavy "arm" c that is firmly clamped or bolted to the drill table. The tools, which should be of high-speed steel,

should be run at surface speed about 50 percent higher than would be employed with drills of the same size. The diameter of the cutting point should usually be between 1/4 and 1/4 in., because larger points remove too much metal and make it difficult to guide the work. In each case, the depth of a single cut should not exceed half the diameter of the cutter, according to the detail at D.

Some special ways of rigging the drill table for use with this device are shown in Fig. 10. At A and B is indicated how disks or concentric circles may be generated by a simple expedient. At C is a plain guide for accurately producing straight and parallel slots in a straight piece. An example of grooving is illustrated at D. In many cases, two or more such guiding methods may be combined, as in the case at E.





Brown & Sharpe Gauges

-- a type for every class of work

IN the daily work of skilled mechanics, from manufacturing control to repair work, Brown & Sharpe Gauges are in constant use. It may be to measure the accuracy of finished parts, to check important clearances, or to select the proper size of tools or materials for the job.

Whatever the requirements, there is a Brown & Sharpe Gauge which will simplify the work - standard plug and ring gauges, standard caliper gauges, vernier height and depth gauges and many special gauges designed for some particular job.

Below are described several Brown & Sharpe Gauges which occupy an important place in the kits of skilled mechanics.

American Standard Wire Gauge



No. 688

A particularly useful tool for gauging sheets, plates and wire of non-ferrous

Decimal equivalents are

stamped on the reverse side.

Universal Surface Gauge

No. 621

A particularly handy tool for set-up work.

Knurled adjusting screw permits a wide range of adjustments. V-shaped bottom adapts it for cylindrical work.





Twist Drill and Machine Screw Tap Gauge

No. 707

Gauge tells the correct drill to use with any common size of machine screw tap.

Screw Pitch Gauge

No. 630

For quickly determining the pitch of threads of bolts and

For "V" Threads. 22 pitches-9 to 40 including Pipe Thread Pitches. Shape of blades permits their use on nuts as well as screws.





Thickness Gauge

No. 644

For checking clearances accurately.

Nine tempered blades -.0015, .002, .003, .004, .006, .008, .010, .012, and .015 of an inch. Blades 3" long, 1/2" wide.





With this gauge the cutting tool can be adjusted in a minimum of time. Can be used either on its base or its side.





The full line of Brown & Sharpe Gauges is included in Small Tool Catalog No. 31 which describes over 2300 useful tools. Ask your dealer for a copy or send to us for one. Dept. P. S., Brown & Sharpe Mfg. Co., Providence, R. I., U. S. A.

'WORLD'S STANDARD OF ACCURACY"

What many years of practice have taught me about



A small magnifying lens, held in a support, is a genuine help in inspecting a lapped finish for flaws.

APPING operations in the toolroom are not a question of metal to metal contact, as in the case of the bearings and gearing previously discussed (P. S. M., Sept. '30, p. 86), but rather one of precise dimensions.

The toolroom is called upon to make a variety of plug, ring, and snap gages, and also small bushings, pins, and studs for interchangeable fixture parts. To maintain standardization, it is, of course, necessary to have comparator gage blocks

and to observe the requirements in regard to temperature. Comparator gages will contract or expand, but they will always maintain their standard at temperatures between 65° and 70° F.

For lapping plug gages, wrist pins, and studs, all that is needed is a brass split bushing (Fig. 1) with the bore smoothly finished to the size of the gage and the length of the lap being about one half that of the work. Any such part to be lapped should have a bright grinding finish with an allowance of no less than .0003 in, nor more than .0005 in. After a compound such as H-40 fine (to use the Carborundum system of designation) has been applied, the work should be revolved on centers at a medium speed and the lap should be oscillated and kept moving back and forth across the work.

A test for size ought to be made every minute after thoroughly cleaning and wiping the part. Do not take chances as the size is sometimes reached very rapidly. Plug gages are expensive, and one that has gone undersize is of little value; on the otherhand, it is many times advisable to favor it one or two "tenths" (ten thousandths of

Making Laps for Toolroom Work

By HECTOR J. CHAMBERLAND

an inch) and prolong its use.

Until recently, worn plug gages went to the junk pile, but chromium plating has reached such a state of efficiency that they are now being reclaimed by being plated. So uniform is the plate after the surface has been ground cylin-

drically that the gage may be lapped with the same excellent results as a new one.

Ring gages are usually made as in Fig. 2. The shoulders are a protection against bellmouthing in the grinding operation and are removed after lapping. A satisfactory lap for fine internal cylindrical work may be made of brass. It should be left long enough to be double-ended, and centered, turned, and ground. One end should be finished to fit the ground size of the bore, the other being .0002 in. under the required finished size. After

applying the same compound as in the previous operation and revolving the lap at a medium speed, the gage is oscillated with the palm of the hand so as to obtain a complete revolution in every four or five movements. This is done until the bore fits the large end of the lap. All gages should be polished with felt.


FOR the average run of standard internal lapping, a lead lap is the most economical. The initial cost lies in making the mold, but this is a good investment. Medium work to be lapped is mainly between 1 and 2 in. The mold shown in Fig. 3 has a 2½-in. bore, and the plug arbor is given a Brown and Sharpe taper. As there is no actual waste, it is advisable to cast a set of sixteen; this will accommodate the ½-in. sizes and leave an ample supply for odd dimensions. After casting the set, the

taper holes are smoothed up with a reamer, and the laps are turned to their respective sizes. When turned, they are split with a 1/16-in. saw in the milling machine.

For work from ½ to 1 in., the expansion brass or castiron lap in Fig. 4 is satisfactory for standard sizes. For odd dimensions, a plain. double-ended lap finished to suit this special requirement is generally used; and such a lap is also recommended for operations under ½ in. because the cost is small. In all cases these laps should run on centers for the best results.


As the ordinary line of lapping work is made up of plain bushings, collars, and the like, a compound such as H-40 coarse should be used for quick results.


To finish snap gages of the flat type and retain the parallelism obtained through the grinding operation, it is advisable to use the honing process. Allow .0002 in. on each surface. After the contacts have been given a coat of coppering acid, and the gage has been placed in a suitable vise, the honing may be done with the aid of a magnifying glass in a support. A fine oilstone of the triangular type is a good one to use.



Suggestions for internal and external laps, and the method of constructing a mold for lead laps. For accurate work a lap must be well made.

ALCOA





For his own Set, a Radio Engineer would want Alcoa Aluminum Condenser Blades

It is well known in the radio industry that no type of blade for variable condenser work is more efficient than the all-aluminum blade.

These blades are non-microphonic; aluminum stays put and does not warp, thereby bringing clear tone and increasing the volume and sensitivity of the set.


Don't let cost-shaving in manufacture interfere with the efficiency of your new set. Make sure that it has all-aluminum condenser blades. It is your assurance that the builder used the finest material.

Alcoa Aluminum has many uses in radio sets. Weighing 1/3 as much as other metals, it insures that parts are extremely light. Thus they are less liable to be thrown out of alignment in shipping. They remain true in both shape and adjustment.

Look for Alcoa Aluminum condenser blades and foil condensers—also Alcoa Aluminum shielding, wire and other parts. Ask your radio dealer to open the set up and show these important working points. ALUMINUM COMPANY of AMERICA; 2496 Oliver Building, PITTSBURGH, PENNSYLVANIA.

ALCOA ALUMINUM

LETAL THAT IS TUNED TO RADIO



THE network of electric cables beneath the street of a city generally are joined together beneath manholes. If moisture seeped through and touched them an explosion might result.

Skilled workmen protect these "splicings"—or meeting places of the cables — from moisture with lead joints.

To cut down the ends of these joints to the correct thickness, these expert workmen use Nicholson Rasps and Half Round Files.

Under ground and over ground—on the sea and in the air—in the big industrial plants and in your home workshop there are thousands of uses for Nicholson Files.

Your hardware dealer can supply you. And you can tell a genuine Nicholson by the crossed files trade mark which is always stamped on the tang.



Providence, R. I., U. S. A.

A FILE FOR EVERY PURPOSE

Copper Braid Decorates Lamp Stand of Pipe




An ingeniously designed lamp.

NO ONE would guess that the standard of this unusual floor lamp is merely pipe. Yet that is all it is. The secret of its attractive appearance lies in the fact that 1-in. copper braid was opened up to form a tube and slid over the entire standard.


The lower part of the stand is made of 3/8-in. wrought iron pipe; the upper of 1/8-in. brass fixture pipe. The base was obtained from the scrap pile, but if one cannot be acquired from this source, a wooden or wrought iron base can be made to suit the constructor's taste.

For the upper ornament on the standard, a

brass collar is used, with brass decorations soldered to it. The lower ornament is made of No. 6 copper wire and held in place by two 1-in. brass collars. The top of the shade is brass, but all the rest of the framework is cut from copper sheet or strips. The glass, which was purchased for 75 cents, is imported opal. The pieces are held in place by means of small copper strips ½ by 5% in., half soldered to the frame and half bent over the glass. The glass rests on the 3/16-in. turnover on the bottom of the frame. A 15-watt lamp will be found to give sufficient illumination.—L. Dutton.



Details showing how the stand is covered with copper braid and the shade is made.



Drawn especially for Crosley Radio by Franklin Booth

Douire there with a CRO/LEY



The NEW Buddy

An exquisite table, mantel or clock type self-contained receiving set, with power speaker, only 15%" high, 15%" wide, and 9%" deep, so small in size and light in weight that it is easily moved from place to place. Contains the same type receiving set as The PAL and The MATE. Employs three Screen Grid tubes. Nothing ever equaled it at so low a \$64.50 with price.

BEAUTY... a spanking breeze and the long, rolling eloquence of tangy water across which white sales glide with incredible speed in a pageant of endurance. There is a cup to be won, and well to the fore this great, gleaming gull spreads her fourteen thousand feet of snowy canvas with an eagerness be-speaking her lineage. The will to do—the stamina, the scientific principle of every essential part, has been built into her. She must win! And does!

BEAUTY . . . radio, as it is, one of the most astounding inventions of an astounding agevoicing, as it does, all of the beauties and musical intricacies of the centuries—calls for beauty, as well, in physical aspect. In the new Crosley radio receivers BEAUTY has been made the keynote—they denote a new era of the truly beautiful in radio cabinet design and construction. Beauty of reception-quality is characteristic of them, too. To such painstaking design and manufacture comes, naturally, the sure reward of leadership-the cup-winning ability. There is, after all, sheer beauty -super-excellence of mechanics-superlative performance-built into Crosley radio. It must win-it does!

THE CROSLEY RADIO CORPORATION

Powel Crosley, Jr., Pres. Home of "the Nation"s Station"—WLW

CINCINNATI

Also manufacturers of CROSLEY Battery Radio Receiving Sets, the CROSLEY ROAMIO Automobile Radio Receiving Set, and the famous AMRAD RADIO

CROSLEY-RADIO

The CROSLEY NEW Companionship Series

SCREEN GRID . NEUTRODYNE POWER SPEAKER . A.C. ELECTRIC

The Pal



know

k new

that

Alcron ove an e for


ting,

A marvelously beautiful cabinet, 25% inches high, suitable for use as an end, bedside or occasional table. Contains the same receiving set and power speaker as The MATE and employs

of tubes. The price is amazingly low for the quality and performance

The Mate

A delightfully designed and executed cabinet that harmonizes with any surroundings in the home. It contains an entirely new receiving set and power speaker. Employs three type -24 Screen Grid tubes, one type -45, and one type -80. T



The CROSLEY NEW Leadership Series

SCREEN GRID . NEUTRODYNE POWER SPEAKER . A.C. ELECTRIC

The Director



A particularly beautiful cabinet containing a receiving set employing three Screen Grid tubes type -24, one type -27, two type -45, and one type -80. Positive automatic volume control, local-

distance switch and dynamic-power speaker are features of this set. Astonishing-ly low in price

The Arbiter Electric Phonograph and

Electric Phonograph and Radio Combination

A truly versatile instrument that provides complete entertainment for any occasion in the modern home, complete in a cabinet of superlative beauty. The same super-selective and sensitive radio receiving set and dynamic-power

MITTY




speaker as in The DIRECTOR. A marvelous electric phonograph and radio combination for what you would ordinarily expect to pay \$13750 for a radio receiving \$13750 set alone.

Also available with induction type self-starting motor at \$147.50



Revolving Nail Box for Your Bench



Time may be saved by keeping an assortment of nails in this octagonal turret-type box.

NE way to save time and temper in finding the right nail or screw is to construct for your workbench a turrettype nail box similar to the one illustrated. This particular box has eight sides, each 534 in. long, the parts being as

One octagonal base of 1/2-in, poplar or other wood, measuring 534 in. on a side. You will find it convenient to cut a card-



The 3/2 in. thick bottom of the nail box after the shape has been marked and cut.

board pattern to use for laying out the wood. Several narrow boards may be joined, if necessary, with corrugated fas-

Eight side pieces, each 1/2 by 2 by 53/4 in. The length is measured on the outside, and the ends are cut to an angle of 671/2°.


Eight partitions, each 1/2 by 2 by 45/8 in. One end is beveled equally on both sides to 671/2°.

Eight short pieces for the center compartment walls, each 1/2 by 2 by 15/8 in. The 15%-in, length is measured on the longer side, the ends being beveled to



The base is a friction-top tin can, not too high, weighted with either sand or concrete.

This seal on an advertisement in POPULAR SCIENCE MONTHLY signifies the approval of the INSTITUTE OF STANDARDS. See Page 8.



"Substitute Nickel for Platinum! we can do Better than that..."

When the radio industry was young and only a few thousand technically minded enthusiasts were hooking up receiving sets, radio tubes were a laboratory product. The use of costly platinum-iridium for their filaments was not a handicap. For comparatively few tubes were in demand.

Westinghouse engineers, however, foresaw a serious situation. When millions of radio sets came into use there would not be enough platinum available to make the tubes they would need. A substitute material just as satisfactory must be found. Westinghouse laboratories set out to find it.

Soon a young engineer reported that nickel would meet the requirements. From a practical standpoint it made as good filaments as platinum. It would do. But Westinghouse engineers said: If a pure metal is as good as platinum, it should be possible to produce an alloy that will be far superior.

Months of tireless research and experimenting followed — development work that called into play the broadest scientific knowledge. Eventually the ideal combination of metals was produced, Konel metal, stronger than any alloy steel, and far superior to platinum as a core for oxide-coated filaments in radio receiving tubes.

If sufficient platinum were available it would take more than a quarter of million dollars worth to take the place of the Konel metal used in vacuum tubes each month. And vacuum tubes are only one of its possible applications. Konel metal meets severe service requirements such as those confronted in gas engine valves and spark plugs. Its commercial possibilities have only been touched.

Tune in the Westinghouse Salute over WJZ and the coast-to-coast network, every Tuesday evening.

Westinghouse



CARPENTERS TELL US

that Stanley "Everlasting" Chisels stand up better under severe use. There are several reasons why this is true. The Head, Shank and Blade are forged complete—no mechanical joints. A blow struck on the head is transmitted directly to the cutting edge with undiminished force. Only the finest tool steel is used -correctly heat treated and tempered. This insures great strength together with the ability to hold a keen cutting edge. The handles are made of selected hickory. They are well finished and fit snugly into the ferrule. A leather washer between the handle and steel head serves as a cushion when a blow is struck. MADE in three Bevel Edge Firmer, Bevel Edge Pocket and Bevel Edge Butt - 12 sizes of each type. They have an exceptionally fine finish and a quality which places them "first" among all wood chisels. Ask your hardware dealer to show you Stanley "Everlasting" Chisels. Catalog No. 34e describes them all in detail. Send for a copy. THE STANLEY RULE & LEVEL PLANT


STANLEY TOOLS

New Britain, Conn.

"The Choice of the Trades"

67½°. Another way to form the center compartment is to cut a 2-in. length from a tin can and mount it in the center. The partitions should then be cut long enough to fit against the can sides, which are nailed to them.

One tin can with a friction top about 3 in, high and as large in diameter as obtainable. Fill this with sand or con-



How the rim, partitions, and base are cut, and a sectional view showing the pivot.

crete to serve as a weighted base upon which the box revolves.

One machine bolt 1/4 by 2 in. This is mounted in the center of the can lid and projects upward through a hole in the center of the nail-box base. Three nuts and five washers are used, one nut to hold the bolt to the can lid, and the other two to act as a nut and lock nut on top of the baseboard. You may find it necessary to solder the can lid in place so that you can pick up the box without losing the base. Finally, paint the box inside and out, using green, blue, or some other attractive color.—Walter E. Burton.


WIRE CONNECTIONS

In TESTING or laboratory work, electrical connections are often made which are to be used for so short a time that taping is hardly justified, yet they should be insulated in some way. Before making such connections, slip short lengths of rubber tubing over the insulated wires. Then



Rubber tubing used to insulate splices, and a hose covering for welding-cable connector.

make the splices and push the tubes along to cover the bare connection. Short pieces of garden hose can be used similarly for welding cables and other heavy wires when they are connected by "knuckle" or "pivot" type cable connectors.—T. R. Watts.



PRODUCTS OF THE ELECTRIC FURNACE - - - FOR THE ELECTRIC FURNACE

Super-refractories that resist heat. Extremely high temperatures — 3000° F.— are required in modern industrial laboratories and in the production of rare metals and alloys . . . In the electric furnaces that create these temperatures there must be super-refractories—Alundum tubes, cores and muffles.

Thus the Norton product trade-marked "Alundum," also a creation of the electric furnace, is performing successfully an important work in fields aside from grinding.

WORCESTER, MASS.

GRINDING WHEELS,

GRINDING

and LAPPING MACHINES,


ABRASIVES FOR POLISHING,



PULPSTONES, REFRACTORIES, POROUS PLATES, FLOOR and STAIR TILES, ABRASIVE AGGREGATE.

Return to a warm home after spending an evening out





Just think of the luxury of returning to a warm, cozy home every time you spend an evening out, with no one left at home to tend the fire but the Jewell Temperature Regulator. And never a worry about the fire getting too high while you are away. For the Jewell protects your home by always keeping the fire under control.

The Jewell brings you other luxuries, too. It keeps your home evenly heated all day. Prevents colds and reduces doctor bills. It shuts down the fire at night and rouses it in time to have rooms warm when you get up. The saving in fuel is surprising.

The Jewell is made by Minneapolis-Honeywell, America's leading makers of automatic heat controls for 45 years. Your heating dealer will show you how a Jewell can be installed on your present heating plant at a cost you can easily afford. See him today before the worst of winter comes.

Minneapolis-Honeywell Regulator Co., 2926 Fourth Avenue So., Minneapolis, Minn. In Canada: Minneapolis-Honeywell Regulator Co., Ltd., 123 York St., Toronto, Ont.

> Jewell TEMPERATURE REGULATOR

THERE'S A JEWELL FOR EVERY HEATING PLANT AND FOR EVERY BUDGET Every Camper's Ax

Deserves a Good

Sheath

By F. CLARKE HUGHES

O CAMPER'S ax is complete or safe without a sheath such as the one illustrated. It is easy to make and requires only one piece of light but good grade sole leather 5½ by 10 in. This may be purchased at any shoe shop, and half a dozen ordinary tubular rivets should be obtained at the same time.

The sheath is made in three sections. That marked No. 1 includes the back, top, and flap; No. 2 is the front; and No. 3, the end of the sheath. As in the case of the hunting knife sheath (P. S. M., Aug. '30, p. 102) and the other articles previously described in this series of articles, it is best to make a paper pattern to fit the ax before marking the leather.

Piece No. 1 should be slightly grooved or veined along the fold lines, the grooves being made with either a woodcarver's small veining tool or with a sharp penknife. Slots should be cut as shown in the section which is to become the back of the sheath; these are to allow it to be attached to a belt.

The stitching for the ends is of the same type as that described in preceding articles. It should be done with a double needle along a line of holes made with a very slender awl. If a small line or groove is tooled along the line of stitching, it will aid in placing the stitches and will


keep them in a straight line. The stitches should be about ½ in. from the edge and ½ in. apart. If a piece of luggage or any article made of heavy leather is studied, the professional method of doing the hand sewing will become plain.

The best point to begin the sewing is at the thinner end of the sheath, where the front meets the back. At the thick end, the extra end piece must be carefully fitted, especially where it turns the oval

> corner. One of the sketches shows how this may be done.

> When the sewing is completed, the rivets should be inserted as indicated to guard against the danger of cutting the stitching with the edge of the ax

A snap fastener may be used to keep the flap shut, or a small strap and buckle from an old wrist watch will do equally well. If a snap is preferred, a shoemaker will put one in for a few cents. When all is finished, the sheath should be polished with shoe dressing or floor wax.




Patterns for the three parts; how the stitching is done and the rivets inserted; the completed sheath.

TURNING SET SCREWS

SEVERAL times on repair jobs I have needed a wrench to remove a hollow-head set screw and found myself without one. A substitute was made by grinding off the tang of a three-corned file to a length that would fit snugly into the broached opening of the set screw, and a pair of pliers was used to turn the file. As the tang is hexagonal and tapering, it is possible to use a small triangular file for almost any size set screw.—V. C. Darby.



BLIND MAN'S BUFF vs. SCIENTIFIC BRUSH SELECTION





New Whiting-Adams method of identifying paint, varnish and enamel brushes eliminates guesswork and assures expert results. Send for interesting, free booklet, "Painting Hints that Help."



Blind Man's Buff has its advantages as a game, but it's not so good in picking the proper brush to give your

newly finished attic room a coat of paint, the boy's sled a refreshening varnish finish, or even the breakfast nook that much-needed coat of enamel. Many such jobs have been spoiled because the wrong brush was used.

Professional painters will tell you that specifically constructed



brushes are needed for paint work, for varnish work and for enamel work and that the results secured on



Needs Varnish Brush



Goes To Dealer



What Brush



Here It Is




The Right Brush

any kind of painting depend largely on the quality of the brush and its fitness for the particular job.

That's why the Whiting-Adams Company has developed a method of helping you to identify the right

brush for each job — why you can now be sure of expert results every time you start to paint. You will find all Whiting-



Good paint and hardware stores now display these identifying brush boxes for your guidance.

State

WHITING-ADAMS COMPANY

700 HARRISON AVENUE BOSTON, MASSACHUSETTS

Send for the free booklet, "Painting Hints That Help." It contains valuable information for every man who ever does any kind of a paint job at home. No charge or obligation. Just send the coupon for your free copy.




WHITING-ADAMS CO. 700 Harrison Ave., Boston, Mass.

Please send me a copy of that free booklet, "Painting Hints

Street. City.

Name of dealer.



GREENFIELD DRILLS stay Sharp

And so men who use Greenfield Drills really use them, instead of spending half their time crouching over a grinding wheel.

Greenfield Twist Drills, because of a new method of heat treatment, will stand higher speeds and heavier feeds without breaking down. Of course, this means greater production on all big drilling jobs. But all jobs are not big and the chap who has to use a portable electric drill doesn't like to waste time changing drills, or regrinding worn cutting edges either. Nor will he if he specifies Greenfield Drills.

Anyone who uses twist drills—in any manner—has a big and happy surprise waiting for him when he switches to Greenfield Drills. Try them next time. Ask your dealer or write us.





New York: 15 Warren St., Chicago: 611 W. Washington Blvd., Detroit: 228 Congress St., W. Canadian Plant: Greenfield Tap & Die Corp. of Canada, Ltd., Galt, Ontario



For kitchen or breakfast room-

A Modernistic Handy Table



The finished table. An equally pleasing effect is obtained by reversing the colors.

ERE is an easily constructed small table for general use in a kitchen or a breakfast room. As it is mounted on rubber tired casters, it can be readily moved around where wanted. For example, dishes can be piled on it after being dried and the whole load pushed over to the china closet for storing. Another use is as a side table for the electric toaster, percolator, or waffle iron.

With the exception of the three-ply

panel top, it is constructed entirely of packing box lumber ¾ in. thick. All parts, with one exception, are put together with nails and glue, the nails being set below the finished surfaces and the holes filled with a prepared wood putty. The exception is at the joint between the legs and the rails, where screws are used as shown in the sketch of the corner construction.

The legs, of course, could be made of a 1½ in, square piece of wood instead of being built up as shown from parts A and B. In the original table these pieces were bradded and glued together in order to utilize the ¾-in, wood obtained from packing boxes. This construction, by adding more lines and surfaces, also tends to make the finished table more interesting from a

design standpoint.

The part D, of which a perspective is shown, looks complicated, but a little study will reveal that it is a simple matter to cut the rabbets on the top and the


ByDONALD A. PRICE

List of Materials

Mk. No.	Description	T.	W.	L.
A 4 Les	sections	3/4	11/2	261/2
B 4 Les	sections	34	3/1	261/2
C 8 Les	trim .	916	3/1	1912
	per to 3/16)			
D 8 Le	g braces (4 right-	3/1	31/2	73/8
har	id, 4 left-hand)			
E 2 Ed	ging	3/1	2	20
F 2 Ed	ging	3/4	2	181/2
G 1 To		3/4	2	181/2
H 1 To	p, 3-ply fir pane	1 1/4	201/	201/2

end with the circular saw, and the notches on the bottom with a fine toothed back saw. It is bradded to parts E and F from the inside through the upper projection, and to the legs from the outside through the end projection. After assembly, a groove separating the ¾-in. black band on part D from the white is ruled in with a scratch awl.

The color scheme is indicated on the drawings as black and white, and the entire underneath and interior portion is painted black; however, any contrasting colors may be used with good effect. Lacquer is the quickest finish to apply.



Working drawings with parts lettered to correspond to the list above. Packing box lumber is used for all but the top.

This seal on an advertisement in POPULAR SCIENCE MONTHLY signifies the approval of the INSTITUTE OF STANDARDS. See Page 8.




Simonds Steel compounded carefully a Prescription --

... insures the Quality and Uniformity of Simonds Cutting Edges

No prescription is compounded with more scientific accuracy than the alloy and other special tool steels used for Simonds cutting edges.

The Simonds steel mill...one of the world's most completely equipped electric furnace plants...is maintained for the purpose of making steels of uniform high quality for Simonds products. No steel is good enough for Simonds cutting edges until engineers have given their expert approval...until every test indicates that the steel meets exacting Simonds standards for toughness, strength and hardness. Simonds steel is "prescription" steel-the finest, most practical tool steel modern methods and improved facilities can produce.

This is the basic reason why Simonds saws, machine knives, Red Streak hack saws and other quality products retain their sharp cutting edges on the very toughest cutting jobs . . . this is the reason why the Simonds name means perfection wherever superior cutting equipment is used.



SIMONDS SAW AND STEEL CO.

ESTABLISHED 1832 · · FITCHBURG, MASS. Boston . . Mass. | PRODUCERS OF Circular, Band, Metal,

Portland . . Ore. New York . . N.Y.

New Orleans . La.

Atlanta . . . Ga. San Francisco . Cal.

Cross-Cut, Gang and Drag Saws; Machine Memphis . Tenn. Knives; Files; Hack Saw Blades; Tool Seattle . . Wash. Holder Bits; Saw Tools; Discs; Swel. Chicago . . III. SIMONDS CANADA SAW COMPANY, LTD., Montreal, Quebec, St. John, Detroit . . Mich. N. B., Toronto, Ont., Vancouver, B. C.

AFFILIATED COMPANIES

WAPPAT, INC., Pittsburgh, Pa., Manufacturers of Portable Electric Saws and Tools - ABRASIVE CO., Phila., Pa., Producers of Abrasive Grinding Wheels and Polishing Grain - SIMONDS GUARAN-TEED CUTTER-HEAD CO., Seattle, Los Angeles . Cal. Wash., Mfrs. of Guaranteed Cutter-Heads.

SIMONDS INDUSTRIES

World's Largest Saw Makers

BACK OF THE EDGE . . THE STEEL . . . BACK OF BOTH . . SIMONDS

This seal on an advertisement in POPULAR SCIENCE MONTHLY signifies the approval of the INSTITUTE OF STANDARDS. See Page 8. Copyrighted material



AUTOMATIC HEAT ... with an EXTRA ROOM

HERE is an extra room in your home waiting for you to use. Your basement can become a livable room—suitable for a playroom, den, workshop, gymnasium or any other use.

There is no soot, no dirt, no fuel storage, no ash removal, no noise. Ideal Gas Boilers burn noiselessly, cleanly and efficiently. And they automatically keep your home at just the temperature desired without any attention from season's beginning to season's end.

IDEAL GAS BOILERS



Mail the coupon below for a free folder that will tell you all about Ideal Gas house heating.

AMERICAN RADIATOR COMPANY

Division of

AMERICAN RADIATOR & STANDARD SANITARY CORPORATION

40 West 40th St., New York

Name____

Address___

City____State_____


Constructing a Realistic Model of the Curtiss Condor

An easily made nonflying model of a twin-motor transport plane. See photo on page 29.

By DONALD W. CLARK

MPRESSIVE in size and unusually interesting in design, the Curtiss Condor twenty-one place transport biplane is an excellent subject for the airplane model builder. A realistic and reasonably accurate model of this giant twin-motor plane can be built without difficulty.

The principal parts are cut from soft white pine. A few scraps of this wood



Working drawings of the model, which has a 26-in, wing span and a 1634-in, fuselage.

together with some 1/8-in. round sticks, a cigar box, odds and ends of thin aluminum or other sheet metal, a few brads, and a small quantity of chrome yellow, lemon yellow, orange, and black enamel or lacquer are the only materials needed.

Carve the fuselage from a block 1½ by 2½ by 16¼ in. and round off the front and rear ends to the proper shape. Drill holes for the wing pins or dowels and one at the rear for the tail skid.

Cut the upper wing from a pine blank 1/4 by 3 by 26 in. and the lower wing from a blank 1/4 by 3 by 24 1/2 in., sawing the latter in two.


The stabilizer should be made from cigar box wood and nailed to the fuselage. The auxiliary stabilizer and rudder are of thin metal riveted together as shown. The motor "eggs," radiators, and wheels are all made of wood. Set short lengths of 1/16 in. diameter wire into the motor "eggs" to represent the exhaust pipes. The landing gear and the wing brace struts can be cut from thin aluminum and nailed in place. The heavier struts are strips 1/4 in. wide; the lighter ones, 3/16 in. wide.

Do not slight the finishing because much of the smartness of the model depends upon the care taken in the painting. The colors suggested are as follows: For wings and horizontal tail, chrome yellow; for fuselage and rudders, lemon yellow; for top of fuselage, motor "eggs," wheels, and struts, orange; for propeller, tail skid, and tires, black.

LAST CALL FOR SHIP MODEL CONTEST

IF YOU are interested in making ship models, do not overlook the contest being conducted by Popular Science Monthly for ship models built in bottles. The method of constructing this type of model was explained by Capt. E. Armitage McCann in an article beginning on page 71 of the August, 1930, issue, and full details of the contest were published on page 99 of the same issue. There is, however, still time to enter the contest, for it does not close until October 15, 1930. All entries must reach the Ship Model Contest Editor on or before that date.

PUZZLE SOLUTIONS




How to assemble the block puzzles described in the September Popular Science Monthly.

DID you succeed in solving the fourpoint star and letter Z block puzzles published last month (P.S.M., Sept. '30, p. 114)? If so, your solutions should check with the diagrams above.

CLAMP AIDS IN GLUING SMALL FANCY BOXES

IN USING fancy cabinet woods to make small ornamental boxes with mitered corners, it is sometimes difficult to glue up the sides square, especially if the box is too small for any of the regular clamps available. The problem can be overcome, however, by the simple method illustrated, which was used for a decorative box made of ¼-in. rosewood.

Two pieces of smooth 7%-in, pine were cut about 2 in, larger than the outside measurements of the box. On these pieces lines were squared to the exact dimensions of the box. Eight small pieces of 1/4-in, hardwood then were cut as



A small box held in a clamp consisting of two boards and eight notched corner blocks.


shown, and a deep notch of a little less than 90° was sawn in one end of each. The edges of the notches were rounded.

Screws were driven through the small pieces and started obliquely in the pine just outside each corner of the rectangle to be occupied by the box. Then, when the sides of the box were in place, pressure was exerted on the corners by tightening the screws.

If it is wished to insert brads for strength, the whole jig can be placed in the vise and the nailing done before loosening the screws.—Hugh M. Anderson.

FISHHOOK DISGORGER KEEPS LINE TAUT

WITH ordinary fishhook disgorgers the line becomes slack and the hook is likely to slip off. The disgorger illustrated was designed to overcome this



The feature of this fishhook disgorger is a post around which the line is wrapped.

difficulty. After the hook is caught in the V-opening, the line is brought back and wound three or four times around the post A and then brought back to the handle. Pushing down the handle then loosens the hook so that it comes out easily, as the line is held fast. Although I brazed the V-opening, the joint can be made by wrapping fine brass or copper wire around the two parts and soft soldering them.—G. P. Sharp.



Hand and Chain Drills, Removable-base Vises, etc.

Name



The ESTERBROOK

COMPASS


helps build a

MODEL STAGE COACH!

ISPLACING ship models, the vogue of the model tally-ho is growing every day. Why not build one?

Note how important a part your compass plays. Absolute accuracy, with very small dimensions, is essential. The Esterbrook Compass-with needle and lead always vertical and parallel-never digs, never slips, never distorts. Makescirclesupto8"diameter.

Yet this compass is so small you can slip it in your vestpocket! And the price is only 50¢ for the model packed in a handy metal box, or 25¢ for the popular model. Get the Esterbrook compass at your stationers, or send a quarter direct to Esterbrook Pen Co., 80 Cooper St., Camden, N. J.





Toy Table and Chairs Built Like "Grown-Up" Furniture

They're bound to please any small child By HARVEY E. GREENE

OR the handy man who has a home workshop and a wood turning lathe, the accompanying designs for a child's table and chairs will provide a diverting and somewhat unusual project.

The writer used cypress for all but the table and chair legs and the chair back spindles, which are of fir, a little harder

and tougher wood.

The 5% in. thick table top (Fig. 1) is made by gluing two or three pieces together with doweled butt joints. Square up the ends and long edges and lay out the corner curves with the aid of a heavy paper or cardboard pattern. Saw the curves with a coping saw, or better still, with a jig or band saw, keeping 1/32 in. outside of the pencil marks. Smooth up the curves with cabinet rasps or with a motor-driven sanding disk and drum.

Next make the rails, which are of 3/4-in. stock. The best way to determine the angle for the ends of these pieces is to prepare a full size layout and then set your bevel square to correspond. Mark the ends of the rails and saw carefully. Also plane off the top edge of these pieces to the same slant to provide a good base

Bore 3/6-in. holes from the underedge of the rails, as shown at A, Fig. 1, to within 34 in. of the top edge for the screws that hold the top. Drill on through with a 3/16-in, bit for the shank of the screw. Small angle irons may be used to fasten the top, if you prefer.

On the inside faces of the rails, lay out and saw the notches for the corner blocks





Fig. 1. Side and end elevations of the child's table and two plan views, one showing half the top with squares for laying out the corners, and the other, how the frame is assembled.

as shown at B. These must run at the same angle as the rail ends. The corner blocks are simply 34 by 234 by 334 in. hardwood, with square edges on the ends and a 5/16-in, hole in the center of each for the lag screw.

Turn the legs and sandpaper them thoroughly. Your work will be much easier if you make full size drawings of all the turned parts before you start the turning. The outside corner of the top of the



leg will have to be cut off at the same angle as the top edge of the rails.

Now glue and nail the corner blocks in place and mark the position of the lag screw holes in the legs. Drill the holes and fasten the legs, using a good grade of glue. This type of joint was used because of its simplicity and sturdiness, but a mortise and tenon joint or a doweled butt joint could be substituted. The top is fastened to the completed framework with 11/4-in. screws.

Before starting the chairs (Fig. 2), prepare full size "skeleton" layouts to give the angles of the legs with the seat, of the back spindles with the seat, and of the

rungs with the legs.

The seat should be cut from one solid piece of 13/16-in. stock. After smoothing and sandpapering the curves, bore the holes for the back spindles, fillers and legs. To do this, first clamp the seat flat on your bench with a hand screw or a clamp. It is helpful to have two bevel squares, because each piece fitting into the seat, except the center back filler, has a double angle; but you can cut a wooden template for one of the angles and use a

LIST OF MATERIALS

TWO CHAIRS FOR CHILDREN

N). T.	W.	L.	Parts
2	13/16	1034	11	SEATS
4	1	1	121/2	BACK SPINDLES
6	3/4	3/4	131/2	BACK FILLERS
8	11/8	11/8	107/8	LEGS
8	3/4	34	See Detail	RUNGS
2	34	3	81/2	BACK SLATS

CHILD'S TABLE

3/8 171/4 231/2 TOP 34 27/8 183/4 SIDE RAILS 3/4 27/8 125/8 END RAILS 11/8 11/8 193/8 LEGS 3/4" 1/4" 23/4 33/4 CORNER BLOCKS


Dia. 3

All dimensions are in inches.

LAG SCREWS

Will you risk a Stamp

to gain new shaving ease?



These 5 unique features

- 1 Multiplies itself in lather 250
- 2 Softens the beard in one minute.
- 3 Maintains its creamy fullness for 10 minutes on the face.
- 4 Strong bubbles hold the hairs erect for shaving.
- 5 Fine after-effects due to palmand olive oil content.

We wager this 7-day test against a postage stamp. Will you take us up? 86 times out of 100, we win!

Note the coupon, please

ENTLEMEN: We have a J product that you will want to know about. But we find difficulty in advertising it, for the truth sounds extravagant.

Yet we are confident of its many superiorities. For we find that 86% of those who try it use it and discard all other ways. They have made it the world's largest selling shaving cream.

This product is Palmolive Shaving Cream, different in action and effect from any you have ever known. To introduce it, we offer a free 7-day test. Fair-minded men by the million have tried it.

Our great laboratories, before they started to work, asked 1,000 men's advice on shaving preparations. Five things stood out. They believed a shaving cream

containing olive oil would solve those difficulties.

Time and again formulas were abandoned-129 in all. Then came success, and in one outstanding shaving cream we had 5 superiorities.

Now we ask the courtesy of a test. You risk nothing but a stamp.

PALMOLIVE RADIO HOUR-Broadcast every Wednesday night - from 9:30 to 10:30 p. m., Eastern time; 8:30 to 9:30 p. m., Central time: 7:30 to 8:30 p. m., Mountain time; 6:30 to 7:30 p. m., Pacific Coast time - over WEAF and 39 stations associated with The National Broadcasting Company.

SHAVES FREE

and a can of Palmolive After Shaving Talc

Simply insert your name and address and mail to Palmolive, Dept. M-832, P. O. Box 375, Grand Central Post Office, New York City.

> (Please print your name and address) ------



bevel square for gaging the other angle.

After marking the location of the holes on the underside as shown dotted in Fig. 3, start the bit into the wood and bring the bevel squares to within 1/8 in. of the bit. If possible, have someone hold the squares in place while you bore the holes.




Fig. 3. Top view of the seat, half of it overlaid with 1-in. squares for enlargement,

Be careful, too, that the screw of the bit does not break through the top of the seat. If you have a 5/8-in. Forstner type bit, there is less danger, as this bit does not have a center screw.

Locate the holes on the top of the seat for the back spindles and fillers and bore them in the same way.

The back slat (Fig. 4) is made of straight grained 34-in. stock. The writer followed a rather peculiar method of construction because of past sad experience in boring any holes close to the edge of

softwood pieces. He got out two pieces




Fig. 4. Face and underedge of the back slat. Bore the holes; then do the sawing.

3½ by 10½ in., or 2 in. longer than really needed, and planed both sides and one edge square. From a cardboard pattern the shape was laid out on the wood, leaving enough stock beyond the ends to eliminate the danger of the wood's splitting when the holes were bored.

Locate the holes as shown for the back spindle and fillers, and clamp the back slat in the vise with the square edge up and parallel with the bench top. Set the bevel squares to the angles indicated on your layout of angles; then bore the holes. The curves can now be cut out and smoothed up, and the piece sandpapered.

Turn the legs, back spindles, fillers and rungs as shown in Fig. 5. Be careful to caliper the ends of these pieces accurately, for the sturdiness of the chairs depends on the joints. Cut the pieces an inch or two longer than the finished dimensions so there will be no danger of striking the revolving spurs. Sandpaper thoroughly.

Clamp the legs one at a time in the vise and, using a bevel square set at the





Fig. 5. Details of spindles and fillers for back of chair, and the chair legs and rungs.

required angle, bore the 1/2-in. holes for the rungs.

Assemble the chair with "dry" joints to see if all the pieces are the correct length and the angles are as they should be. The joints should be a snug force fit, although not so tight as to require hammering. If the pieces go together accurately, take the chair apart and glue the rungs in the legs first. Next, glue the legs in the seat. After the glue has had time to set, glue the back spindles and fillers into the back slat and then into the seat. Remove all surplus glue with a chisel or scraper.

The finish of this little set is, of course, a matter of personal choice. A stain, shellac, and varnish finish is beautiful and very durable, but as an alternative you may use quick-drying lacquer or enamel.

REPEATING RIFLE SHOOTS RUBBER BANDS




SHOOTING rubber bands with surprising accuracy, this gun can be whittled from a stick of soft pine by any boy. The ammunition consists of rings cut from an old inner tube. They are stretched taut from muzzle to notches, one being placed in each notch in such a way that when the string is pulled the rubbers will be shot in succession, like bullets from a repeating rifle.—Anna C. Jones.

IMITATING WROUGHT IRON COLONIAL HARDWARE

RUSTY, tarnished, or stained door knobs and hinges, escutcheons, sash lifts, and sash fasteners detract much from the neatness and freshness of a home. Since the inside hardware in the majority of moderately priced homes is steel with a thin plating of brass or bronze, the problem of keeping it looking well is not easy to solve, for in only a few years it usually tarnishes, rusts, and becomes unsightly.

One of the easiest ways to refinish the hardware is to paint it to look like Colonial wrought iron. The village blacksmith in the old days had to hammer out all the door latches and L-hinges by hand, and



How common steel mending plates, enameled black, are used to imitate old hinges.

what is left of this hardware is highly prized and still adds much to the attractiveness of old New England homes.

Obtain a half-pint can of flat black metal enamel, a sheet of fine emery paper, and a camel's hair brush. Rub down the surface of the hardware you wish to renovate until it is clean and smooth; then apply at least two coats of the enamel to produce a durable surface. You will find these spots of black in the home are a relief from the riot of color which is characteristic of interior decoration at the present time.

If you wish to heighten the Colonial effect, purchase at any hardware store a supply of steel mending plates and fasten them to the doors against the hinges as illustrated. Plain wood screws may be used, or you can obtain heavy upholsterers' tacks with antique-finished heads. With these strips of metal properly applied, one can get the general effect of Colonial hinges.—J. Rogers Ullrich.

FILM OF OIL CORRECTS GRINDING ERRORS

In USING the surface grinder on work that must be extremely accurate as to parallelism or with one surface precisely at right angles to another, difficulty is often experienced in overcoming an error too small to be corrected by inserting a piece of tissue paper between the work and its supporting angle-plate, chuck, or other fixture. This error may be eliminated by putting a streak of oil on the work or fixture opposite the "high" side. The slight film of oil will push the work away from its supporting surface approximately .00025 in.—W. W. Lyon.

New Precision Lumber Helps to

Build Better Homes

Both ends of every piece of 4-Square Lumber are precisely square. And square ends make perfect, weather-tight joints. Measured with a steel tape, each piece of 4-Square is found to be exact designated length. A 12-ft. board is twelve full 12-in. feet of quality lumber.

Improvements in basic building material prove aid to

GOOD CONSTRUCTION

If you have tried your hand at carpenter work, you will be amazed when you see how lumber has been improved.

And even if lumber is merely lumber to you, the better construction your carpenter can give you with this new lumber helps you to build a home you can be proud of for many years to come.

Until three years ago lumber was only roughtrimmed. It was not square on the ends. Now every piece of 4-Square, the new precision lumber,

is machine-trimmed precisely square on both ends. There is less waste, no needless hand-trimming on the job.

Lumber was not always of exact standard lengths. But 4-Square Lumber, every piece of it, is cut to precise standard lengths.

You could not always be sure that the lumber you bought was properly seasoned. Today you can buy 4-Square Lumber, properly seasoned, easy to work up, ready and fit for good construction.

Ends and faces are protected from dirt, damage and depreciation by the stout 4-Square package. Every piece is ready to use.

And 4-Square is marked with the species and grade name of the lumber in the package. You know without question that

4-Square Lumber's

- 11 Plus Values
- 1 Full Lengths
- 2 Square Ends
- 3 Properly Seasoned
- 4 Better Craftsmanship
- 5 Better Construction
- 6 Protected Ends and Faces
- 7 Better Appearance
- 8 Marked for Species
- 9 Marked for Grade
- 10 Trade-Marked
- 11 Guaranteed by Weyerhaeuser

you are getting your full money's worth.

It bears the 4-Square trademark, the nationally known mark of quality lumber. And it is guaranteed by the world's largest lumber producing organization.

When you make the investment of a lifetime and start to build your new home, go to the 4-Square Dealer and see this precision lumber with the eleven plus values. You will appreciate its construction advantages as soon as you see it, and realize the importance of further developments now in progress to bring the day of ideal construction still closer.

In the meantime,
mail the coupon
for the valuable book,
"ElevenPlus
Values," the
full story of
modern precision lumber.

This message to home owners is published by Weyerhaeuser as spokesman for

4 SQUARE DEALERS

WEYERHAEUSER FOREST PRODUCTS Merchants National Bank Building St. Paul, Minnesota Please send me a copy of "Eleven Plus Values."	
Name	
Street and No	
CityState	
Lumber Dealer's NamePSM-10	

Singing Shave



@ A. S. R. C., 1930




Mother,

why is father singing so early in the morning?"..."He has discovered Ever-

Ready Blades, son—and joined the Singing Shavers"... Be a Singing Shaver. Ever-Ready's keen edge will add speed to your shave, comfort to your face, sweetness to your disposition. Each biade gives many more shaves. Buy Ever-Ready Blades today.

Product of American Safety Razor Corp. Brooklyn, N. Y. Also makers of Ever-Ready Shaving Brushes

Ever-Ready BLADES



KEEPING WOODEN VISE JAWS PARALLEL

BECAUSE of its low cost and large size, the old-fashioned carpenter's vise is still frequently installed on homemade woodworking benches. The vise screw, nut, and handle can be purchased at any well-stocked hardware store, and the jaws may be made of any available hardwood.


The most serious objection to this type of vise is the difficulty of keeping the jaws parallel. The common method is to use a strip of wood running through slots at the bottom end of both jaws and held with pins through a series of holes in the strip, but obviously this does not allow quick and accurate adjustment. A very much superior way is to install X-bars as shown, for they insure automatic adjustment and keep the jaws parallel.

The jaws of a bench vise of this type should be of hardwood. Oak or hard maple from 2½ to 3 in. thick and from 4 to 5 in. wide is satisfactory. The back jaw should be perfectly plumb both ways and secured firmly at top and bottom. If the vise is placed at the extreme end of the bench and the jaws extend above the top of the bench about 3 in., it is possible to work easily on all sides.


The three 3/8 by 1 by 14 in. bars for the parallel adjustment may be handmade of iron or steel, but machined bars will be better and probably no more expensive. Their size and length may be varied from the dimensions given, but they must be exactly the same length, and the pin which connects them must be exactly central. The ends are rounded off to a radius of the width, of the bars, and the holes for the pins at the upper ends must be centered in the radius.

The grooves in the face of the jaws should take the assembled bars with a slight allowance for play. The depth, which must be uniform throughout, depends on the size of the pin and the depth from the face of the jaw at which it is fastened. In the vise illustrated the grooves are 13/16 in. deep and 1½ in. wide. The rounded ends of the bars should lie against the bottom of the groove to take part of the thrust.

To avoid a deep groove, the pins may be let into the face of the jaws in a



The X-bars are pivoted at the top; the lower ends move freely in the grooves.



How a wooden bench vise can be improved so that the jaws always remain parallel.


square hole or groove that is only deep enough to permit metal plates to be fastened over the ends of the pins and flush with the face of the jaws, as illustrated.

The two pins and the central rivet or machine bolt must be heavy. In the vise illustrated they are 38 in. in diameter.

-HENRY GEORGE.

ROPE CLAMP FOR GLUING VENEERED FURNITURE

IN REGLUING veneer over the entire laminated top of a desk, the writer found it impracticable to take the piece apart, yet there were no clamps available large enough for the work. The problem was solved by the old turnbuckle princi-



Regluing the veneered top of a valuable desk with ropes twisted like turnbuckles.

ple applied as illustrated. A short length of pipe was inserted between the ropes at each end for the purpose of allowing the twisting rod to be shifted back and forth as necessary to clear the desk legs; and when sufficient pressure had to be obtained, the rod was slipped through the pipe far enough to hold against the legs and prevent untwisting. No lower cribbing is needed for a job of this kind if it is possible to insert ringbolts in the floor.

Many pieces of blistered and warped veneering on large pieces of furniture can be repaired in this manner when more pressure is needed than can be ordinarily applied by piling on weights. To insure ample pressure at the center of the top surface, the plank which runs across should preferably be slightly bowed and should be placed with the convex face down.—L. W. HENDERSON.

BLUEPRINTS FOR YOUR HOME WORKSHOP

TO ASSIST you in your home workshop, POPULAR SCIENCE MONTHLY offers large blueprints containing working drawings of a number of well-tested projects. Each subject can be obtained for 25 cents with the exception of certain designs that require two or three sheets of blueprints and are accordingly 50 or 75 cents as noted below. The blueprints are each 15 by 22 in.

Popular Science Monthly, 381 Fourth Avenue, New York

Send me the blueprint, or blueprints I have underlined below, for which I inclosedollarscents.

Airplane Models

- 50. 36-in. Rise-off-Ground Tractor 69. Lindbergh's Monoplane (3-ft. flying)
- 82, 30-in. Single Stick 86, 35-in. Twin Pusher 87, 30-in. Seaplane
- 89-90. Bremen (3-ft. flying), 50c 102. Morris Scaplane
- 123/2 min.) 104. Tractor (record flight 6,024 ft.)

Furniture

- 1. Sewing Table 2. Smoking Cabinet
 3. End Table with
 Book Trough
 5. Kitchen Cabinet
- 13. Tea Wagon 17. Cedar Chest
- 18. Telephone Table and Stool
- 19. Grandfather Clock
- Flat Top Desk
 Colonial Desk 24. Gateleg Table 31. Sewing Cabinets 33. Dining Alcove 36. Rush-Bottom Chair
- 37. Simple Bookcase
- 38. Sheraton Table 39. Chest of Drawers 49. Broom Cabinet
- 60. Welsh Dresser
- 68. M a g a z i n e Rack Table
 70-71. Console Radio
 Cabinet, 50c
 77. Pier Cabinet and
 Wall Shelves
- 78. Treasure Chests
- 88. Modernistic Stand and Bookcase
- 91. Folding Screens 93. Three Modern Lamps
- 100. Modernistic Book Ends, Book Shelf, Low Stand 105. Tavern Table and

Colonial Mirror

Radio Sets

- 103. One-Tube (battery operated) 42. Three-Stage
- plifier
- operated) 54. Five-Tube (battery
- operated) 55. Five-Tube Details
- 79. Electric 80. Electric High Pow-
- er Unit 81. Electric Low Power Unit

97. One-Tube Electric 98. Two-Tube Electric 99. Four-Tube Electric 109. Screen-Grid Set

Ship and Coach Models

- 44-45. Pirate Galley or Felucca, 50c 46-47. Spanish Treasure Galleon, 50c
- 48, 20-in. Racing Yacht (record flight 51-52-53. Clipper-
 - Sovereign of the Seas, 75c 57-58-59. Constitution ("O I d I r o n -sides"), 75c 61-62. Viking, 50c 63-64. 29-in, Toy Motor
 - Boat, 50c
 - 74-75-76. Santa Maria
 - (18-in. hull), 75c 83-84-85. *May!lower* (17½-in. hull), 75c 92. Baltimore Clipper
 - (8 in. long) 94-95-96. Mississippi
 - Steamboat, 75c 106-107, 42-in. Racing Yacht, Sea
 - Scout, 50c 66. S h i p M o d e l Weather Vane
 - 108. Scenic Half-Model

 - of Barque
 110-111-112. Schooner
 Bluenose, 75c
 115-116-117. Concord
 Stagecoach, 75c
 118-119-120. Covered
 - Wagon, 75c 121-122. Clipper Ship in
 - a Bottle, 50c 123-124. Queen's Sedan Chair, 50c

Toys

- 28. Pullman Play Table 56. Birds and Animals 67. Lindbergh's
- Plane 72. Colonial Doll's House 73. Doll's House
- Furniture 101. Fire Engine, Sprinkler, Truck,
- Tractor 113. Lathe, Drill Press, Saw, and Jointer 114. Airplane Cockpit with Controls

Miscellaneous

- 15. Workbench and
- 26. Baby's Crib and Play Pen 30. Tool Cabinet, Boring Gage,
- Bench Hook 65. Six Simple Block Puzzles

Price 25 cents each except where otherwise noted

(Please print name and address very clearly)

City and State.....



TE'S a veteran of 35 years standing at Steinway & Son, world famous piano manu-He's a veteran of 35 years standing at Sta Island City, N. Y. When a man's been on the job that long, his opinion on shop equipment is well worth listening to:

"I've used Carborundum Brand Stones in my department for the last nine years. Formerly we used stones made from broken emery wheels for hand finishing the piano plate castings. But there was too much waste in cutting the emery to workable size, and too much variation in its substance-so we tried Carborundum Brand Stones, special size and grit—and we've been using them ever since.

"In the last few years I've tested other brands—but you can't beat "Carborundum" for smoothing off the castings so they'll take a finish. And that goes for the

wheels, too. They've got a tough job to do in grinding off the burrs and fins along the edges of the rough castings-and believe me, those Carborundum Brand 7-inch wheels do it!"

—and IN THE HOME WORKSHOP

Captain E. Armitage McCann, master mariner and leading ship model maker in the country,

"For many years I have used Carborundum Brand Sharpening Stones and have at all times found them eminently satisfactory . . . I have always insisted to my club members and others that the first essential of good work is sharp tools and that the best way to secure this is the use of one of your stones."

Try the Carborundum Combination Stone. The coarse grit on one side starts your edge and the fine grit on the other side gives it that sleek, finished keenness every good edge tool deserves.

The CARBORUNDUM Company NIAGARA FALLS, N. Y.

Canadian Carborundum Co., Ltd. Niagara Falls, Ont.

> CARBORUNDUM IS THE RESISTERED TRADE MARK OF THE CAMBDRUNDUM COMPANY



32-Page Booklet

"ADVICE ON HOW TO SHARPEN WOODWORK-ING TOOLS" is full of helpful, illustrated information every tool user should have.

THE CARBORUNDUM COMPANY

Niagara Falls, N. Y.

Please send me a free copy of your Instructive Booklet P-1 entitled, "How to Sharpen Woodworking Tools."

Name_

➂

Address

Town and State

NOTHING TELLS THE WHOLE TRUTH ABOUT TOBACCO LIKE A GOOD PIPE



X/E make no pipes, so we have no axe to grind in advising the beginner in pipe smoking to get a good pipe. It's worth spending a little more—for the friendship of a good pipe and a good man often lasts many years.

There are years of pleasure in a good pipe. And there are many hours of solid smoking comfort in a can of good old Edgeworth tobacco. Smoke the Edgeworth right. Let a good pipe tell you the full and savory truth about this fragrant old burley.

If you already have a pipe you like, see if you don't like it still better with Edgeworth glowing in the bowl.

You'll find your can of Edgeworth waiting for you almost anywhere wherever good tobacco is sold. Or if you'd rather try it before you buy, just send the coupon.

EDGEWORTH SMOKING TOBACCO

Edgeworth is a combination of good tobaccos - selected carefully and blended especially for pipe-smoking. Its quality and flavor never change. Buy Edgeworth anywhere in two forms -"Ready-Rubbed" and "Plug Slice." All sizes - 15¢ pocket package to pound humidor tin. - Larus & Bro. Co., Richmond, Va.



LARUS	80	BRO.	CO.,	100	S.	22d	St.
Richmon	d,	Va.					


I'll try your Edgeworth. And I'll try it in a good pipe.

My name	
.,,	
My street address	

And the town and state-

K-40 Now let the Edgeworth come!

How to Cast a Signet Ring in a Cuttle Bone Mold



Left: Length of lead pipe from which pattern is cut. Center: The ring pattern cut to size and ready to be shaped. Right: The completed pattern.

By RAYMOND B. WAILES

F YOU are a reasonably good whittler, you can make a gold or silver ring. "But what connection is there between whittling and jewelry making?" you may

Simply this—your ring will be a casting

made from a pattern which you will cut with a penknife from a short length of lead pipe. Whittling the pattern is the first and most important step.

Find a section of lead water pipe having a suitable inside dimension. Then choose a design for a signet type of ring and cut out a pattern as accurately as possible from the pipe.

The mold is formed of two cuttlefish bones such as are used in bird cages. Rub them against each other, with their soft sides in contact, until they both have

which form when the metal is poured. The bones are wired together so that the two halves match and are placed in a can of sand. They are then ready for casting. Gold or silver scrap, such as odd pieces of cuff links, stickpins, and old silver



bone mold. Notice the pouring gate and vent holes. Left: Pouring the molten silver into the gate.

spoons, can be used to make the casting. Place the metal in a small sand crucible or even a porcelain evaporating dish such as is used by chemists.

For melting the metal, it is necessary to have a burner equipped with an air blast, such as a blacksmith's forge, which will produce a melting temperature. However, the casting can be done by almost

any local manufacturing jeweler at small expense, if you furnish the mold ready for

pouring.

The casting is removed when cold. It will be found by examination that all of the minute "veins" of the cuttlefish bone are seen in the casting-an indication of the fidelity with which a cuttlefish mold brings out every detail. The mold should then be discarded, as it is good for only one casting.


The casting should now be smoothed

halfway into the soft flat face of one of the bones, and the other bone is pressed down upon it until the two bones touch. Marks are then made on the edges of the halves so that when they are taken apart and the pattern removed, they can be lined up again in their matched position.

A pouring "gate" or trough is scooped out at the top of the mold thus formed, and small channels are made with a knife edge to act as vents for the escaping gases

flat surfaces. The lead pattern is pressed

with small jeweler's files. A flat abrasive stone of fine grain is needed for facing the bed plate, or face, of the ring, and a round stone for "slicking up" the inside of the ring. A strip of emery cloth which has had virtually all of the emery rubbed from it by long usage will remove the ridges which are sometimes formed by the stones



The top face of the silver ring can be surfaced by rubbing it on a tool sharpening stone.

used to remove the minute file marks. An application of commercial silver polish will then complete the finish.

The initialing can best be done by a professional engraver, who will also give your handmade ring a final buffing and polishing on his motor-driven wheel.




Three designs for rings. The initialing can best be done by a professional engraver.

BUILDING FURNITURE TO SUIT A CHILD

MANY pieces of small furniture, playhouses, and other equipment made for children in the home workshop look as gawky as a day-old calf. The reason for this is usually a lack of proportion, and the way to overcome it is to work to a definite scale.

For example, in starting to make a dressing table for an 8-year-old girl, I was stumped as to dimensions until I hit on the idea of comparing the height of the child with that of an adult, I found that my daughter was exactly 66 percent of the height of her mother-a higher percentage than the average man would guess. The mother's dressing table was measured and all the dimensions were scaled down to 66 percent in drawing the plans for the child's table, that is every 1 in. on the large piece equalled .66 in. on the smaller. The resulting piece of play furniture was in perfect proportion to the larger table and to its little owner.-L.W. HENDERSON.



Colgate's offers closer, smoother shaves, because beard is completely softened at base

ANY comparison of lather proves the quicker softening power of Colgate's Small-Bubble lather, as compared to ordinary, big-bubble lather. The small bubbles convey more water direct to the hair base—where the razor works. The softer the beard, the closer the shave—the longer it lasts. Note our offer—make a comparison. Convince yourself.


The minute you lather up with Colgate's two things happen: 1—The soap in the lather breaks up the oil film that covers each hair. 2—Billions of tiny, moisture-laden bubbles seep down through your beard...crowd around each whisker... soak it soft with water.

Instantly your beard gets moist and pliable . . . limp and lifeless . . . scientifically softened right down at the base . . . ready for your razor.

Thousands of men, after various trials with ordinary lathers, have adopted Colgate's as supreme. To prove its superiority, mail the coupon below. We will send also, a sample of After-Shave, the new lotion — refreshing, delightful . . . the perfect shave finale.



ORDINARY LATHER
This lather-picture (greatly
magnified) of ordinary shaving
cream shows how large, sirfilled bubbles fail to get down
to the base of the beard; and
how they hold mir, instead of
water, against the whiskers.



COLGATE LATHER
This picture of Colgate lather
shows how sepriads of tiny,
moisture-laden bubbles hold
water, not air, in direct contact
with the base of the beard, thus
softening every whicker right
when the range water.

COLC	MAN CONTRACT	17
RAPID	TE'S	5 yes
COLGATE, Dept. M-727, P. O. Box 375 Grand Central Post Office, New York City Please send me, FREE, the seven-day trial tube of Colgate's Rapid Shave Cream; also a sample bottle of "After-Shave."	CREAN	Suz
Name		



WHY DO I HOLD A GOOD JOB? -BECAUSE I USE GOOD TOOLS

And for a Rule I use—
The FARRAND RAPID RULE
(Patented in U. S. Nos. 1,402,589 and 1,730,199)

Modern mechanics find the Farrand rule the answer to one of the most trying problems of the craft—the constant breakage of wooden rules. No more leaving the job to hunt up a new rule.

They know that it is the most convenient rule on the market. What could be more convenient than a stiff six-foot rod that coils into a vest pocket sized holder?

It ejects itself rapidly from the holder—one foot or the entire length. It comes free from the holder because it is a rule, and can be used in making end to end measurements. It is not attached to its container like a tape.

Yet it is as flexible as a steel tape and as accurate. It will measure circumferences and around corners.

The FARRAND RAPID RULE

Pays for itself rapidly
In Durability
Ask In Accuracy
Your In Simplicity
Dealer of Action
For Demonstration

For Demonstration

Or write to factory

For six-inch sample

Manufactured by Hiram A. Farrand Inc. North St., Berlin, N. H.

Note the open, simple holder. No parts to get out of order.

Wiring Your Home Workshop for Light Machinery


By HAROLD P. STRAND

ODAY the home workshop enthusiast does not depend on slow hand methods for any work that can be done accurately and speedily on the small motor-driven machines now so popular. How convenient it is to rip a board into strips of the required width on the circular saw, and by the snap of a switch to have a buzzing planer ready to smooth and square up the surfaces and edges! Then we have our woodworking and metal turning lathes, our band and jig saws, possibly a power shaper, not to speak of our electric drill, upright bench drill, sander, emery grinder, and other machines, each with its own special mission to perform in labor saving. No wonder that mechanical America has turned to the power home workshop!

With the advent of these machines, the question of correctly planning the wiring to supply their individual motors is worth a little study. The

sizes of the motors vary from 1/6 to ½
H.P., with perhaps ¼ H.P. as the average.
One of this size will draw about 5 amperes
from the circuit on alternating current.
To the uninitiated we might add that this
means a current equal to that drawn by
five 100-watt lamps. This value differs,
however, with the type and make of motor.

If the motor is wound for from 110-220 volts (that is, if it has four leads coming out), it can be used on the 220volt line with better satisfaction, provided, of course, that you have an Edison three-wire system in your house. In this case, the motor will draw but half the cur-



If care is taken to observe Code requirements, a home worker should have little difficulty in wiring his shop.

rent, or 2.5 amperes. The power companies much prefer this arrangement, as to throw a string of motors on the lighting line causes a dip in the lights in both your own and your neighbors' houses, and may give some cause for complaint. On the other hand, if the three-wire system is not available, the ordinary two-wire system must be made to answer.

Figure 2 shows how a separate cut-out cabinet is connected to the lighting cabinet, the two outside wires of the lighting cabinet supply being used for the 220volt operation of the motors. The cutout blocks are the cartridge type, 220-

volt, 30-ampere, using a fuse of about 10-ampere size for the 1/4 H.P. motors. The circuits for the motors may be either separate or grouped together under one or more sets of fuses, provided the Code requirements are observed-that not more than 1,320 watts total be connected and no motor of over a 6-ampere rating be included in a circuit. The advantage of having separate circuits is that if trouble develops in one motor or its cord, others are not tied up with the blowing of the fuses; also the use of a pilot lamp for each circuit is possible as




Fig. 1. Layout for power wiring in the larger of the shops described in a previous issue (P. S. M., Sept. '30, p. 98).

was suggested for the lighting lines in a previous article (P.S.M., Sept. '30, p. 98).

For straight 110-volt lighting and power service, the cut-out blocks for both may be installed in the same cabinet, if you wish; or a separate cabinet can be provided, keeping the power blocks independent. In the case where your supply is 110-220 volts, but your motors are wound only for 110 volts (that is, each motor has but two leads coming out), the higher voltage unfortunately cannot be used for their operation, and then they must be divided up evenly and connected half on each side of the neutral, by using the




Fig. 2. Layout for lighting and power-cabinet wiring, the supply for power being 220 volts.

"2199"-type cut-out blocks in the cabinet, thereby providing a balanced system of distribution.

The size of the mains, which must feed both lighting and power, is a point to be carefully figured out. To do this, one must add up the wattages of the lamps in the fixtures and divide this sum by 110 or the voltage, which gives the number of amperes used by the lamps. Next, take the readings in amperes from the name plates of the motors, add them up, and then add this sum to the lighting amperes, giving the total load. Now, at least 25 percent extra (or overload) is required for added starting current on the motors, but I recommend that at least 50 percent be allowed to provide for additional equipment. By referring to the table on page 118, find the size wire necessary for the mains. For example, supposing that you have ten 150-watt lamps, making 1,500 watts total, and the total of the motor readings is 30 amperes. Dividing 1,500 watts by 110 volts gives 13.6 amperes, which the lamps consume. Add 30 amperes for the motors and you have 43.6 amperes for the total load. Take 50 percent of this, 21.8, and add it to 43.6, making the grand total of 65.4 amperes. The table gives No. 4 wire at 70 amperes as the nearest size. This, therefore, would be the correct size for the mains supplying both lighting and power, with 50 percent allowance for starting current and future additions on a two-wire system.

In 110-volt operation on a three-wire




Fig. 3. How a small motor, which is away from the wall, is supplied by a drop cord.

Le Page's Waterproof Glue


High Strength and Weather-Resisting

Now Offered in

Convenient Packages for Home Use


LePage's Liquid Glue

Always ready for immediate use. No bother of preparation. Easy to work with because it sets slowly enough to give you plenty of time to adjust joints. Makes lasting joints of tremendous strength.



LePage's Tested Hard Glue

If you prefer to use a hard glue, ask for LePage's Tested Hard Glue. Tested for uniform quality. No experimenting with each new lot to see how much watertoadd, or howlong to cook.



Often you have need for it in making joints that must stand up, impervious to moisture, indoors or outdoors. Glue makes all joints stronger even

though you also use nails or screws. Any cabinet maker will tell you that the quality of your finished work depends upon the strength and permanency of joints.

Whatever kind of glue you like or need to use, LePage's makes it—Liquid, hard or waterproof. Stronger than the fibers of the wood they join. Every batch tested to stand 3000 lbs. shearing strain per square inch.



MEN WHO KNOW STEEL PREFER THE VALET -MEN WHO KNOW FACES PRESCRIBE IT



Precision Steel protects faces



"RESEARCH men in our laboratory prefer the new Valet blade because its keen, smooth shaving edge is easier on the face."—Diebold Safe & Lock Company, Canton, Ohio.

Diebold steel craftsmen recognize in the new Valet blade their own precision standards. The triple-hardened Valet steel is finished to a micro-perfect edge of marvelous keenness. Dermatologists prescribe the Valet for correction of skin troubles caused by harsh shaving.

The Valet blade is made exclusively for the Valet AutoStrop—the only razor that does not require removal of the blade for stropping, shaving or cleaning. Protect your skin by shaving with the new Valet blade in the Valet AutoStrop Razor.

AUTOSTROP SAFETY RAZOR CO., INC. 656 First Ave., New York

Also Toronto, London, Paris, Milan, Rio de Janeiro The new blade can be identified by the word "Valet" cut through the steel.



The NEW VALET
Auto-Strop BLADE

system, this load would be divided and carried on each side of a neutral wire, its mains being only No. 8 size (half of 65.4 equals 32.7, making a No. 8 wire carrying 35 amperes sufficient).

From the cut-out cabinet, which is cut in flush with the wall, BX cables are run for the individual circuits. If these are placed along the wall, the cable terminates in a receptacle box containing a duplex receptacle and a toggle switch to control the motor (see Fig. 4); this arrangement saves pulling out the cord after each time that the motor is used. A duplex receptacle is suggested because it offers a change of connection, thereby prolonging the life of the receptacles.

For locations in the center of the floor, a 3½-in. junction box with a bushed cover is fastened directly over the motor. The circuit cable ends here and a reënforced drop cord is connected. On the end of




Fig. 4. A duplex receptacle allows a change of connection, which tends to prolong its life.

the cord at a suitable height, a "cord connector" is placed, which allows the motor to be connected or disconnected at will. This cord may also have a "through-cord" switch to control the motor; or if convenient, a surface type of snap or toggle switch may be mounted on the motor or the machine, a preferable method. In Fig. 3 is shown the machine station in the center of the floor area, while in Fig. 4 is illustrated a typical wall installation.

Figure 1 is a layout for wiring the motors in the larger of the two shops taken as an example in the preceding article on lighting problems. Here there are five

circuits, one for each motor. The BX is run parallel to the beams where possible, and attached with small pipe straps sold for the purpose. When the cable must be carried across the timbers, it will be necessary to bore holes or make notches to allow it to pass without forming an obstruction for the wall board that is to be used to line the basement. Securely attach the trimmed ends of the cable to the boxes with either the approved clamps (if the boxes have them) or with box connectors. Use gas fitter's pliers on the latter to turn the check nuts up tight. All boxes where the wall board is used must be set back so they will come flush with the finished surface.

WHEN all wiring is installed, but before the wall board ceiling and walls are put on, it is a good plan to call in the local electrical inspector to make sure that everything is safe and in accordance with the National Electrical Code and the local building ordinances. Take no chances, and if in any doubt at any stage of the work, consult a professional electrician or the electrical inspector.

Finally, the wall board is put up in the usual manner and painted white, and the receptacles and switches are set in place.

For a shop in which much electrical work is to be done, I suggest double wiring for the bench receptacles, so that both alternating and direct current will be available for testing and other purposes. The receptacles may be painted different colors to distinguish them. Whichever type of current is not supplied by the power company may be obtained from a small motor-generator set. Even if this double wiring is not needed at present, it might be well to install the wiring for future needs while the timbers are open.

Another idea, while the wiring is being done, is to run the necessary wires for a private telephone from the shop to an upstairs room.

In a following article, Mr. Strand will offer some suggestions on the care of small motors.

Safe Carrying Capacities of Copper Wires with Rubber Insulation


From the 1930 National Electrical Code

Gage No.	Diameter of Solid Wires in Mils	Area in Circular Mils	With Rubber In- sulation— Amperes
18	40.3	1,624	3
16	50.8	2,583	6
14	64.1	4,107	15
12	80.8	6,530	20
10	101.9	10,380	25
8	128.5	16,510	35
6	162.0	26,250	50
5	181.9	33,100	55
4	204.3	41,740	70
3	229.4	52,630	80
2	257.6	66,370	90
1	289.3	83,690	. 100
0	325.	105,500	125
00	364.8	133,100	150
000	409.6	167,800	175

1 Mil=0.001 inch.

CLOTHESPINS USEFUL IN COACH MODEL MAKING

IN BUILDING the POPULAR SCIENCE MONTHLY Diamond Tally-Ho stage-coach model (Blueprints 115, 116, and 117 in the list on page 103), I found that small spring clothespins were useful in holding the tires on the wheels while the joints were being soldered. The clothespins were placed between the spokes of the wheels as illustrated. This method allows the use of a vise and gives a better view of the soldering to be done.



The pins hold the rim in place for soldering.


Clothespins are handy for many other clamping jobs in model making, and if necessary their jaws can be cut narrower or shaped to suit especially small, irregular parts.—
J. M. NEAL, JR.

Trap for Poisoning Small Red Ants

THE latest method of exterminating common red ants is to use an ant trap made from an ordinary pill box. Anyone can make one of these traps in less time than it takes to read this article. Remove the top of the box, cut four square holes in the inner collar, pour a thin layer of hot paraffin inside the box to make it water-tight, and the job is done.

When filled with poison bait, the trap breaks up colonies of little red ants in short order.

If you have bacon rind available, cut it into small bits and work in some tartar emetic. This makes a good bait, and has



Trap for common red ants made from pasteboard pill box, Poisoned bait is placed inside,

the advantage of allowing the ants to carry it off to their nests. In this way one ant may carry poison to 100.

A bait which has given good results is made by dissolving 2 oz. of sugar in a pint of water and adding ¼ oz. of tartar emetic. Another bait, recommended by entomologists of the U. S. Department of Agriculture, who invented the trap, is made by mixing 1 pt. of water, 1 lb. of sugar, 3 oz. of honey, and 27 grains of thallium sulphate. Heat almost to the boiling point but do not inhale fumes given off, as they are poisonous. Fill the pill box about half full of small bits of blotting paper and pour the poisoned syrup over them. It might be a good plan to have a druggist prepare the last named bait, since thallium sulphate is a powerful poison.

With a half dozen pill-box ant traps, colonies of red ants can be destroyed in a few days. When in use, the top of the box is placed partially on, as shown in illustration. When not in use, the top may be pushed all the way down.

These traps can be left anywhere about the house, since the tops prevent pets getting the poison (except dogs which have a habit of chewing up such small articles), but keep them out of reach of small children.—E. G. MOORE.

An excellent mixture for cleaning and polishing nickel or chromium can be made from ordinary lampblack and alcohol. Moisten a soft rag or a wad of absorbent cotton in the alcohol, press it into the lampblack, and rub the metal briskly. The mixture, which dries almost instantly, can be wiped off with another wad of cotton. While this polish cleans quickly and easily, it will not scratch or harm the surface.—Charles Felstead.



The Man of Tomorrow has A FACE THAT'S FIT

Today, Tomorrow, all through life, millions of tomorrow's leaders will hold the Williams Shaving Service as a staunch ally—Williams Shaving Cream and Aqua Velva.

They'll start their days with the Williams Lather. Quick, copious and cool. A

perfect blend of proven ingredients. Without sting, then or thereafter. Moisture laden. Lather for the skin as well as for the beard. For ninety years the Standard lather. Hark! "Sometimes they change but they all come back to Williams."

They'll finish then with Acua Velva It

They'll finish, then, with Aqua Velva. It will be their chosen after-shaving blend. Cool contentment follows in its wake. It makes men glad they have to shave. And it does much real good.

Aqua Velva helps care for tiny nicks and cuts. Unseen? Yes. Often. But there. Tones up. Invigorates. Protects. Conserves the natural moisture essential to a good complexion. Keeps the skin all day as the Williams lather leaves it, flexible and Fit. Let Williams Shaving Service brighten your tomorrow. Let it make a pleasure of the duty of keeping your face Fit.

Have you tried Williams Shaving Liquid? Very quick. Very Cool. Very new. Ask your dealer!

JUST NOTICE THE FINE SKINS OF MEN WHO USE




A COUPON—For the face that would be Fit!

THE J. B. WILLIAMS CO., DEPT. PS-40, GLASTONBURY, CONN.
CANADIAN ADDRESS: BISS ST. PATRICK ST., MONTHEAU.

Send me Free Trial Sizes of Shaving Cream
and Aqua Velva. I will use and observe them.

Williams

SHAVING CREAM — AQUA VELVA



SMOOTH-ON NO. 7

—the only effective waterproofing material that can be applied from inside and to wet or dry surface.

Excellent also for waterproofing boiler pits, cisterns, tanks, ponds, wash-room, garage, and stable floors, etc. About 25 lbs. required for each 100 sq. ft. of surface and you can do the work yourself.

SMOOTH-ON NO. 1

is the good old standby for stopping leaks in steam, water, gas, oil, or stove pipes; mending eracks, breaks or leaks in furnaces and boilers, radiators, tanks, sinks, pots, and pails, making loose handles tight on umbrellas, knives, hammers, brushes, drawers,

etc.; tightening loose serews, hooks, locks, door

knobs, etc. Use it on the

automobile for stopping leaks in radiator, hose

connections, gas tank, gas,

oil and exhaust lines,

keeping lubricators, hub

caps and nuts from loosen-

ing and falling off, etc.

The Free Smooth-On

Repair Book will show

you how an astonishing

number of repairs are

easy to make, and by do-



Write for FREE BOOK

10-30



SMOOT 574 C	CH-O	N M	FG.	CO, Dept. Ave., Jerse	58, y City,	N. J.
Please	send	the	free	Smooth-On	Repair	Book.
Name						
Address						

Return this coupon for a FREE copy of Booklet

Have you a? Picturesque Electric Lantern Wet Cellar? Made for Sixty Cents

By MONTAGUE JONES


IN AN evening or two, anyone can make this realistic copy of a seventeenth century French lantern. The necessary materials are a small sheet of highgrade cardboard, a box of midget paper

fasteners, gesso, a ring of some sort to form a handle, a small screw eye, gummed tape, a short length of wire, three fiber bushings, like those used in electric light sockets; statuary bronze powder, bronzing liquid, and green oxidizing liquid to give the finished article an antique patina. Some novelty lamp shade material or parchment is required for the windows, and a keyless socket, a threaded brass nipple and nut, the desired length of wire, and a plug. The cost amounts to about sixty

After cutting the six segments for the top,

draw each one down over the edge of the table with one hand while pressing down the surface with the other hand; this is to give the cardboard the required curve. The edges of the triangles are now fastened with gummed tape, starting with the bottom and working towards the apex.

The body is cut out in one piece, scored about halfway through at the points indicated by dotted lines, bent to shape, and flattened out again. Then the windows and doorway are cut, after which the piece is folded and the lap glued. Cut out the bottom, score and bend the laps, and place the bottom in the lamp with the laps down.



Copy of an antique French lantern, the frame of which is cardboard.

using "rivets"-really paper fasteners-to hold it in position.

Now apply glue to the upper laps on the body and, standing the lantern on its base, press the top into place and insert

> the paper fasteners. For the two ventilator hoods, a lighter grade of cardboard may be used. Score and bend them; then glue and "rivet" them on. Set the fiber bushings in place, one for the electric cord and the other two for the handle.

> Put the "rivets" in around the windows, but do not open the prongs just now. Cut the door and make the hinge from four pieces of 1 ight cardboard folded around a wire and "riveted" in place. Locate the position of the hasp and put in the screw eye, as well as the necessary "rivets" in the door. Form the


handle and attach it to the top.

Give the exterior a good but slightly rough coat of gesso, a plastic mixture which can be purchased at art stores or made by mixing liquid glue and whiting with a very little linseed oil and varnish. When this is hard, apply a coat of the bronze. Allow this to dry and then paint or spray on the oxidizing fluid. Before this has dried, wipe over lightly with a rag, removing the fluid from the high points. Instead of bronze, you may use drop black and when dry lightly sand over the "rivets" until the bright brass shows through, or you may give the lantern a coat of alu-

minum and use a black wash instead of green.

Cut the material for the windows and punch the holes for the "rivets" after marking them off from the heads of the fasteners which are already in place. Put in the windows and clinch the fasteners.

Attach the plug and pass the other end of the wire through the bushing from the outside. Put the threaded brass nipple into the cardboard lamp bracket and screw on the nut. Wire the socket, glue the laps on the bracket, and work it into position inside the lamp, holding it in place until the glue has set firmly. Use as small a lamp as can be obtained.




How to lay out, cut, and bend the cardboard parts for the framework. The top segments are joined with tape.

MAKING OLD EYEGLASSES INTO PHOTO FRAMES

ATTRACTIVE and novel frames for small photographs can be made from discarded celluloid eyeglass frames.

Remove the lenses from the frame by placing the glasses in a bath of hot water. Take off the side braces for the temple joints, smooth the rims, and cut the frame in half. Then remove all but one of the V-shaped ribs that originally held the




How a discarded celluloid eyeglass frame is converted into a miniature photo holder.

lenses in place, as shown in the cross section view of the assembled photograph holder.

Cement the two parts together with acetone and allow this to dry thoroughly. In the meantime, prepare the cardboard back and rivet one of the temple joints to it. Cut one of the pieces that originally went over the ears to the proper length to provide a suitable third leg or rear support. Insert one of the lenses in the frame, then the picture, and lastly the cardboard backing.

To give the frame a high gloss, coat it with acetone and allow it to dry. Acetone can be obtained at any drug store or druggist supply house.—R. J. Metzger.

HOMEMADE CANDLE FOR EMERGENCY USE



A candle that can be improvised quickly if storms interrupt the electric lighting service.

WHEN violent electrical, wind, or sleet storms interrupt the power lines and plunge a locality into darkness, the supply of candles sometimes gives out, as it did recently in my town. It is, however, easy to make a substitute candle from two slabs of paraffin wax as illustrated. Place the improvised candle in a saucer or other shallow receptacle to catch the drip, and light both ends of the wick. The heat soon melts the wax sufficiently to stick the two halves together.—Barton E. Hanna.

Any job is easier with a MAYDOLE




A Maydole won't tire your arm, its remarkable hang puts all the power behind your swing, into the head ... claws have a grip like a bulldog's jaw, will pull the smallest brad or largest nail without slipping ... just enough crown on the face and sides to prevent marring the work.

Tool steel heads, clear, second growth hickory handles air dried for years and put into the heads for good. Built for men who know tools and like to work with good ones.

Your dealer carries them.

City..... State.....

City..... State.....



Mayaur HAMMER SINCE 1843 Hammer SINCE 1843 Hammers

The David Maydole Hammer Co., Norwich, NY.

500 in CASH PRIZES

DO YOU LIKE to work with your hands? Have you ever fixed things in some new way that was never used before? Then you have a good chance to win \$250 in cash. Simply use your ingenuity in figuring out the best use for this amazing new product, Handi-Wood.

Think of a paste that handles like putty - yet hardens into strong wood. That's Handi-Wood! There are a hundred and one things you can use it for - patching furniture, filling chinks in woodwork, making ship models, filling nail holes, etc. The use you think of may win a cash prize for you.

FIRST PRIZE \$250 CASH



We couldn't begin to suggest all the possible uses of Handi-Wood. But the man, woman, or child who can think of the most unique use for this product gets the first prize of \$250

cash. And there are 11 other prizes.

No special ability required

You don't have to be an expert workman to win the prize. Nor do you have to buy any Handi-Wood. Simply mail the coupon for information about the \$500 prize contest. Then work our your ideas, and send them in to us.

This contest won't cost you a cent. It's just what we say it is — a chance for you to win \$250 in hard cash. You can depend on the makers of

Creo-Dipt Stained Shingles to give every entry a fair chance. Handi-Wood is sold by leading lumber, paint and hardware dealers everywhere. Ask the one nearest you. Mail the coupon today.



HANDI-WOOD

Mail coupon for Booklet

CREO-DIPT COMPANY, INC., 1643 Oliver St., N. Tonawanda, N. Y.

I'd like to win \$150. Please send me complete information about your prize contest for best uses of Handi-Wood.



Name	
Address	
	@ Creo-Dipt Co., Inc. 1930.

Ways to Overcome Outside Painting Difficulties

ANY an amateur house painter is perplexed and discouraged because of defects which appear in work that he has done with the utmost care. When he asks for advice, he is often told that he must have used poor paint, whereas he probably bought ready-mixed



paint of high quality—the best that his local dealer sells. The real reason for the unsatisfactory results obtained is more likely to be one of those described in the following questions and answers.

It does not do, of course, to minimize the importance of the quality of the paint. The most expert painter cannot obtain satisfactory results with a cheap grade of paint, any more than he can do good work with poor brushes.

What causes paint to blister and peel off?

This is one of the most common and most exasperating troubles experienced in outside painting. While there are different reasons for blistering and peeling, moisture is probably the cause of ninety percent of the cases.

In a new house the siding or clapboards may not be properly seasoned; the plastering may not have dried; the basement may be damp. In any of these events, the hot sun is likely to draw the moisture out through the siding, puffing the paint into blisters, many of which will break and peel off. Sometimes, when a house is painted in the fall, the moisture remains in the siding all winter, and blistering does not occur until the first hot days of the following summer. Always be sure the siding, plastering, and basement are thoroughly dry before painting is started.

In an old house it is, of course, equally as important that no moisture be present, but the sources of moisture are naturally somewhat different. Usually water gets



There is so much useful information in Popular Science Monthly that many readers have asked us to supply them with a binder in which they can keep a permanent file.

in which they can keep a permanent file.

To meet this demand we have had designed the binder pictured above. Bound in deeply embossed Artcraft (looks like leather—lasts forever) with the name of the magazine and cameo design stamped in 24 Karat Gold on the cover. This binder will securely hold 6 copies of Popular Science Monthly.

New copies can be slipped into the Big-6 Binder as easy as inserting a letter in an envelope.

There is nothing to get out of order—no screws to work loose, no keys to get lost. This binder will last a lifetime.

The binder is as beautiful as it is useful it will be an ornament to any library table.

Only \$2.00-Postage Prepaid

Bought in a store this binder would cost you \$3.00 or more. Because we are having them made in quantity for our readers we can make you the special price of \$2.00 including all delivery charges.

Popt	ılar	Sci	ence	Mo	nthly,
				mue.	
New					
***					***

Please send me your Big-6 Binder bound in deeply embossed Artcraft with "Popular Science Monthly" richly embossed on the cover in 24 Karat Gold. I am enclosing \$2,00 and it is understood that there is to be no further charge of any kind. [10-30]

N	ame	 	 	
A	ddress	 	 	

in behind window sills, door frames, or other open joints, or else it runs down from leaky eaves and downspouts. The source of the moisture should be located and repairs made, otherwise the trouble will continue.

In either old or new houses, moisture that has been left on the surface at the time of painting from a recent rain, heavy dew, or frost, will, of course, also cause blistering. Painting should, therefore, be done only when weather conditions are favorable.

What makes a house that has been painted several times with perfect results sometimes start peeling clear down to the wood?

The paint that is peeling off is the original priming coat, applied when the house was first painted, for it is evident that the last coat is adhering tightly to the preceding coating. The cause is very likely to be some leaky place just recently started. Carefully examine the eaves and downspouts, and also see if there are any inside pipes which may be leaking. Water that is allowed to saturate the wood will force the paint away from the surface.

If there are no leaky places, it must be that the priming coat never properly anchored itself to the vood. When first applied, the fresh oil in the paint film keeps it elastic; but through aging, more and more oil leaves the paint film until it finally becomes quite dry, lifeless and brittle, with a tendency to crack. Then when the house is repainted, the additional weight of the new paint coating and the natural pull experienced by the drying of good, fresh linseed oil, causes the previous coating to break away from the wood in places where the condition is the worst, especially on the south and east sides of the house.

As to the remedy: First scrape off all loose paint with a wide putty knife, scraper or wire brush. Break any blisters with a putty knife and scrape off as far back as possible. Then coat over all these places with reliable high-grade paint, thinned liberally with linseed oil and turpentine to assist penetration deep into the wood. When the priming coat applied to these bad places has become thoroughly dry, follow with a two-coat job of painting over entire building. Take care that the first coat contains considerable turpentine, but the second coat should, of course, be a full-gloss coat.

If the peeled surface is in extremely bad condition, it may be necessary to burn off the old coating with a painter's blowtorch, but this should be done only by someone experienced in this work.

Why does paint sometimes become chalky and powdery, and what is the best method of repainting?

This condition, generally termed "chalking," is primarily due to the disappearance
of oil from the paint film, leaving the pigment on the surface in dry powdery form
without sufficient liquid to bind it together
into a continuous film and anchor it to the
surface. It is generally caused by insufficient oil and turpentine in the paint (particularly in the priming coat) to satisfy
the absorption requirements of the more
or less porous wood.


Where the surface is extremely chalky,



Thinking in the right material

Hunting for every idea that can give their own company any advantage in this new competition of value-giving,—more and more men and managers are analyzing, with "the manufacturing mind," every product in which Vulcanized Fibre or Phenolite is used. Picking ideas wherever they find them. And finding plenty.

What they can learn



WITHOUT vulcanized fibre the right kind of NVF—the perfected waste-basket of today would not have been possible.

Vul-Cot, remember, swept its own field; revolutionized an industry, because of many superiorities, big and little, that make a total too great for buyers to disregard. And every one of Vul-Cot's superiorities is due to its being made of the right material.

Vulcanized Fibre for electrical insulation and mechanical uses. For forming and all cutting operations. Ten standard kinds including Peerless Insulation and Leatheroid. Also Phenolites,—reinforced laminated Bakelite materials,—of many special formulae. Direct NVF representatives in principal cities of the United States, Canada, and Europe.

NATIONAL VULCANIZED FIBRE CO.
WILMINGTON, DELAWARE

NVF

No real advancement—in product, material, or work —is ever possible without

> thinking in the right material

the powdery deposits should be taken off as far back as possible before repainting. One of the best methods of doing this is with an old stubby paintbrush that has been worn down so that the bristles are quite stiff. If this is not available, a medium stiff scrubbing brush will answer very well. The house should then be given two coats of paint in the usual way, but with an extra amount of oil and turpentine in the first coat.

What causes paint to wrinkle, and how can it be avoided?

The wrinkling of outside paint, which sometimes occurs soon after application, is almost invariably caused by piling on too thick and heavy a coat. House paint should be well brushed out to a uniformly even surface. There will be no wrinkling if this is done.

What makes streaks and spotted discolorations sometimes appear on a new house soon after painting?

They are generally caused by sap streaks and knots. The sun draws the pitch out of the knots and sappy places so that it comes through and discolors the paint. This can be prevented by coating all knots and sap streaks with pure shellac before the priming coat is applied. The shellac seals in the pitch. Where discolorations have occurred, these places should be sealed over with shellac, aluminum paint, or other suitable sealer.


For thoroughly satisfactory results with a one-coat repaint job (and, preferably, also with a two-coat job), an area a little larger than these sealed-in places should be painted over and allowed to dry before the first repainting coat over the entire building is applied.

When paint freezes, how can the surface be repainted?

Paint applied in cold weather is likely to freeze before it dries, causing the surface to become roughened and pitted. It is not only unattractive, but does not afford a tough, unbroken, protective coating to withstand the ravages of the weather, and it is also difficult to repaint. If repainting is done directly over the uneven surface, it will continue to present a roughened appearance. To insure a good job, therefore, the old coating should be smoothed down.

This work is not so difficult if you will get some of the coarse-grit emery cloth used by floor finishers in their sanding machines. Some discarded pieces usually can be obtained from a floor finishing man in your locality, or the abrasive may be bought new from a floor finishers' supply house in one of the larger cities. Do not try to do the work with ordinary coarse sandpaper; it will be expensive and a never ending job. The coarse-grit emery is hard as flint, and with it the frozen nibs can be quickly cut down; indeed, you can get over the entire side of the house in a short time.

You will then have a good surface for repainting, which should be done in the usual way. Use a liberal amount of oil and turpentine in the first repainting coat, followed by a full-oil gloss finishing coat. This method will insure a perfectly satisfactory job.—Berton Elliot.




The pattern maker's confidence in Russell Jennings Bits is justified by experience. Substitutes have no appeal to the man whose job demands exactness.

This confidence in the accuracy and easyboring qualities of Russell Jennings Bits based on experience—is shared by carpenters, cabinet makers, furniture makers and skilled amateurs.

These bits have clean-threaded screw points, sharp spurs, keen lips, and perfect body taper. Distributed Thru Wholesalers

The Russell Jennings Mfg. Co. Chester, Conn.

Russell Jennings




for your FREE Copy!

HERE's the book you've been looking for! Shows how to put crippled chairs and tables back into service—how to do those household repairs—every step clearly explained by word and picture. Packed full of valuable information you'll find mighty handy. Written by George Boardman Perry, well-known decorator and writer—and worth a dollar to anyone with a work-bench. Write for your FREE copy, but act quickly! The supply is limited.

SAVOGRAN COMPANY
Dept. S-10, India Wharf, Boston, Mass.

SAVOGRAN CRACK FILLER

This seal on an advertisement in POPULAR SCIENCE MONTHLY signifies the approval of the INSTITUTE OF STANDARDS. See Page 8.



INTO THIS one brilliant book of 280 pages have been condensed the outstanding facts that scientists have discovered since Aristotle, the father of science, dissected a frog to see what made its heart beat.

How often have you wanted to know about the wonderful discoveries in science that have so changed the world we live in . . . the secret of radium . . . the romance of the atom . . . the origin of the earth!

Or you may have wanted to know why glass is transparent . . . how fireflies produce light . . . why the grass is green . . . if radio waves move in a straight line?

All of these questions, and hundreds of others, have now been answered, for the first time, in one book-THE POCKET GUIDE TO SCIENCE.

All that you probably will ever want to know about science is told in this one book that will fit in your pocket or grace a library table. The curiosity-satisfying facts about the world we live in are made instantly available to you in simple question-and-answer form in THE POCKET GUIDE TO SCIENCE.

Your Name in Gold - on this Wonderful Book

YOU are assured of the accuracy of the answers in The Pocket Guide to Science because it has been edited by Dr. E. E. Free, the distinguished author of "The Story of Man and His World." Dr. Free has a remarkable genius for condensing the known facts about scientific questions into vivid, easily remembered paragraphs.

SPECIAL OFFER

THE POCKET GUIDE TO SCIENCE is not for sale. It is offered to you without one penny extra cost, with a 14 months' subscription to POPULAR SCIENCE MONTHLY.

In THE POCKET GUIDE TO SCIENCE YOU get full information of all that the scientists have discovered up to the summer of 1924.

POPULAR SCIENCE MONTHLY "carries on" where The Pocket Guide to Science leaves off. The POCKET GUIDE gives you all the information up to right now - POPULAR SCIENCE MONTHLY will give you all the important, interesting and new discoveries of science for the next 14 months.

In every issue of POPULAR SCIENCE MONTHLY are a dozen or more important articles that explain and picture the most fascinating and significant new developments, discoveries, and undertakings in exploration, in engineering, in health, in electricity, in medicine, and in every branch of science.

And there are also, in every issue, a hundred or more articles describing the important new inventions in every branch of

A Few of the Hundreds of Questions Answered in the POCKET GUIDE TO SCIENCE

Why does static interfere with radio messages?
What gland makes people grow tall or keeps
them short?
Why do we grow old?
What is the safest stimulant?
What is the function of the liver? Why are tears salt?

Can energy be destroyed? Why can't you skate on glass if it is smoother than ice?

How do self-winding clocks work? Why does an iron ship float? an we see atoms with a microscope? What are electrons? Is electricity a form of matter? What is a crystal? How large is the universe? Why do the stars twinkle? How do we know what the stars are made of?

What is an electric spark? What makes the noise of thunder? mechanical activity-page after page filled with photographs and descriptions that show you how you can save money in the shop, around your car, in your store, office and home.

But all this is only part of the contents of one issue of the amazing POPULAR SCIENCE MONTHLY. It takes over 300 articles and pictures every month to tell the readers of POPULAR SCIENCE MONTHLY all that has happened in the scientific, radio, mechanical, and automotive fields.

Your Name in Gold

We will stamp your name in 22-carat gold on the cover of The Pocket Guide to Science at no extra cost to you if you use the coupon below immediately.

You are offered a 14 months' subscription to POPULAR SCIENCE MONTHLY (regular price if bought by the month would be \$3.50) with THE POCKET GUIDE TO SCIENCE-all for \$2.95, plus the few cents' postage. If you are already a subscriber to POPULAR SCIENCE MONTHLY we will be glad to extend your subscription 14 months if you accept this offer.

In using the coupon please PRINT your name

POPULAR SCIENCE MONTHLY, 381 Fourth Ave., New York

Send no money, just the coupon. If within 10 days after you receive the book and magazine you decide that you are not satisfied in every particular you may return them and your entire payment will be refunded promptly and without question. Could any offer be fairer?

POPULAR SCIENCE MONTHLY 381 Fourth Avenue, New York


I accept your offer of THE POCKET GUIDE TO SCIENCE and a 14 months' subscription to Popular Science Monthly. I will pay
the postman \$2.95, plus the few cents' postage when he delivers the
Pocket Guide and the first issue of Popular Science Monthly.
If the book and magazine are not fully satisfactory to me I will
return them within 10 days and you are to promptly refund my full payment. Please stamp my name in gold.

Address. City.

10-30

» FOR

PRACTICAL JOBS



EVEREADY RAYTHEON TUBES FOR TALKING PICTURES, TELEVISION AND ALL INDUSTRIAL PURPOSES

THE Eveready Raytheon Foto-Cell is a long-life transmitting tube for talking pictures and television. It is being used more and more for such industrial purposes as color matching, paper testing, automatic counting, control of illumination and many others. It comes in several types or can be made to specification.

Eveready Raytheon Kino-Lamp is the first television receiving tube developed commercially that will work with all systems. Each tube is thoroughly tested in our laboratories.

Write, if you are interested in talking pictures, television or any application of the Foto-Cell. Free—Eveready Raytheon Technical Bulletin No. 1, for the Kino-Lamp, and No. 2, for the Foto-Cell.

The Eveready Hour, radio's oldest commercial feature, is broadcast every Tuesday evening at nine (New York time) from WEAF over a nation-wide N. B. C. network of 30 stations.

NATIONAL CARBON CO., INC.

General Offices: New York, N. Y.

Branches: Chicago Kansas City
New York San Francisco

Unit of Union Carbide



and Carbon Corporation



Trade-marks

An Easily Made Radio Bench

By W. L. DORRANCE


FOR the man with limited shop facilities, the radio bench illustrated is especially suited. There are no turned parts, and all of the joints can be easily and quickly made with hand tools.

Any attractively grained wood may be used in the construction of the bench. Red gum is excellent because of its finishing qualities. The posts, which are 15/8 in, square, may be purchased already planed to the exact size, or they can be shaped in the shop. These should be about 1 in, longer than the dimensions given in Fig. 1 (on the following page) to allow for squaring. After squaring and cutting them to the exact length, mark the mortise positions on each (see Fig. 2). After the mortises have been cut, the 1/4-in. chamfer around the top of the legs may be formed. The corners are easily removed with a knife and a sharp plane.

The taper on the legs begins 13 in. from the bottom (Fig. 2). Mark ¼ in. in from each corner on the bottom of the legs and from these points run lines to where the taper will start. Sandpaper the legs thoroughly after they have been brought to shape with a plane.

Figure 3 shows the construction of the side and end rails. The tenons should be a little longer than the given dimensions

and mitered off when being assembled, as shown in Fig. 4. These tenons should fit the mortises snugly, but should not be so




The construction calls for no turned parts, and all the joints can be made easily by hand.

tight that they have to be driven in. After the tenons are cut, sandpaper the rails on the edges and outsides. Make a trial assembly and mark each piece.

The method of fastening the corner blocks in place is clearly shown in Fig. 5. These blocks should be about \(\frac{7}{8} \) in. thick and 3 or 3 \(\frac{1}{4} \) in. on the sides. Drill four \(\frac{7}{16} \)-in, holes in each block as indicated.

In assembling, glue up the ends first. When these are thoroughly dry, glue up the side rails and then set the corner blocks in place. These are placed ½ in. below the top edge of the rails and are fastened first with glue and nails and later with screws.

The construction of the frame to which the upholstering is fastened as shown in Fig. 6. The length of the frame is the same as the distance between the end rails. The frame is held in place by screws which pass up through the corner blocks. Allow enough space between the




Any attractive hardwood can be used in the construction of this neat little radio bench.

frame and the rails for the upholstering cloth. Figure 6A shows the joint used in fastening the frame together, and Fig. 7 illustrates the method used in fastening the webbing to the frame. If webbing cannot be had, heavy canvas cut into strips and folded will serve.

After the webbing is in place, tack on a piece of burlap or other heavy cloth and then put on the padding material, making it slightly deeper through the center. Over this stretch a heavy cloth and then the upholstering goods. The final covering is tacked on the underside of the frame.

Make sure that all surplus glue is cleaned off the bench and then give it a coat of high-grade stain of the desired color. After allowing twenty-four hours for drying, apply one or two coats of white shellac, followed by one or two coats of varnish. Rub with No. 000 steel wool or with pumice stone and oil.




Details of the rails, leg, and corner joints for frame and top; how the webbing is applied.

TWO TOOLS THAT MAKE INLAYING EASIER

THE two homemade tools illustrated below are extremely useful for inlaying furniture and other woodwork.

In making the first tool shown, any hardwood such as walnut, oak, or maple will do. A piece 3/4 by 3/4 in. and 6 in. long is shaped as pictured, and a saw kerf is made to receive the cutter, which may be filed from a scrap of steel. A steel cut nail or a horseshoe nail will serve for making the cutter, and an occasional stroke with a file across the cutting end will keep it sharp. By shaping the cutter, the tool can be used equally well as a slitting



Since each tool has advantages for certain kinds of inlaying, it pays to make both.


gage or a fluting tool. The cutter is held in place with three or four stove bolts.

The second tool is made from two small blocks of wood and pieces of hack saw or band saw blades. The smaller block determines the distance the inlay will be from the edge of the piece being inlaid, so it is desirable to prepare a number of these blocks of varying thickness. Likewise, the width of the groove depends upon the thickness and number of the pieces of saw blades used, and therefore a supply of these should be kept on hand.

The groove in the work should be slightly less in depth than the thickness of the inlay. When the groove is ready, the inlay should be given a thin, even coat of glue and pressed into place. Cover it with strips of paper and clamp it with the aid of wood strips to insure an even pressure.

Where stain is to be used, the inlay should be shellacked with a small brush to make it impervious to the stain, as it is essential to preserve the natural colors of the inlay. If a band saw or a variety saw is available, very creditable inlays can be made by gluing together thin strips of different woods and, after the glue hardens, again sawing the block at right angles to the glued faces. However, inlays cost so little that few craftsmen attempt to make their own.-A. E. GRAY.

New 1931 "Delta" Units for Home and Shop Woodworkers



ACOMPLETE line of low-priced, ruggedly built, practical woodworking machines for craftsmen, artisans, farmers, mechanics - that's what "Delta" is offering this year. Every "Delta" motordriven unit embodies numerous exclusive constructional features that insure efficient work and many years of satisfactory service. The 1931 "Delta" line includes "Delta" Handi-Shop, De Luxe Workshop, Band Saw, Jointer, Circular Saw, Scroll Saw, Moulding Cutter, and many other woodworking items, all available for either electric or gasoline motor power.

For Pleasure

"Delta" motor-driven units enable you to make things out of wood quickly and easily. They save time and labor and produce better work. For a hobby there is no greater thrill than working with Delta machines. For full or spare-time work, "Delta" units quickly pay for themselves. And remember, men who know prefer "Delta."

For complete details and full description of the complete 1931 Delta line, send coupon for Free illustrated literature. Shows many items of interest to these who work with weed, You will learn, also, how you can try any Delta equipment for 10 days under actual working conditions at our risk. Choice of three convenient payment plans, Mail the coupon TODAY!

DELTA SPECIALTY CO.

Division of DELTA MANUFACTURING COMPANY 1661-67 Holton St., Dep. B-10 30, Milwaukee DELTA SPECIALTY COMPANY, Dept. B-10 30

Division of "Delta Manufacturing Co."

1661-67 Holton St., Milwaukee, Wis.

Please send me FREE, illustrated literature describing the complete line of 1931 "Delta" Woodworking Units. Also details of 10-day Trial Offer and Easy Payment Plans. (Check

mits in which you are particularly interested.)

"DeLuxe" Workshop Band Saw
Handi-Shop Moulding Cutter

4" Jointer Units S" Circular Saw Unit
Combination 4" Jointer and 8" Circular Saw

Name. Address.





Look! A Shaper for only \$49.



. . and it's BOICE-CRANE. Built as only BOICE builds. Solid—weighs 90 lbs. Substantial—ball bearings. Correct design-elevating spindle. Rigid 17 in. dia. table. Large capacity. A marvelous value for only\$49. BOICE-CRANE

Get our new 1931 Catalog

Just off press. (52 large 8½ x 11 pages.) 112 illustrations. Filled with timely in-formation on home shop methods. Shows and describes machines and equipment that are NEW. New Lathes. New Jointers. New Mortisers. New Shaper. New Jig Saws. Im-

proved Handisaw. Also shop pictures and interesting success stories of men who are turning space hours into cash. Full details of Achievement Contests, etc. All this in our big FREE 1931

W.B. & J. E. BOICE, Dept. P.S.-10-F, Toledo, Ohio



But if a man will smoke an outrageously strong pipe, nobody is going to get close enough to him to appreciate his heart of gold. Don't keep potential friends at a distance. Sir Walter Raleigh's favorite blend is incomparably rich and fragrant—yet so mild as to be acceptable to the most fastidious pipe-sniffer. Nor does Sir Walter lack body and real flavor. They're all there in Sir Walter Raleigh—as you'll discover when you try it.




IT'S 15¢-and milder

BEVEL GUIDE FOR SMALL CIRCULAR SAW

SOME circular saw tables do not tilt and therefore cannot be used to cut bevels. To meet this contingency, the bevel guide illustrated was devised and found to work well.

If a guide of this type is to be used a great deal, it should be carefully constructed of hardwood. Suppose, for example, that the saw table is 17 in. long: cut two pieces from $\frac{1}{2}$ -in. hard maple stock, one (marked A) 7 by 22 in, long, and the other (marked B) 10 by 20 in. If the saw table is very small, these widths and lengths should be altered to suit.

Plane a bevel on one side of each of the pieces as shown in the drawing. This



Sketch showing the adjustable wooden bevel guide in place on a small nontilting saw table,

bevel must be so wide that when finished it will allow the guide to be adjusted to run a bevel of less than 22½°. The average beveling work is between 22½° and 45°. Hinge the pieces together as indicated, the narrow piece at the top, using two small butt hinges. Mortise the hinges in the wood of each piece and fasten them securely with screws.

Place two small chest cover supports or stays as shown, one at either end of the guide, and provide a locking screw for each. Place the guide on the saw table and align it with the blade by measuring equal distances from the ends of the ripping guide. Hold it in place with two small C-clamps. Set the fence to the required angle with a T-bevel and bring up the rip guide of the saw to guide the outside edge of the work. (See illustration above).—W. Clyde Lammey.

HOW TO GRIND HOLES OF SMALL DIAMETER

ANYONE who has had to grind an internal diameter and found that the spindle nose of the tool-post grinder would not go in, perhaps by ½6 in., will appreciate the spindle extension illustrated on the following page. It costs very little to make, and for what it costs, it does a great deal.

With its aid, holes can be ground up to about 1½ in. long and less than half the diameter that can be handled with the regular spindle nose. A light cut and a slow feed must be used, and more time is



Greatest Guide Book Ever Published

THE AVIATION MANUAL

This book will save months of time and hundreds of dollars by giving you a thorough ground training in Aviation. You need it whether you're going to be a pilot, mechanic, radio operator, salesman or executive. The Aviation Manual, with its 700 pages and 250 diagrams and illustrations, covers the whole field so expertly that it will always be a reliable reference book—even long after you've finished your preliminary work!

LOOK AT THIS LIST OF 24 FULL CHAPTERS

all by leading authorities

All Covered in Fullest Detail

Opportunities in Aviation—The Business of Flying—License Requirements—Qualifications for Flying—Training To Be an Aviator—Your Background of Knowledge—Aviation Schools and Flying Clubs—How to Get the Most Out Of a Flying Course—Your First Outfit—Standard Airplanes, Seaplanes, and Amphibians—The Construction of Planes—Power Plants—The Manufacture of Engines—Instruments—Elementary Airplane Design—Materials and Their Properties—Wings and "Props"—Wind and Weather—How a Pilot Inspects His Plane—Learning to Fly—Advanced Flying—Laying an Air Course—Air Traffic—The Laws of Aviation. The Aviation Manual is edited by Lieut. Commander John W. Iseman, U. S. N. R. He has over 5,000 flying hours to his credit, and is now commanding officer of squadron VN3rd of the U. S. Naval Reserve. Many of his former student officers are now holding important positions in the Aviation industry as pilots and executives.

REGULAR PRICE \$5.00— NOW ONLY \$3.95

With Your Name In Gold On The Front Cover

Now you may have this beautiful Manual bound in expensive, flexible, fabrikoid, with full gold edges all around for only \$3.95 C. O. D. And we will print your full name in gold on the front cover. This is a special temporary price which may be withdrawn shortly. We will refund your money if you return the book within ten days and say you are dissatisfied. Clip and mail the coupon to-day.


Popular Science Publishing Co., 381 Fourth Avenue, New York, N. Y.

Please send me a copy of the regular \$5 edition of the Aviation Manual with full gold edges and my name in gold on the front cover. I am to pay the postman only \$3.95 plus a few cents postage when the book arrives. This will pay in full for the Manual. If I am dissatisfied I may return the book within ten days and you will refund my money. (10-30)

#500000	0.000.200000000000000000000000000000000
City	State
	(A)
Address	

required than with a special high-speed attachment; but the work will be done and done right.

For mounting the extension, it is necessary to have a screw hole exactly central in the end of the grinder spindle. The



Shopmade extension on the nose of an ordinary tool-post grinder for grinding very small holes.


spindle and face should be trued up, if necessary. Both end faces of the extension should be relieved as shown, and the lands trued up on centers once more in the final operation.

With an extension so made, the wheel will run without any appreciable chatter. The grinding wheel screw, of course, should be made to fit the countersunk holes of standard small wheels.—H. S.

HOMEMADE TOOL TURNS KNOBS QUICKLY

SMALL wooden knobs can be quickly shaped in the lathe with a tool fash-ioned from an old file as shown below. In shaping the point of the file, be careful not to overheat the steel.

Place a faceplate on the headstock of the lathe and fasten a piece of oak or maple to it. Turn the piece to the same



The wooden blank is first turned roughly to shape, then finished with the special turning tool.

diameter as the plate, remove it, and bore a \(\frac{3}{16}\)-in. hole exactly in its center. Place a screw in this hole and refasten the disk to the faceplate.

Prepare the wooden knob blanks to the length desired; in the center of each bore a small hole; and fasten one on the screw. Turn the blank down nearly to the diameter desired and then shape it with the special tool.—WILLIAM RENFROW.





WRITE FOR FREE CATALOG

SOUTH BEND LATHE WORKS

839 E. Madison Street, South Bend, Indiana, U.S.A.

Lathe Builders for 23 years-44,000 users

A CHEMCRAFT outfit makes you a boy chemist—you can do hundreds of fascinating and useful chemical experiments just like a real chemist: make your own soaps, inks and paints, dye and bleach cloth, fireproof wood and fabrics, test foods, water and metals, make fire extinguishers, and produce lots more changes and reactions that will show you the wonders of chemistry. You can perform chemical magic tricks, too; original and startling stunts that will astonish your friends. All branches of Chemistry are included in CHEM-CRAFT; Inorganic and Organic Chemistry, Electro Chemistry, Glass Blowing, Mineralogy, Metallurgy, Analysis and Industrial Chemistry, It's all easy with CHEMCRAFT because CHEMCRAFT is the best chemistry outfit!

CHEMCRAPT is the original, most complete, accurate and scientific. Has more and better experiments, superior chemicals and apparatus—CHEMCRAPT gives the most for the money. For real fun—he sure to get CHEMCRAPT.

Select Yours from These Fine Outfits

No. 1—\$1.00 No. 3½—\$3.50 No. 10—\$10.00 No. 2—\$2.00 No. 5 —\$5.00 No. 15—\$15.00 No. 25—DeLuxe Chemical Laboratory—\$25.00 (Nos. 5, 20, 15 and 25 come in handsome wood cabinets) West of Denver, Colo., and in Canada, 20% additional

Ask for CHEMCRAFT by name—and look for the name CHEMCRAFT, on the box—then you will get the best chemistry outfit.


Try Chemistry for 25c, Get CHEM-CRAFT Junior and do ots of experiments and magic tricks. Complete outfit and instructions sent postpaid for 25c.

Pree Magazine for Boys contains experiments you can do at home; ideas on chemistry; wookworking. Send for your free copy now.

The PORTER CHEMICAL COMPANY
58 Washington Street, Hagerstown, Maryland



It's the powdered Italian pumice in Lava Soap that cuts the dirt without hurting the skin. Makes the dirtiest, greasiest hands spotless in 58 seconds





He uses PLASTIC WOOD Reg. U. S. Pat. Off.

The painter knows the value of Plastic Wood as a filler in any good job. The carpenter knows the strength it gives for sealing corners and intricate construction. The cabinetmaker appreciates the finish that is possible where Plastic Wood is used for renovating antique furniture, and in high grade cabinet work. It handles like putty, hardens into solid wood, takes paint, varnish and lacquer perfectly, and when hard can be worked with any woodworking tools.

And in the home, Plastic Wood is a household repair product for everyone—for filling mouse holes and cracks, holding loose drawer handles and loose casters, filling old screw holes—as for example, with screen doors—repairing toys, and many similar needs.

"Things to do with Plastic Wood"

This is a 48 page illustrated book describing over 100 practical uses of Plastic Wood for the home, the automobile, the boat, ship modeling, etc. It gives suggestions that will save every household many dollars. By mail, 10 cents.

Handles Like Putty



Hardens Into Wood

Tube 25 cents 14 lb. can 35 cents 1 lb. can \$1.00 Solvent, 25 and 50 cent cans

At Hardware and Paint Stores

Addison-Leslie Co., Mfrs., 332 Bolivar St., Canton, Mass.

Please send your 48-page book "Things to do with Plastic Wood" for which I enclose 10 cents,

Name...

Address...

Constructing a Magazine Holder

A new design that is generously proportioned and more graceful than most commercial models

By H. CALDWELL

DIA. X 16" LONG

The finished magazine holder as made by

Mr. Caldwell and the assembly drawings.


CENTER AND SIDES

FOR the owner of a new motorized workshop who wishes to make something that will give the machines a good try-out, a simple and satisfactory project is the magazine holder illustrated. Unlike most commercial holders, which are too short, it is 15 in. long, inside measurement, and is designed with simple, well-balanced lines.


The following units of the shop are used: combination, dado, and fret saws; lathe, and disk and drum sanders. The piece can be made, of course, without machinery, but the work will require a little more time.

Plywood is the best material to use.

Figured walnut, mahogany, or gum is excellent, or a commoner plywood may be used and stained to the finish desired. The plywood should have the same kind and grade of veneer on both sides. A standard 3/8 by 20 by 60 in. panel will furnish sufficient material.



2 sides and 1 center 10 by 15½ in.; 1 bottom 6 by 15½ in., all ¾ in. thick; 1 handle 1 in. square by 16 in. long, which may be turned to the design shown or merely rounded to a diameter of 1 in.



Details for laying out the curves and making two varieties of corner joints.

In the state of the contract of the pie View and the contract of the contract of the Copyrighted material



The sides, center, and ends are first cut to size. The sides may have a fretwork design in the center, if so desired. After the sides are cut, a rabbet 1/4 in. wide and 1/8 in. deep is machined on what are to be the front vertical edges. The tops of the sides and center are then fretted to shape.

groove 3/8 in. wide and 1/4 in. deep is next dadoed in the center of the end pieces to receive the center partition. The ends are shaped with the fret saw, and a dado 1/4 by 1/4 in. made in both sides of the end pieces 1/8 in. from the edge to receive the sides, as shown in one of the joint details.

This will bring the sides flush with the ends in the assembly. If a projection of 1/8 in. is wanted, the dado should be made 1/4 in. from the edges of the ends, as indicated in the other joint detail.

The bottom may be held with cleats or dadoed in, the latter being the stronger and better way. With the sides inserted in the ends, the position of the dado is marked on the ends ½ in. from the bottom of the sides. The handle is then turned, and rosettes are prepared to finish off the ends.

Assemble the parts to see if everything fits. Then glue up the sides, center, and one end. When the glue is dry, fit the bottom, insert the handle, glue on the other end, and apply the rosettes. Trim up with sanding disk and drum.

Finish the wood, if walnut like the original holder, with a coat of raw oil and turpentine, half and half to bring out the color and grain. Apply paste filler, if desired; then spray or brush on three coats of clear lacquer. The edges of the plywood should be finished separately, since they must be stained to match the surface wood as accurately as possible.



LISTERINE Shaving Cream Now 25¢





HERE THEY ARE

Illustrated Catalog

> SHIP MODELS AND



STAGE COACH MODELS

You Can Build One

We furnish the parts, all cut to fit and ready to put together. Also full

instructions as to how it is done. No tools required except a small ham-

mer. When it is finished you will have a beautiful ornament for your radio cabinet or mantel.

Write For Catalog Ship models \$4.98 and \$6.98 each Coach models \$4.98 each

All models sent C. O. D. plus a few cents postage by parcel post to anywhere in the United

All foreign orders must be accompanied by check or money order,

MINIATURE SHIP MODELS, INC. Perkasie, Penna.

Millions have been made from ideas properly developed and protected by inventors. One of the first steps is the development of a practical working model.

Send us rough sketch or model of your idea. We will submit complete report backed by 30 years' experience in model making. Confidential service. Modern equipment, Bank references furnished. FREE booklet "Making Inventions Pay."

CRESCENT TOOL COMPANY, Dept. B. Cincinnati, O.




Keep Oil Where It Belongs . . . In The Motor

Without the Whirlo Breather Pipe Cap (for Ford A cars only) you are appraying oil all over the outside of the motor.—Oil blown out of the breather pipe collects on all surfaces to form a dirty, greasy film, that cuts ignition cables—Hose connections, etc.—The Whirlo Cap keeps oil where it belongs—in the crankesse. Saves its cost many times in preventing waste of oil. Literature sent on request. Agents wanted—send for sample—\$1.25 postpaid or C. O. D. by mail.

CARHART PRODUCTS 40 Flatbush Ave. Ext. Brooklyn, N. Y.

definite program for getting ahead financially will be found on page four of this issue.

TAKING PHOTOS BEFORE AN OPEN FIREPLACE



Photograph taken by Mr. Pratt to illustrate his method of making realistic fireplace scenes,

ARTISTIC fireplace photographs can be taken easily at night so as to give an effect of illumination coming from an open fire.

Arrange camera and subject as suggested in the diagram below, the camera, of course, being on a tripod. The shutter should be set on "time," and the diaphragm at about stop F.16. The short focus lenses used in kodaks are especially suitable for these pictures.

Place a flash cartridge in the innermost corner of the fireplace toward the camera;




Diagram showing position of the camera, fireplace, flashlight cartridge, and subject,

this will prevent halation. Even if there is a log fire, it is well to set a crumpled newspaper ablaze before lighting the fuse of the flash cartridge. You will have ample time after lighting the fuse to get over to the camera to open the shutter.

After the flash, close the shutter, and the film is ready for development. Soft print paper should be used to tone down the high-lights.-I. G. PRATT.

HOW TO USE SOAP FOR CLEANING FURNITURE

CASTILE soap is one of the safest and best cleansers for furniture and also for leather upholstery. Apply it with a cloth which has been dipped in water and then wrung out until it is only moderately moist. Remove the soap with a damp cloth and polish briskly with a clean dry cloth of soft and lintless texture. Better results are usually obtained in this way than by using prepared cleansers and polishes, many of which appear to give satisfactory results at first but ultimately injure the original finish. This is particularly true in the case of upholstery leathers, the finish of which is apt to become soft and gummy if cleansers are used which contain strong solvents.-L. D. T.



Home Craftsman.

A HANDY FRAME for the HOME CRAFTSMAN

Here is a small lightweight frame fitted with the keenest saw blade made—for cutting wood or metal—an ideal tool for the intricate and difficult sawing job.

The skilled amateur knows good tools, and the way the sharp, hard teeth of a Mil Flex Midget Blade bites into the metal is instant assurance of quality.

Pin a dollar bill to coupon below and obtain this efficient little saw for the odd cutting jobs, such as slotting screw heads, fitting curtain rods, mitering thin moulding, model work, etc.

The HENRY G. THOMPSON & SON CO. Established 1876

New Haven, Conn., U. S. A.

Also manufacturers of Metal Cutting Band Saws

CLIP AND MAIL COUPON TODAY





THE principle of leverage multiplies your easy pull into a powerful force when you use a pipe wrench.

The handle must be tough and free from flaws to stand up under heavy strain which this leverage exerts.

TRIMO pipe wrenches in all sizes have dropforged steel handles, made from selected stock and carefully heat treated.

> For light work or heavy duty it is safest to use a TRIMO wrench — and less expensive.

Made by TRIMONT MFG. COMPANY Roxbury, Mass.



The lock joint is both simple and strong and it can be formed quickly on a small circular saw.

The design of the joint was worked out from memory, and the result is shown in Fig. 1 on the following page.

This joint has many possible applications, and with a little ingenuity and experimentation it may be made in slightly varied forms and may even be combined with the miter joint as shown in Fig. 2.

In order to saw out the joints as quickly as possible, a system was devised for doing the work on any small, circular bench saw. Dimensions as given are for a saw 1/8 in. thick. If your saw is not 1/8 in. thick, you can make the directions apply by substituting "one saw thickness" for each 1/8 in. given in the dimensions for

To find the length of the boards for the sides of a box proceed as follows:

For side No. 1 (as shown in Fig. 1), make the boards 1 in. longer than the inside measurement of that side of the box. For side No. 2 make the boards 3/4 in, longer than the inside measurement of that side of the box.

Extreme accuracy is required in all saw settings. Set the rip fence 1/8 in. from the saw, and adjust the saw to cut 3/8 in. deep. Make the edge cut and the flat cut shown in Figs. 3 and 4. Do this at each end of the board, making sure that the joint is on the same side in each case. The completely finished side No. 1 is illustrated in Fig. 5.


In cutting the joints on side No. 2, set the rip fence so that the saw will make a cut 1/8 in. in from the outer edge and 1/8 in. deep. Make the vertical cuts in each end, taking care that they are on the same side

shown in Fig. 8. Set the rip fence 1/4 in. from the saw, adjust the saw to cut within 1/4 in. of the top of the board, and holding the board in a flat position, make the fourth cut in each end as illustrated in Fig. 9. Side No. 2 should now appear as shown in Fig. 10.

For greater strength the joints may be coated with thin glue before being slid into position in the manner illustrated in Fig. 11.

The best appearance is obtained when the bottom of the box is set between the sides. If the box is to have a lid, this should be put on in such a way as to cover

When making a covered box, all parts should be first joined together in a solid unit, and the lid then sawed off. In this way a perfect fit between the lid and the sides of the box will be insured.



Painting always should be avoided while fresh mortar beds are in close proximity, on account of the tendency of the oil in the paint to absorb the moisture and fumes from the lime.

Tit yourself Now for a "Softer" job

Don't WORK for a living ALL your life when you can draw big payfor just "baving fun." Shorthours. Happy work. Ideal surroundings. Fit yourself now for a soft job by learning to play a

BUESCHER

True-Tone

Anyman, woman, boy or girl can soon master a Buescher Saxophone. 3 free lessons give you quick, easy start. Play scales first bour, tunes in a week; join a band or orchestra in 90 days.

EASY TO PAY TAKE any Buescher instrument home with you, for six days' free trial. See what you can do. EASY TERMS. Play as you pay. Send the coupon today for beautiful catalog. Do it right NOW!

BUESCHER BAND INSTRUMENT CO.

1013 Buescher Block, Elkhart, Ind. B43
Without obligating me in any way, please send catalog of [] Saxophone [] Trumpet [] Trombone
Mention any other ______ My age is ______
Name_____
Street Address______
Town____ State_____


ALLOY CHISEL SET

MADE OF BOBWCAT SPECIAL ALLOY STEEL A supremely tough, hard metal which holds an edge even when used for worst jobs imaginable. Use this set JUST ONCE and you'll ALWAYS keep it handy. Hinsdale Center Punch F REE if you order from this ad ONLY 8 25 GUARANTEED Per Set to give Satisfaction Plus Parcel Post C. O. D. for a Lifetime

Send No Money Just write: "Send C.O.D. Parcel Post, one 4-piece Hinsdale Bob Cat Chisel set and free Hinsdale center Punch." Pay postman \$1,25 plus parcel post charges. Money cheerfully refunded if you're not satisfied.

HINSDALE MFG. CO.

Established 1919 237 N. Desplaines St., Chicago



FORMS TO CAST LEAD SOLDIERS, INDIANS, TRAPPERS, Hunters, wild and Farm Animaia. 223 Wonderful "True to Life" models. Easy and inexpensive to make, I furnish all necessary material. Send 6c Stamp for Blustrated Catalogue.

Henry C. Schiercke, 1034-72nd St., Brooklyn, N. Y.



PROTECT Your Tools!

They are safe when you keep them in a Gerstner Chest. A size and a style for every Machinist and Toolmaker,

Free Catalog.


Free Catalog.
H. GERSTNER & SONS
582 Columbia St.,
Dayton, Ohio,

A definite program for getting ahead financially will be found on page four of this issue.

READERS SHOW INTEREST IN BOAT BUILDING

THAT boat building is a hobby with a surprising number of Popular Science Monthly readers, was indicated by the letters that came into the office for months after the publication of two articles on the construction of a family motor boat, the Seascoot, in the March and April, 1930, issues.

It was especially satisfactory to know that so many beginners had been encouraged to build their first boat. Indeed, the




A boat built by Allen C. White, from plans in Popular Science Monthly.

articles were written by W. F. Crosby, editor of *The Rudder*, with the express purpose of making the construction as simple as possible for those who were unfamiliar with boat building methods.

Among the readers who had never attempted such work before was Allen C. White, of Moberly, Mo., whose boat is illustrated and whose enthusiastic letter was published in one of "Our Readers Say" pages last month. Throughout the summer it has, to use his own words, given "wonderful service."

TURNING LEVER VALVES

LEVER handle stop valves, of the type ordinarily used where the water pipe enters the basement of a house and at the water meter, are almost invariably hard to turn. A wrench is often used to gain additional leverage, but sometimes the



How a pipe extension may be used to turn a stiff lever valve in an awkward place.

valves are located in such awkward positions that a wrench is of little help. It is much better to use a short piece of pipe, which can be slipped over the handle to act as an extension. Even so awkwardly placed a valve as that illustrated can be easily turned.—Laurens E. Lechteitner.

S A V E \$10 to \$15 now... \$50 to \$200 later

Waxing-to prevent body depreciationis a precaution which any automobile dealer will urge you to take. Next time you wash your car, see how easy it is to wax it yourself with Johnson's Wax. This easy flowing, quick-drying polish gives you a professional result without the cost of professional labor. Adds \$50 . \$200 to your car's trade-in value. Absolutely insures the body against film, ordinary scratches, dullness, and needless depreciation. Usually all that's necessary is a bottle of Johnson's Wax and a few clean cloths. If traffic film has accumulated, Johnson's Automobile Cleaner will remove it. Just return the coupon, as thousands have, for a free 25c can of Johnson's Wax as demonstration, Carried at all hardware, grocery, paint, etc., stores.



S. C. Johnson & Son, Dept. PS 10, Racine, Wisconsin. Gentlemen Please send free age can of Johnson's Wax Polish to preserve and renew body finish.

90.00		

Address_

This seal on an advertisement in POPULAR SCIENCE MONTHLY signifies the approval of the INSTITUTE OF STANDARDS. See Page 8.



IS A FINE MORNING

a very happy morning, when you can get out of bed and have a few minutes' healthy tussle with Gym Junior. This home gymnasium enables you to take hundreds of natural exercises—light, medium or heavy, as you choose. Keeps your muscles pliable, body vigorous; drives away blues. Fine for reducing excess weight.

YM]UNIOR-Theffome Gymnasium"


gives you a Punching Bag, Parallel Bars, Chest Weights, Rowing Machine, Massage Reducer, Swimming Ma-chine, Wrist Developer, Chinning Bar, etc. All in one space-saving, tubular-iron unit. Three persons (adult

or children) can use. Handsomely finished, attractive in any room. Also suitable for Clubs, Hotels, Offices, Hospitals and other group uses. Reasonably priced.

GYM JUNIOR COMPANY

528 N. Gregory Ave., Weehawken, N. J.





Plans and Sample FREE

Join the Metalcrafters of America and win a Metalcraft Merit Medal. Send for plans and instructions for making an all-metal model of a monoplane and an army truck with sample of Metal Mender FREE! Start the fun now! Write Today.

KESTER SOLDER COMPANY

Incorporated 1899 4210-05 Wrightwood Ave.





WRITE FOR illustrated literature descriptive of Gym Junior and partial

payment offer.

FREE FALL CATALOG

Just off the press

Showing Hunting Shoes, Duck Hunting Boots, Innersoles, Sleeping Bags, Duffle Bags, etc.

L. L. Bean, Mfr. 130 Main St. Freeport, Maine



AMERICAN CHIME CLOCK COMPANY 691-C Ruffner St. Philadelphia, F



With it a complete Home Instruction Book for beginners. It's so easy you will play

"America" in 30 minutes, and all popular airs in a short time. In a few weeks you can join band or orchestra or play solos and duets at home. Be popular. This offer is

factory guaranteed instrument. You keep saxophone and Easy Instruction Method 10 days. Return at our expense, or keep and pay only \$8 on easy payment plan. Same remarkable FREE LOAN offer on any Holton trumpet, trombone, clarinet or other band instru-ment. Send no money. No obligation to buy. Just

Send This Coupon

FRANK HOLTON COMPANY, 1027 Church St., Elkhorn, Wisconsin Send on 10 days FREE loan a Holton Saxophone with Complete Easy Method book, or(Other Instrument)

Name AddressState... FREE INSTRUCTION BOOK

This Toy Airplane Does Everything Except Fly

By D. D. CALDWELL, 1st Lieut., 13th Field Artillery, U. S. A.



Driven by a gasoline engine, this little sport plane makes from two to nine miles an hour.

O BUILD an ideal present for my ten-year-old son and at the same time to design a practical ground training plane for boys from five to twelve years of age was the twofold purpose that led to the construction of the small airplane shown in the accompanying illustrations.

The controls are identical to those of a light plane, and all the parts are proportional, although the model was not, of course, made to fly. In general, the specifications are as follows:

Type: 2-place, open, land monoplane. Dimensions: Length overall, 9 ft. 6 in.; height overall, 4 ft. 6 in.; wing span, 10 ft. 6 in.; wing chord, 23 in.

Power plant: 21/2-H.P. air-cooled onecylinder gasoline engine equipped with reduction gear and clutch.


Power is transmitted to a shaft underneath the engine through a sprocket and chain. On the left side the shaft extends



Since the model has the same controls as a real airplane, it provides a ground course in flying.

out of the fuselage sufficiently to allow a sprocket to be mounted over the left landing wheel. From this sprocket another chain drives the plane by a sprocket at-tached to the left wheel. The plane has a maximum speed of nine miles an hour.

Regular airplane controls are mounted



A rear view which shows the accuracy of detail in the fuselage, wings, struts, and tail surfaces.


in the cockpit. The steering actually is done by the action of the small wheel under the lateral rudder.

The propeller is driven at 75 R.P.M. by a leather belt which slips if the propeller hits anything. Every precaution was taken into consideration, for this plane is not only run by a boy but at times dozens of children are around it while it is in motion.

The clutch is operated by the left foot of the pilot. When the clutch control is pushed forward, it releases the engine, allowing the plane to come to a gradual stop while the engine runs freely. The propeller ceases turning when the plane stops. By letting the clutch control back and opening the throttle slightly, the "aviator" starts off.

A SAW FILING CLAMP MADE OF WOOD

THE advantages of the homemade saw filing stand and clamp illustrated below are that it may be set up almost anywhere, that it is adjustable to height and angle to suit the direction of the light and the location where it is used, and, finally, that it allows the entire length of the saw to be fitted on both sides without being removed from the clamp. It is also cheap



Sketch of the homemade saw filing stand and clamp, showing method of tilting the jaws.

to construct, the cash outlay being limited to six bolts, preferably of 3/8-in. diameter.

In designing and making the stand for my own use, I constructed it from fairly heavy stock. The legs are 1 by $1\frac{1}{2}$ in. by 3 ft. 9 in.; the notched clamp blocks for holding the jaws, $1\frac{1}{2}$ by 5 by 20 in.; the crosspieces at the bottom of the clamp blocks, $\frac{1}{2}$ by 3 by 20 in.; two pieces at the top, not shown in the drawing, $\frac{1}{2}$ by 2 by 20 in.; the crosspieces near the bottom of the legs, $\frac{1}{2}$ by 3 by 22 in.; and the upper crosspieces, $\frac{1}{2}$ by 4 by 22 in., these being about 1 ft. from the top of the legs. The jaws are made from pieces 1 by 4 in. by 2 ft. 4 in. tapered and shaped as shown in the detail sketches.

About the only improvement I might suggest is to make the stand less bulky and to provide an adjustable seat that also will hold it down.—E. E. Wolter.

12 Most Popular Blueprints

Here is the biggest bargain ever offered by

POPULAR SCIENCE MONTHLY

FREE

Now you may have a full \$3.00 worth of the famous POPULAR SCIENCE MONTHLY BLUEPRINTS FREE—each a complete detailed working diagram giving full directions and complete specifications for the making of such popular things as a Sewing Table—Arbor Gate and Seats—a complete Workshop Bench—a Colonial Desk—a Tool Cabinet—a Sewing Cabinet—a Bookcase—Garden Trellises—a wonderful Gallean Ship Model—a Model of the St. Louis-Paris Plane—and a gorgeous Colonial Doll's-House. Just for a short time only we are making this unusual offer in connection with

THE HOME WORKSHOP MANUAL

This greatest of all manuals for the home workshop fan shows how easy it is to build or repair valuable furniture, make toys, novelties, models, boats, etc.—be your own electrician, radio expert, painter, decorator, garden craftsman, metal worker and all around construction and repair man. You will save hundreds of dollars by following the simple, clear directions in "THE HOME WORKSHOP MANUAL," the newest, biggest, most practical guide-book for the home.

The Greatest Book of Plans, Diagrams, Directions, Photographs


735 illustrations show, step by step, how the amateur craftsmen can easily make hundreds of valuable articles either for his own use or to make considerable pocket money on the side. It is the greatest and most complete hand-book of its kind published.

Money Back if Not Satisfied

Send This Coupon

For a short time only we are offering this amazing bargain to speed up sales. You may have all twelve of these blueprints of which thousands have been sold at the regular price of 25c each, or \$3.00 for the twelve—NOW FREE with a copy of the great, new HOME WORKSHOP MANUAL. The regular price of the Manual is \$5.00. But if you order on the coupon herewith we will send you the Manual for \$4.95 C. O. D. and include with it these 12 most popular blueprints which are alone worth \$3.00.

Popular Science Publishing Co. 381 Fourth Ave., New York, N. Y.




Popular Science Publishing Co. 381 4th Ave., New York City

Send me the 12 BLUEPRINTS FREE (worth \$3) together with a regular \$5 copy of THE HOME WORK-SHOP MANUAL. For this full \$8 value I am to pay only \$4.95 plus a few cents postage when the book arrives, and this will pay IN FULL for both the book and the Blueprints. If I am dissatisfied I may return them within ten days and you will refund my money.

P. S. M. 10—30.

Name	
Address	
City	State



Give faded old shingles new color with Creo-Dipt Stain

HOW EASY—how inex-pensive it is to restore the color and beauty of those faded old shingles when you use Creo-Dipt Brushcoat Stains. It pays, too. The creosote and preserving oils used in Creo-Dipt Stains will add years to the life of your shingle roof or sidewalls.

Ask your dealer today about the surprisingly low cost of Creo-Dipt Brushcoat Stains.

They are made by the makers of Creo-Dipt Stained Shingles. Meanwhile, mail the coupon for free illustrated booklet and attractive color chart.





CREO-DIPT BRUSHCOAT STAINS

Color Chart FREE

CREO-DIPT COMPANY, INC. 1624 Oliver St., N. Tonawanda, N. Y. I am interested in Creo-Dipt Brushcoat Stains for old shingles. Please send me your illustrated booklet and a Creo-Dipt color chart.

Name		
Address		
My dealer is		



FLYING WITH A TEST PILOT

(Continued from page 29)

was due to the fact that the air was getting thinner, making the readings of the instrument inaccurate, less than the actual velocity of the ship.

In the course of our long climb we had swung out over Oyster Bay and Long Island Sound. Fleets of moored yachts, like tiny bits of floating driftwood, lay clustered in the harbors. The green patchwork of Long Island spread out below, a score of tiny yellow planes the size of flies marking Mitchel Field. We could see the glittering spire of the Chrysler Building and make out the toy skyscrapers of Manhattan, thirty miles to the west. We could follow the thin white line of the Hudson as far as Bear Mountain, see a faint yellow streak in the Atlantic, Sandy Hook, make out the dim curve of Montauk Point, the far end of Long Island, nearly 100 miles away.

LAST March, Crosswell took a Curtiss "Kingbird," with two 300-horsepower Wright engines, up to 26,500 feet over Mitchel Field. It was fifty degrees below zero at the peak of the climb and he had to breathe oxygen continually. Another test pilot at Wright Field, Dayton, Ohio, some time ago, had a thrilling adventure while "at the top of the sky" on an altitude climb. Above the "deadline" of 30,000 feet, the tube of his oxygen tank accidentally slipped from his mouth. Before he could bend over and pick it up, everything turned black. He had "passed out" in the thin air. When he regained consciousness, the ship was plunging toward the earth, the altimeter hand pointing to 8,000. The plane with its unconscious pilot had fallen four miles through

During our descent, Crosswell showed me how the stability tests are conducted. After adjusting the stabilizer to hold the plane in level flight, he pointed to the nose of the Falcon. It began to drop. We were diving. The hand of the air speed indicator crept ahead to 110. The green patchwork of the fields rushed up toward us. Then Crosswell calmly removed his hand from the stick and placed it on the side of the cockpit. I clung to the longerons beside my seat. After a few seconds of diving, the nose began to rise. It swung slowly above the horizon, then seesawed deliberately up and down, settled even with the line where the sky and the Atlantic met, and we were flying level again. A properly designed ship is required to regain normal flying position when the controls are released under such conditions.

NEXT, the nose was pulled up into a climb. Again, Crosswell's hand appeared on the end of the cockpit. The ship was flying itself. Again the ocean seesawed before the blunt nose of the Falcon and again the machine ended in level flight. Next Crosswell swung the stick to one side. A wing dipped low. With the stick released, the dragging wing slowly rose as if by magic and the plane sailed along once more in normal position. The other wing was simi-larly dipped and rose of its own accord. Crosswell grinned back. Then he kicked the ship into a turn and took his feet from the rudder pedals. Gradually the nose crept back until we were flying straight again. Then he put the Falcon into a spiral, released controls and let her straighten out.

On practically all tests, when an observer is not carried, the maximum load is taken in the form of lead shot. This ballast is done up in canvas strips sewed together. They suggest huge waffles. Each "waffle" (Continued on page 138) weighs five,



FREE PLAN Many men are making good money filing saws on the Foley, YOU can, too, We will help you start. Write for free plan NOW!

FOLEY MANUFACTURING CO.

225 Foley Bldg., 11 Main St. N. E. MINNEAPOLIS - - - MINNESOTA

The Midget

"Five-in-One" Slide Rule
in a combination Mannheim, Polymetric, Log Log, Binary, Add and Subtract Side Rule. It will instantly add,
subtract multiply and divide any combination of whole numbers, fractions,
mixed numbers and decimals. Gives
everyroot and power, also Logs, Sines
and Tangents, Made of aluminum with
scales on white cellulaid, Size 4 in,
Approved and adopted by colleges,
Price with instructions, El. 5s. Pabricoid Case Soc extra, Sent C O. D.if deeired, Catalogue Free, Git SON SLIDE
RULE CO., Stuart, Florida.

BURN YOUR NAME ON TOOLS

Protect Your

ricky any name or design on the hard-est and finest tools and instruments, or any metal, like writing on paper with pon or penell. Complete Outlit \$3.50 Prepaid Anywhere, Interest-ing illustrated circular Irse. Write to-day, Agents wanted. ARKOGRAF PEN CO. 1171-A East Stark St., Portland, Oregon

Tools From Theft. Write with elec-

WITH THE

CERTIFICATION D

FACTORY TO YOU~SAVE \$50%~COMPARE WITH COSTLIEST OUTFITS BEFORE YOU BUY



NEWEST IN RADIO! TOP OPERATION in this 1931 Miraco "Easy-Chair" model with magazine racks, each end. Place it anywhere in any room. Easily moved about. Small door in top conceals dial and controls when not in use. 26

in. high, 15 in. wide — yet it contains a complete full-size radio and Super-Dynamic speaker! No outside aerial or ground required. Many other new, clever models, obtainable nowhere else, shown in free literature.

Get Our "SEND NO MONEY" 11th Anniversary Offer!

Latest 1931

GUAR.

lighted I dial

Vari-Tone and Automatic Sensitivity Control Also latest PUSH-PULL Amplification

Built like—looks like—performs like newest radios in many outfits much more costly. Built like—looks like—performs like newest radios in many outfits much more costly. Latest, finest, heavy duty construction. Skilfully engineered to super-utilize a battery of "224" SCREEN GRID tubes—in addition to "245" PUSH-PULL POWER, "224" HUM-FREE long-lived POWER DETECTOR and AMPLI-FIER and "280" A-C TUBES. Vari-tone feature gives any tone-pitch your ears prefer. Automatic Sensitivity Control reduces "fading," protects tubes. Phonograph pick-up connection. Built-in house wiring aerial and ground. Built-in plug for electric clock, lighter, lamp, etc. Super-sturdy power section. Razor-edge selectivity; Super-Dynamic Cathedral tone quality; marvelous distance-getter. Solid one-year guarantee if you buy! Wide choice of cabinets.

Easy Chair Model

(as illustrated less tubes)

Values possible because you deal direct with big factory

Only COMPLETELY ASSEMBLED

TRADE MARK REGISTERED

CATHEDRAL TONED, SUPER SELECTIVE, POWERFUL DISTANCE GETTERS

USER-AGENTS WANTED Exclusive Territory -

Try it at Our Risk!

Spare or full time. No contract, no experience required. Big money! Send coupon now!

You need not send us a cent! For its 11th successful year, America's big, old, reliable Radio Factory again sets the pace in high-grade, latest guaranteed radios direct to you. And

now—at history's greatest savings. With this newest perfected SUPER SCREEN GRID, push-pull, superpowered and humess electric AC set in clever, beautiful new Miraco-Mastercrest consoles ob-

Dealers Write!

MIRACO

Radio

Coast to

tainable nowhere else-you are guaran-teed satisfaction, values and savings un-

surpassed. Get Amazing Special Offer!
At our risk, compare a Miraco outfit with highest priced radios 30 days and nights. Surprise, entertain your friends—get their opinions. Unless 100% delighted, don't buy! Your decision is final-no

Only marvelously fine radios, of latest perfected type, at rock-bottom prices, can back up such a guarantee. Send postal or coupon for Amazing Special Factory Offer!

Don't Confuse with Cheap Radios With Miraco's rich, clear Cathedral Tone,

quiet operation, razor-sharp separation of nearby stations, tremendous "kick" on distant stations, Vari-Tone and automatic sensitivity control, and other latest

features—be the envy of many who pay 2 or 3 times as much!

Send for proof that delighted thou-Send for sands of Miraco users cut through locals, get coast to coast, with tone and Miraco's are built of finest parts—ap-

proved by Radio's highest authorities. Our 11th successful year!

Deal Direct with Big Factory

Miraco outfits arrive splendidly packed, rigidly tested, to plug in like a lamp and enjoy at once. No experience needed. Entertain yourself 30 days—then decide. Liberal year's guarantee if you buy. Play safe, save lots of money, insure satisfaction—deal direct with Radio's big, reliable, pioneer builders of fine sets—successful since 1920. SEND POSTAL OR COUPON NOW for Amazing Offer!

EASY TERMS to reliable

persons only



These Consoles are Equipped with CATHEDRAL TONE REPRODUCER

Similar Low Prices on Beautiful Variety of

Latest Fine Consoles. Send Coupon!

> 30 DAYS FREE TRIAL Medium-size"Hiboy." Rich design, fine woods, fine finish.

Astonishingly low factory to you price.

Also: built-in aerial and ground —and built-in extra light socket!

Stylish small console with convenient maga-

zine racks, each end. Another exclusive Mir-

aco-Mastercrest 1931 design. Bargain factory to you price!

Magnificent new 1931 Miraco-Mastercrest cre-ation. Send coupon for complete showing includ-ing Radio-Phonographs. Lowfactory-to-you prices.



Full-size wall console with lat-est 1931 features.

Beautiful design a n d w o o d s . Priced very low, factory to you.

MIDWEST RABIO CORP., 808-A0 Miraco Dept., Cincinnati, Ohio

BEAUTIFULLY ILLUSTRATED LITERATURE, TESTIMONY OF NEARBY USERS, PROOF OF OUR RELIABILITY— All the proof you want—of our honesty, fairness, size, financial integrity, radio experience and the performance of our sets—including Amazing Factory Offer—sent without obligation!

MIDWEST RADIO CORPORATION

Pioneer Builders of Sets - 11th Successful Year 808-AO Miraco Dept., Cincinnati, Ohio


IS NOT AN ORDER

WITHOUT OBLIGATION, send latest literature, Amazing Special Free Trial Send-No-Money Offer, testimony of nearby users and all Proof.

User.
Agent.
Dealer

☐ Check here if interested in an EXCLUSIVE TERRITORY PROPOSITION

ADDRESS



SMALLThings Make BIG Ones Possible

IN every big construction job there are thousands of "little items" which, by doing their work well, make the big jobs possible.

Important among these "little items" are American Screws—they are seldom in sight but always "hanging on". Their sharp gimlet points and true running threads make them easier to drive and surer to stay in place.

Ask your hardware dealer for American Screws in the little 5 cent "HANDY PACKS" — the convenient way to buy and keep screws.



SCREWS

MACHINE

STOVE

TICE

AMERICAN SCREW CO.

PROVIDENCE, R.I., U.S.A. WESTERN DESCO, 225 WEST BANGOLEH SELENICAGO. HE.

"Put It Together With Screws"

FLYING WITH A TEST PILOT

(Continued from page 136)

ten, or twenty pounds. They are strapped or wired in place securely so they cannot break loose. When Crosswell tested the huge "Condor," he carried 3,000 pounds of birdshot as ballast.

Sand was used in place of birdshot a few years ago when Thomas Carroll, famous test pilot of Langley Field, Virginia, was carrying on experiments with ailerons. He attached two sand boxes to the wing tips of his machine so arranged that he could release their contents at will. In the air, he could let the sand run out of one box and then measure the pressure on the stick required to hold up the weighted wing with the ailerons.

ONCE, he took off in a midwinter test and at 5,000 feet let out the sand in one box. When he finished his tests, he jerked the trip to let out the sand that was pulling down the other wing. The trip worked but the sand stayed in the box. It had been slightly damp and had frozen solid. Carroll couldn't land with the weight on the wing because as soon as the speed dropped off in coming to earth the ailerons would no longer be able to keep the dragging wing up. For five minutes he dove, waggled the stick, and rocked the wings, trying to shake the frozen chunks loose before he succeeded.

Another unusual experiment with ballast was carried on by Lieut. Harry Sutton, a young Army flyer at Wright Field, Dayton, Ohio. Sutton made more than 3,000 tail spins seeking to learn their secrets and rob them of their menace. He placed a cylindrical can of BB shot at the rear of his plane arranged so its contents could be released through a trapdoor in the fuselage if necessary. Day after day more shot was added while Sutton went up and spun the plane with its increasing load.

Each time, as the center of gravity moved more and more to the rear, the ship proved harder to bring out of the spin. Finally Sutton reached a point where it kept spinning until he dumped the load—when only 1,000 feet from the ground. Such tests are far from dare-devil stunts. They are cold-blooded investigations that teach the engineers how to make the air lanes safer for everyone.

In SPIN tests, ballast takes the place of an observer, always. One life is enough to endanger in these gyrating plunges in a ship out of control. The Department of Commerce requires that every plane it licenses shall demonstrate that after a spin of six complete turns, it will come out in one and a half turns after the controls have been neutralized. If the plane won't do that, it is reëngineered until it will. With the ground blurring past the nose of the machine at dizzying speed, it is difficult for the pilot to keep track of the turns in a spin. Usually he picks out some prominent landmark, easily seen from the cockpit, counting the number of times it goes by. In one test, a few months ago, Crosswell purposely spun down for 5,000 feet, making twenty-three complete turns before coming out. average plane spins about five turns in a thousand-foot drop.

When giving a new ship a spin test, the pilot notes particularly any unusual pressures on the control stick, any bobbing of the nose, or any tendency of the nose to rise into the dreaded flat spin, the type most difficult to recover from.

Because a trained engineer can tell most from such first-hand observation, the majority of test pilots have engineering background. More technical knowledge is required for such work than for other types of flying, for the test pilot is often relied upon to aid the designer in "ironing out the engineering bugs" that sometimes appear in a new plane. His work supplements the wind tunnel tests which are the basis of modern aircraft construction. Because of the small scale wind tunnel models, errors may creep in. At Langley Field, the huge tunnel is equipped to use air compressed to twenty times that of the ordinary atmosphere. The effect is the same as increasing the size of the models tested.

While we had been making the stability tests, the Falcon had descended to 3,000 feet. As we came in for a landing, a red sport plane from Roosevelt Field crossed our path a thousand feet below, trailing its shadow on the ground. In the hangar, after the flight, Crosswell explained some of the other rigid tests that a new type of ship must undergo. His voice, and all ordinary sounds, seemed faint and far-away to my ears, deafened by the roar of the big Conqueror.

Besides the tests which we had made, the pilot must find out the stalling speed of his plane with the motor off and also with the engine on full and the ship pointed up until it is "hanging by its prop" in the sky. He must discover the lowest possible landing and take-off speed, the shortest run required for landing and taking off, and the performance of the plane with different loads. When he finishes, he writes a letter to the chief engineer of the company making the plane, giving all the data he has collected during the tests. One pilot carries out the tests from beginning to end.

Sometimes there are special requirements that have to be met before a plane is accepted by a customer. Last spring, a high-speed, two-place observation ship, the "Hell Diver," was built for the U. S. Navy by the Curtiss company. The contract stipulated that it must be capable of making a vertical dive of 10,000 feet. Some people thought that such a dive would wash off the wings. It was up to Crosswell to prove that it wouldn't.

He climbed to 17,000 feet above Anacostia Field, near Washington, D. C. Then he hurled the bullet-nosed "Hell Diver," with engine roaring, into a perpendicular plunge aimed directly at the tiny air field straight below.

"ANACOSTIA field wasn't any larger than a postage stamp when I started," he told me, "but it spread all over the map as I dove."

At the end of 1,500 feet, the ship was traveling between 200 and 300 miles an hour. It was moving faster than the propeller could pull it and he had to shut off the racing engine. In less than thirty seconds, he had rocketed down through 10,000 feet of space. When he began to level off, terrific centrifugal force jammed him down in his seat as though he tipped the scales at six times his actual weight. A too sudden halting of the plunge would have driven the blood down from the pilot's head, "knocking him out."

The work of a test pilot is packed with swift-moving adventures. But they are the kind of adventures that have practical value, that teach aeronautical engineers to make better planes, that contribute largely to increasing the safety of those who travel by



The only course in Radio sponsored by RCA

LET THIS SHORT-CUT HELP YOU INTO

SUCCESS in BAIDIO



HOUSANDS of men are making good money at Radio—and so can you!

Commercial training is all you need to give you the professional confidence and ability. You can secure this training in your spare time...through a marvelous home-laboratory course sponsored by the Radio Corporation of America. Our big FREE Radio book tells all about it.

Round out your knowledge with this home-laboratory training

Put the finishing touch to your Radio experience. Get the "How" as well as the "Why" of Radio with this commercial training. Only an hour or so a day—in spare time—is all you need. As part of your course, you receive absolutely free of extra charge—a magnificent outlay of fine apparatus. With this outfit you learn to build fine sets and solve the radio problems that bring good pay. You acquire not only the ability but the confidence to succeed in a real commercial way.

Training backed by Radio Corporation of America

Our graduates are in demand everywhere. They enjoy greater success because they're posted right up-to-the-minute in everything in Radio. Radio's progress each year is measured by the accomplishment of the great engineers at work in the research laboratories of Radio Corporation of America. This Radio organization sets the standards for the industry.

Money back if not satisfied

The lessons prepare you for success in all phases of Radio—manufacturing, servicing, selling, ship and shore broadcasting and all types of Radio equipment. A signed agreement backed by RCA assures you of complete satisfaction upon completion of the training—or your money will be promptly refunded.

Read this thrilling free book

It may mean the turning point in your life. It gives you the real "dope" about Radio and it describes in detail the famous training that has enabled us to place thousands of our students in fine positions, usually from 3 to 10 days after graduation! It tells in 40 fascinating pages and photos all about Radio's brilliant opportunities for adventure and success. Mail the coupon now—the book is absolutely free! RCA Institutes, Inc., 75 Varick Street, New York, N. Y.



INSTITUTES

RCA INSTITUTES, Inc., Dept. EXP-10 75 Varick Street, New York, N. Y.

Gentlemen: Please send me your big free 40-page book which tells about the great opportunities in radio and about your famous laboratory method of radio instruction at home.

Name

Addres

INC

(A Division of Radio Corporation of America)



Former Plasterer Now Earning \$12,000 a Year

"When I enrolled with the International Correspondence Schools, I was a plasterer and I didn't know a thing about blueprints. Today I have my own contracting business and I am able to figure the most difficult jobs and exe-cute them to the satisfaction of everyone con-cerned. My income is between \$12.000 and \$15,000 a year. It certainly was a lucky day for me when I sent in that I.C. S. coupun."

That's a true story of what just one student of the International Correspondence Schools has done. Every mall brings letters from other ambitious men and women telling of promotions and increases in salary due directly to spare-time study.

One hour a day spent with I. C. S., in the quiet of your own home, will prepare you for success in the work you like hest.

work you like hest.

Mail coupon for Free Booklet

INTERNATIONAL CORRESPONDENCE SCHOOLS
"The Universal University"

Box 7675-F, Scranton, Penna.
Without cost or obligation, please send me a copy of
your booklet, "Who Wins and Why." and full particulars
about the subject before which I have marked X:

TECHNICAL AND INDUSTRIAL COURSES Bridge Engineer Automobile Work Plumbing Steam Heating Ventila Senitary Engineer Sheet Metal Worker Steam Engineer

Architect Architect
Architectural Draftsman
Building Estimating
Wood Millworking
Concrete Builder
Contractor and Builder
Structural Draftsman Marine Engine
Refrigeration
R. R. Lecomotives
Air Brakes
Air Brakes
Texain Operation Structural Engineer Electrical Engineer
Electric Wiring
Electric Lighting
Welding, Electric and Gas
Telegraph Engineer
Telegraph Engineer
Mechanical Engineer
Mechanical Draftsman
Priternmaker | Marbinist
Ecading Shop Blueprints
Civil Engineer
Highway Engineering
Surveying and Mapping
Gas Engines
Aviation Engines
Aviation Engines
BUSINESS TRAI

BUSINESS TRAINING COURSES

Business Management
Industrial Management
Personnel Management
Traffic Management
Accountancy
Cost Accountant
C. P. Accountant
Bookkeeping
Secretarial Work
Spanish

Spanish Prench

| Air Brakes | Train Operation | R. R. Section Foreman | R. R. Seidge and Building Foreman | Chemistry | Pharmacy | Coal Mining Engineer | Navigation | Lectoritains Agriculture
Textile Overseer or Supt.
Cotton Manufacturing
Weoles Manufacturing
Fruit Growing Badio
Poultry Farming Business Correspondence Lettering Show Cards Stenography and Torris

Automobile Work
Plumbing Steam Fitting
Heating Ventilation

Steam Engineer Marine Engineer

Advertising	Lumber Dealer
Name	
Street Address	
City	

If you reside in Canada, send this coupon to the International Correspondence Schools Canadian, Limited, Montreal, Canada

How To Secure A Government Position

Why werry about strikes, layoffs, hard times Get a Government job! Increased salaries, steady work, travel, good pay. I'll help you become a Custom House Clerk, Railway Poetsi Gerk, Poet Office Clerk, City Mail Carrier, Rural Carrier-or get into any other Government job you want. I was a Secretary Examiner of Civil Service Commission for Syears, Have being the thintands. Railway Postal Clerk examination coming.

Now FREE My 32-page book tells about the jobs open-and how I can help you get ase. Send the coupon for your copy TODAY.

A. R. PATTERSON, Civil Service Expert. PATTERSON SCHOOL, 1610 Wisner Bidg., Rochester, N. Y. Please send me, without obligation, your free book, "How to Secure a Government Position."

Name..... Address.....

ODD RULES HAMPER OUR CARS ABROAD

(Continued from page 41)

piled up against the upstream side of the body and poured over into the driver's compartment, drenching him to the waist, Finally, he hit upon the plan of tying both front doors open. After that, the current roared through his compartment and only his feet and ankles got wet.

After a car is sold, delivering it frequently presents additional problems. A few years ago, a buyer asked to have a machine delivered to him on a high plateau of the Andes Mountains in Peru. There was a good road on the plateau although nothing but llama trails led up the steep sides of the mountains. The only way the automobile could be transported to the plateau was by taking it to pieces and packing it up the winding trails on the backs of the llamas.

Deliveries in certain sections of India cannot be made on Tuesdays or Saturdays. According to the Hindu Calendar, these are inauspicious days for business deals and customers refuse to accept cars then. The time of day at which a new automobile is accepted is also given careful consideration. A certain hour is referred to in the Calendar as "The Poisonous Hour" when no selling, giving, or bargaining is to take place.

NE Hindu custom has given the auto salesmen a talking point which they have not been slow in using. This is the common practice of marrying in a neighboring village. This results in a great deal of inter-family travel and much of it is now done by automobile.

Religious pilgrimages also help the sale of moderate-priced cars in India. Nearly a million worshippers each year go to Benares, the sacred city of the Hindus, many of them going by motor car.

Will the adding of an accessory, popular in America, help the sale of a car in a foreign land? That is a question the manufacturer must ask himself. He is never quite sure. For instance, a year or two ago a shipment of American cars reached Bolivia, in South America, each of which had been equipped with a shiny new electric cigarette lighter. The maker expected them to attract favorable comment. They attracted comment, but not the kind desired.

The purchasers found they could not run their automobiles without paying a special tax on cigarette lighters. The Bolivian government operates a monopoly upon matches and has passed a law making it illegal to use a cigarette lighter without paying a tax.

When American manufacturers began invading foreign markets with their motor trucks, they ran into several unexpected objections to their use.

In Spain, when the drivers of horse-drawn drays had to begin operating motor trucks they protested violently. It seems that they had been in the habit of climbing to the tops of their loads, on night hauls, and taking cat naps. The horses knew the road and needed no guidance. But gasoline trucks wouldn't steer themselves, and the drivers had to stay awake.

WHEN the trucks were sent to Calcutta, India, they had to compete with "human dray horses," husky native porters who carried immense loads on their backs and worked for ten cents a day. With such competition, the dealers had a hard time introducing their large machines.

In many countries drivers must keep to the left-hand side of the road instead of the right. Consequently, the machines are required to have the steering wheel on the right side and American cars sold in these countries are so equipped,

Other traffic rules sometimes affect the sale of motor cars abroad. In Copenhagen, Denmark, and in Amsterdam, Holland, workmen almost universally ride bicycles to work. This bicycle traffic is so heavy that certain streets are closed to auto travel during the morning, noon, and evening rush hours to give the two-wheeled vehicles complete right

One of the strangest traffic regulations is in effect at DirValley, near Stavanger, Norway. A single narrow road winds up the mountainside. All morning, the one-way traffic is up and all afternoon it is down.

'HE superstitions of the people have much I to do with regulating traffic in India. For instance, it is considered unlucky to travel west on Friday or Saturday, east on Monday or Saturday, north on Tuesday or Wednesday, and south on Thursday. It is held that a traveler who sets out on a journey on Tuesday will have his house burn down or will be robbed by thieves while he is away. If he leaves on Saturday, the same misfortunes are likely to befall him. If he begins his trip on Sunday, he is sure to fall sick on the way. Only Wednesday and Friday are considered propitious days for starting a journey. Consequently, most of the traveling is done then.

In South Africa, many highways are toll roads with gates at such frequent intervals that it is customary to carry a servant to open them. Hence, it is frequently necessary to provide some sort of separate compartment for this servant in order to sell American-made cars in this part of the world.

In other countries, where women are required by custom to be screened from sight when they travel abroad, special curtains must be installed as part of the regular equipment of motor cars.

Improvements in automobiles accepted in America are not always appreciated in foreign lands. Several years ago, when headlights which diffuse the illumination were introduced in place of the glaring lamps that had been used heretofore, the salesmen in foreign countries found there was no demand for them. The car with the brightest headlights sold the best. No matter how carefully the factory engineers focus the lights down to the road and devise ingenious arrangements of bulbs, reflectors, and lenses, owners in some countries will turn these lamps upward until they glare directly into the eyes of other drivers. The theory is that the man with the brightest lights will see best and salesmen for American-made cars have been unable to convince these foreign buyers that the rule does not hold good.

OT long ago, a globe-trotter who has traveled more than a million miles over the surface of the earth returned from a trip around the world with this comment:

"Travel in far-off countries is just one automobile after another. Gone are the stately, stiff-legged camels, the ponderous elephants, the lonely caravans. There's a filling station at every oasis in the Sahara and from Rangoon to Mandalay the road is lined with signs reading: 'We Fix Flats'."

In bringing about this dramatic change in world travel conditions, American manufacturers have played a leading part. And in introducing their machines into the far corners of the globe they have met and untangled a host of unusual and unexpected problems.



HOTELS, restaurants, clubs, apartment hotels, hospitals, institutions, schools etc., need trained men, Salaries to start up to \$3,500 a year, with living usually included. Over 70,000 positions as Manager, Assistant Manager, Steward, etc., paying \$2,500 to \$10,000, open every year in hotels of U. S. alone f Almost \$2,000,000,000 worth of new hotels, apartment hotels, clubs and institutions built this year will need 200,000 trained men.

Previous Experience Unnecessary

You can have one of these big-pay positions; Fascinating work meals and luxurious apartment usually furnished FREE.

We train you with the Lewis Simplified Spare-time Study Plan, and put you in touch with big opportunities. National Employment Bureau Free of extra charge. Free Book, "YOUR BIG OPPORTUNITY," gives full details and explains our Money Back Agreement, Send for its National Control of the State and explains our Money Back Agreement. Send for it

Lewis Hotel Training Schools, Room CS-2788, Washington, D. C. Send me, without obligation, the Free Book "YOUR BIG OPPORTUNITY."

Address City State



Men and Womer

make up to \$6 a n d \$8 in an bour, full or spare time. Big, worthwhile com-

missions on every

sale. Exclusive Territories. Send quick for Free Test Offer.

New Kind Of

Works Likes Magic!

At last, an automatic, simple little can opening machine for the home. This revolutionary invention in only a few short months has banished old can openers from over 100,000 kitchens. And no wonder! Imagine an amazing, lifetime device that holds the can and cuts out the top, leaving can rim slick, smooth and clean, Just turn a crank, that's all. Approved by Good Housekeeping Inst., Modern Priscilla, etc. Write today for special introductory advertising offer. CENTRAL STATES MFG. CO.

CENTRAL STATES MFG. CO. Bept. M-844, 4500 Mary Ave., St. Leuis, Ms.

100% Improvement Guaranteed

Send today for free Voice Book telling about amazing New SILENT Method of Voice Training Increase your range, your tene qualities. Earlish business and boarseness. Learn to sing with greater case. 100 6/o improvement guaranteed—or money back. Write today for free booklet—one of the greatest booklets on voice training ever written.

PERFECT VOICE INSTITUTE, Dept. 13-67
1922 Sunnyside Ave., Chicago

Government Positions

Clerk Carriers, Rural Carriers, Railway Mail Clerks, Postmasters, Department Clerks, and many others. Splendid salaries, easy work, vacation with pay. Only common school education required. Examinations often. 44,817 appointed last year, Send for our Civil Service Catalog No. 7.

COLLEGE, Washington, D. C. Washington, D. C.

CAMP WIRITE



-25

Substantial Advance Royalties are paid on work found acceptable for publication. Anyone wishing to write either the words or music for songs may submit work for free examination and advice. Pastexperience unnecessary. New demand created by "Talking Pictures", fully described in our free book. Write for it Today—Newcomer Associates 758 Earle Building, New York, N. Y.

BoubeD TREMENDOUS DEMAND

Responsible Mf'r Guarantees New Shirts for every

me that Shrinks or Fades. Selling like Wildfire. Siggest Profits! Complete line includes Neckvear, Hosiery, Underwear and Jackets. Write BONDED SHIRT COMPANY

81 FIFTH AVE., NEW YORK

WRITE TO-DAY FOR FREE SAMPLE

RADIO NOW WALKS, RIDES, AND FLIES

(Continued from page 27)

to the man carrying it on his chest. The microphone is a close-talking one padded in back and mounted in a small leather case. Fastened to this is a leather strap with buckle, enabling the wandering or flying broadcaster to strap the device around his head.

Columbia's thirty-five-pounder is designed mainly along the same lines. It is a fivewatt transmitter used at half power. Ted Husing uses a "roving mike" of his own design, which may be carried in the hand or fastened to shoulder holsters when the announcer needs his hands to hold notes or field glasses. Both the N. B. C. and Columbia pygmy transmitters are used with wire anten-

THE reason for the difference in weight and power between the two is that the N. B. C. outfit, lighter by eleven pounds, was designed originally to broadcast the sensations of a parachute jumper while descending, while the Columbia unit was made especially to broadcast sports reports. N. B. C. has used its tiny transmitter for a year, and Columbia's has been in service seven months.

The various types of short-wave transmitters are operated on wave lengths ranging from 125 to 200 meters which, of course, is just below the regular broadcast band.

If the short-wave program is broadcast from a remote place, no matter by what variety of portable transmitter, temporary short-wave receivers and field amplifiers are set up at points easily connected with telephone wires. These receivers function just as your receiving set at home does, except that the sound impulses are fed into a wire line instead of into a loudspeaker.

Converted from radio into audio frequency, they are carried by wire to the nearest network control point, say New York City. There the sound again is amplified and sent by wire to the power transmitters at the regular broadcasting stations, which put it on the air on the longer broadcast wave.

For the reception of short-wave programs broadcast in or near New York City, N. B. C. recently established a special short-wave receiving station at Woodridge, N. J. The principal reason for this was that N. B. C., taking another leaf from the news movie companies, now has a broadcast truck, the latest development in short-wave transmission. This is a broadcasting station on wheels that can be rushed at a moment's notice to the scene of an important news event

THE obvious advantage of the permanent short-wave receiving station is that it eliminates the delay of setting up temporary receivers and wire lines. It was established outside of New York City because the steel buildings, elevated railroads, elevators, and other machinery there were found to interfere greatly with short-wave reception.

N. B. C.'s rolling station is set up on a oneton truck, equipped with unusually heavy tires and special shock absorbers to minimize vibrations, as well as with shielded spark plugs to prevent interference from that quarter. It is provided with a one-half-inch copper pipe antenna mounted permanently on the roof. This antenna is so constructed and insulated as to give the maximum radiation efficiency with the truck in motion.

An opening in the roof is large enough to admit the head and shoulders of the announcer, who thus can see in any direction and hear without leaving the vehicle. The microphones are portable, and the leads range from fifty to 1,000 feet in length, so that the announcers (Continued on page 142)



In the Great Shops of

Don't spend your life slaving away in some dull, hopeless job! Don't be satisfied to work for a mere \$20 or \$30 a week. Let me show you how to make REAL MONEY in RADIO-THE FASTEST-GROWING, BIGGEST MONEY-MAKING GAME ON EARTH!

Thousands of Jobs Paying \$60 to \$200a Week

Jobs as Designer, Inspector and Tester, paying \$3,000 to \$10,000 a year—as Radio Salesman and in Service and Installation work, at \$45 to \$100 a week—as Operator or Manager of a Broadcasting Station, at \$1,800 to \$5,000 a year—as Wireless Operator on a Ship or Airplane, as a Talking Picture or Sound Expert—THOUSANDS of JOBS PAYING \$60,\$70 and on up to \$200 a week!

No Books -- No Lessons All Actual Work

Coyne is NOT a Correspondence School. We don't attempt to teach you from books or lessons. We teach you by ACTUAL WORK on the greatest outlay of Radio. Broadcasting, Television, Talking Picture and Code Practice equipment in any school. And because we cut out useless theory, you graduate as a Practical Radio Expert in 8 weeks' time.

TELEVISION Is on the Way!

And now Television is on the way! Soon there'll be a demand for THOUSANDS of TELEVISION EXPERTS! Theman who gets in on the ground-floor of Television can make a FORTUNE in this new field! Learn Tele-vision at COYNE on the very latest JEN-KINS Television equipment.

Talking Pictures A Big Field

Talking Pictures, and Public Address Systems offer thousands of golden opportunities to the Trained Radio Man. Learn at COYNE on actual Talking Picture and Sound Reproduction equipment.

Earn As You Learn

Don't worry about a job! You get Free Employment Service for Life. And if you need part-time work while at school to help pay expenses, we'll help you get it. Coyne is 31 years old. Coyne Training is tested—You can find out everything absolutely MAIL the Coupon for My BIG FREE BOOK.

H. C. LEWIS, President	
Radio Division, Coyne	Electrical School
500 S. Paulina St., Dep	t. 70-28, Chicago, Ill.

Send me your Big Free Radio Book and all details of your Special Introductory Offer. This does not obligate me in any way.

City..... State.....

ATENTS SECURED TRADE-MARKS REGISTERED

High-class professional service for Inventors and Trade-Mark Users is necessary for PROPER PROTECTION. We Offer you our facilities on Reasonable Terms. If you have an invention send us a model or sketch and description and we will give you our OPINION whether your invention comes within the provisions of the Patent Laws. Our book, "HOW TO GET YOUR PATENT" and Record of Invention Certificate sent on request. DELAYS are DANGEROUS in Patent Matters.

WE ASSIST OUR CLIENTS TO SELL THEIR PATENTS
TERMS REASONABLE
BEST REFERENCES

-----WRITE TODAY-----

RANDOLPH & COMPANY, Patent Attorneys

Dept. 130 Washington, D. C.

TO THE MAN WITH AN IDEA

PATENTS Procured, Trade-Marks Registered.

—A comprehensive, experienced, prompt service for the protection and development of your ideas. Preliminary advice gladly furnished without charge, Booklet of information and form for disclosing idea free on request.

IRVING L. McCATHRAN PATENT LAWYER

Formerly with and successor to Richard B. Owen

705 International Bldg., Washington, D. C. 41-D, Park Row, New York City



PATENTS

As one of the oldest patent firms in America we give inventors at lowest consistent charge, a service noted for results, evidenced by many will known Patents of extraordinary value, Book, Patent-Se.ae, free, Lacey & Lacey & Lacey . Street, N. W. Dept. 19 Weshington, D. C. Established 1869

New Kind of Proposition Lets You Make Money While You Sleep

No "selling"-no "capyassing"-customers come to you. Just turn on a switch and go to bed. Can make \$50 switch and go to bed. Can make \$50 in a week in spare time. Processel, Ill., has built a full time business paying up to \$150 a week. Operate at home—in basement, spare room, garage or barn. Chicago engineer has amazing way to charge auto and radio batteries for a few cents each you can do tremendous business



C. F. HOLMES

among motorists and garages. Can make 90c profit on a battery—up to 1500% clear. Generous new offer puts you into this quick-money, rapidly growing battery charging business on our credit. We trust you for machine—pay us out of profits. Full or spare time.

WRITE FOR WRITE quick to C. F. Holmes, Chief Engineer, Dept. 1367, Independent Electric FREE BOOK Works, 4912 N. Clark St., Chicago, Ill.

UNPATENTED IDEAS CAN BE SOLD

I tell you how and help you make the sale Free particulars. (Copyrighted)

Write W. T. Greene

921 Barrister Bldg.

Washington, D. C.

PATENTS

Train Marks, Copyrights, Patent Litigation Handbook with illustrations, 100 mechanical movements. Sent free on request-

ALBERT E. DIETERICH

Successor to Fred G. Dieterich & Co.
formerly member Examining Corps U. S. Patent Office
REGISTERED
PATENT LAWYER and SOLICITOR
681-A Ouray Building
30 Years' Experience Washington, D. C.

INVENTIONS Sold Promptly

under Chartered Plan; patented or unpatented. Booklet free. Write today.

Chartered Institute of American Inventors 635 F Street, N. W. Washington, D. C.

A definite program for getting ahead financially will be found on page four of this issue.

TRAVEL ON "Uncle Sam's" Payroll

RAILWAY POSTAL CLERKS MAIL CARRIERS

\$1700 to \$3000 Year

SHOULD MAIL COUPON IMMEDIATELY MEN-BOYS, 17 UP

Steady Work. Paid Vacations. No Layoffs.



Address

RADIO NOW WALKS, RIDES, AND FLIES

(Cantinued from page 141)

may carry the mikes as near the scene to be described as necessary. The truck is manned by two announcers, two engineers, and a driver.

The first, and thus far the only time, the mobile station was used was in Admiral Byrd's parade of welcome in New York City in June. It still is in the early experimental stage. Its fifty-watt short-wave transmitter weighs more than 1,000 pounds, including batteries and amplifiers. N. B. C. engineers are trying to reduce this weight to a point where the transmitter may be lifted quickly and easily from the truck and loaded onto a boat, train, or airplane.

To enable studio officials to keep in constant touch with the announcers aboard, a short-wave receiver, tuned to a transmitter at the Woodridge, N. J., station, was also installed. Thus the truck is a combination broadcasting station, studio, and receiving

station on wheels.

Broadcasting programs by short-wave transmission is comparatively new. The first time N. B. C.'s 300-pound portable was brought into play-which, incidentally, also was the first time a radio program was broadcast from a plane-was on Washington's Birthday, 1929. Burke Miller, N. B. C.'s director of special events, had conceived a stunt, known as "Over and under New York in One Hour."

ESLIE JOY, announcer, was to fly in circles over the city for twenty minutes, describing its appearance from a height of 1,500 feet. He then was to land at Newark, N. J., airport, rush in an automobile under police escort to an excavation at Canal street and the Hudson River, New York, where construction of a tunnel under the river was in progress, descend sixty-six feet and walk out into the tunnel for a distance of forty feet and again describe what he saw. The idea was to give a bird's-eye and groundhog's view of the city within one hour.

On this occasion of short-wave broadcasting's debut, trouble, its almost inseparable companion, was in top form. Here is how Miller, who accompanied Joy, told me

what happened:

"We had guaranteed that, if the studio would give a 'fill-in' musical program while we were speeding from airport to tunnel, we would make it in twenty-two minutes. We had been promised police escorts from Hudson and Essex counties, N. J., and New York City. The Jersey police met us on time, but they couldn't help that the drawbridge over the Hackensack River was opened, which delayed us three minutes.

O'N THE New York side, the police missed us, so we didn't arrive at the top of the excavation until twenty-seven minutes after landing in Newark. When we didn't appear on the dot, our relief announcer at the tunnel stepped into the equalization chamber maintained at such jobs to provide a transition between normal air pressure and the high pressure below. Just as we drove up, the door of the chamber clanged shut, not to be reopened for twenty minutes, The portable in the plane worked like a charm, but the radio audience got the ground-bog's view through another voice.'

Short-wave next played a spectacular part at President Hoover's inauguration. A shortwave transmitter, tuned to a receiver at WRC, National Broadcasting Company's regular station in Washington and a shortwave receiver tuned to a transmitter at WRC, were placed aboard an Army plane flying over the capital.

In addition. (Continued on page 143)



AMERICAN SCHOOL, Dept. FI-748 Drexel Avenue and 58th St., Chicago

Send me full information on the subject checked and how you will help me win success in that line.

....ArchitectBuilding ContractorAutomobile EngineerCivil Engineer
....Structural Engineer
....Business Manager
....C. P. A. & Auditor
....Bookkeeper

....Electrical EngineerGeneral Education

Lawyer

Mach. Shop Practice

Mechanical Engineer


Steam Engineer

Dreftsman & Designer High School Graduate

Name......Age....

Let Slamming

Amazing invention that ends all traditive, among and and expense of the time of the continuing closes and beings fortunes to appears. Just one look at this elever device and the safe in made. Easily installed in a few minutes with last a screw driver at item easily he ajusted to close any deep at any appeal by training a handy little screw at the top of the check. Raves for every begines of commons loss through breaking state and wasted feet. Every office, factory, close, institution, or public beining facets and for every door, forceds one for every door, door,



Entirely New Principle—Works in Oil
Kant-Slam is different from any other door control. It's
not pneumatic, but is built on new oil principle. It's
sentrols door like human hand. Gives
lifetime service without adjustments.
Always efficient in any weather.
Low in Price
Kant-Slam is neat.
compact, light in agents a fullweight and is lowest priced control

Entirely New Principle—Works in Oil
Clever
Demonstrator
Offered FREE
We furnish
agents a fullincomment of a mounted of a

est priced control ever offered with a factory guarantee.

factory guarantee.

Pays big commission that makes agents \$15 a day and more. easily just showing it.

size sample mounted on a light weight easy-lo-carry miniature door. Makes sales in a few minutes. Write for Free Offer

Dept. G-10

KANT-SLAM DOOR CHECK CO. Bloomfield, Ind.

STUDY AT HOME Legally trained men win high possitions and big success in business and public life. Be independent, Greater opportunities new than ter before. Big corpertions are aded to seen with logal training. Earn \$5,000 to \$10,000 Annually

We guide you step by step. You can train at home dur-ing epare time. Degree of 11. B. conferred. Success-ful graduates in every section of the United States. We furnish all test material, including further-volutine Low Liberry, Low cost, easy terms. Get our valuable 64-page "Law Guide" and "Evidence" books FREE. Send for them NOW.

LaSalle Extension University, Dept. 1083-L. Chicago The World's Largest Business Training Institution

Patented or unpatented. If you have an idea for sale, write HARTLEY'S Inc., Box 928-D. Bangor, Maine.

A definite program for getting ahead financially will be found on page four of this issue.

RADIO NOW WALKS, RIDES, AND FLIES

(Continued from page 142)

five announcers were stationed at as many points on the ground, each of them linked by wire line to WRC. When the ground announcers spoke, their voices were heard, via WRC, by the radio audience and by the announcer in his plane. When the latter spoke, his voice was broadcast by WRC to the radio listeners, the five ground announcers, and back to himself. This was the first time a man in the air carried on a conversation with his associates on the ground, hearing himself talk by radio in the bargain!

Even more remarkable, from a radio engineering standpoint, was the broadcast of the recent Presidential review of the Atlantic Fleet off Hampton Roads, Va. In this broadcast listeners heard announcers speak from the top of a hotel at Virginia Beach, from the Navy dirigible Los Angeles, and from the cruiser Salt Lake City.

THE dirigible carried a short-wave receiver, a long-wave receiver, and a seven and one-half watt short-wave transmitter. On the Salt Lake City was a fifty-watt shortwave transmitter and a long-wave and a short-wave receiver. On top of the hotel at Virginia Beach, the control point for the broadcast, were two short-wave receivers and a short-wave transmitter. From a mixing panel at the control point, a wire line took the program to National Broadcasting Company headquarters in New York and thence to transmitters of WJZ, WEAF, and the network.


Here is what actually happened: Miller, who was in charge, was at a microphone on top of the hotel. He called George Hicks, announcer aboard the Los Angeles, and James Wallington, announcer aboard the Salt Lake City. Listeners heard him call and heard Hicks and Wallington answer. But in order to speak to the announcers fifty miles away, Miller's voice traveled to New York and then came back by radio from WJZ and WEAF to be picked up by the announcers afloat and in the air.

When Hicks spoke his voice went by short waves to the receiver at Virginia Beach and then on to New York. Wallington's voice traveled the same route, but when Hicks heard Wallington, or vice versa, their voices went first by short-wave to shore, then by wire to New York and to the WJZ and WEAF transmitters and then back by radio.

Difficulties were many in connection with the broadcast of the Byrd reception. Not until two days before did anyone know whether the parade would end at the New York City Hall or proceed further uptown. For two months previously, National Broadcasting engineers had been making tests to find in what zone between Battery Park and Fifth Avenue at Sixty-sixth street, wherethe reviewing stand usually is set up, they could best depend on the new mobile transmitter.

THEY found, for example, that the can-I yon of lower Broadway was poorest because of its towering steel structures. On the other hand, upper Fifth Avenue, which is much wider and has lower buildings, proved to possess acceptable quality. Because of interference, the receivers had to be set up directly on the line of march. Seven of them were established along the entire route. But the engineers saw that, at all of these points, ordinary antennas for reception would not do. They decided that, to "get" the truck, antennas had to be strung across the street. Permission to do this was asked and obtained from the police and the owners (Continued on page 144) and tenants.

The Man with Grasshopper Mind"



OU know this man as well as you know YOURSELF. His mind nibbles at EVERYTHING and masters NOTHING. He always takes up the EASIEST thing first, puts it down when it gets HARD, and starts something else. JUMPS from ONE THING TO ANOTHER all the time!

There are thousands of these PEOPLE WITH GRASSHOPPER MINDS in the world and they do the world's MOST TIRE-SOME TASKS-get but a PITTANCE for their work.

If—YOU have a "Grasshopper mind" you know that this is TRUE—and WHY. Even the BLAZING SUN can't burn a hole in a little piece of TISSUE PAPER unless its rays are concentrated ON ONE SPOTS

Yet you KNOW you have intelligence and ability, WHAT'S holding you back? Just one fact—one SCIENTIFIC fact—PROVEN and stated by the world's foremost scientists and psychologists. You are using only ONE-TENTH of your real BRAIN-POWER! The mind is like a muscle. It grows in power through exercise and use. It weakens and deteriorates with idleness. Increase your BRAIN POWER and you will increase your EARNING POWER.

But HOW? Spend 2c for a postage stamp, Send the coupon below for a copy of "Scientific Mind Training.

This little book will tell you the secret of selfconfidence, of a strong will, of a powerful memory, of unflagging concentration, of keen imagination-showing you how to banish negative qualities like forgetfulness, brain fag, mind wandering, lack of system, procrastination, indecision, self-consciousness, lack of ideas, timidity.

Men like Edgar Wallace, T. B. O'Connor, Prince Charles of Sweden, Frank P. Walsh, former Lieutenant Governor Lunn of New York, and hundreds of others equally famous, praise the simple method of increasing brain power described in this free book about Pelmanism. It has helped over 700,000 OTHERS during the past 25 years!

You have only TWO CENTS to lose by writing for your copy. You man GAIN thousands of dollars, peace of mind, happiness, independence! Don't wait, Mail the coupon NOW.

THE PELMAN INSTITUTE OF AMERICA

Suite O-1809, 71 West 45th Street, New York City

The Pelman Institute of America Suite O-1809, 71 West 45th Street New York City

Please send me without obligation your free booklet. "Scientific Mind Training," This does not place me under any obligation and no salesman is to call on me.

Na	me			
Ad	dress,	(11) Marris		
Ch	F		State	



"Pleasantly Surprised" at starting salary

Writes James Gebhart, of 5134 Camden St., Oakland, Calif. "I report for work tomorrow morning in the Drafting room of Thebo, Start and Anderton, engineering firm in Frisco. I was pleasantly surprised at the starting salary, which is \$150 per month."

Compare that with \$110 a month Gebhart earned when he came to us and it's easy to see that a year's training which cost him \$72 has already increased his earning capacity \$480

Gebhart used to be a truck driver. Not much future to that. Now, as architectural draftsman-he has a wonderful future ahead of him. And Gebhart is just one of THOUSANDS of men that have found American School courses a good investment. Why don't you find out what we can do for you?

---American School---

Dept. G-748 Drexel Ave. and 58th St., Chicago, Ill.



Without cost or obligation please tell me how I can win a better position and increased pay in line marked X below. Also ex-plain your employment plan.

BUILDING CONSTRUCTION

Architecture
Building Contracting
DRAFTING and DESIGN
Machine Drafting and Design
Architectural Drafting
Electrical Drafting
Structural Drafting

Automotive Drafting
Mechanical Drawing for beginners
ENGINEERING

Automotive Engineering
Machine Shop
Practice Mechanical Engineering Civil Engineering
Electrical Engineering BUSINESS

Accounting, Auditing
Business Management (Finance, Sales, Production, Accounting)
HIGH SCHOOL IN 2 YEARS

Name

Occupation

ENGINEERING-ELECTRICITY

ARCHITECTURE

District A Print A Prin

fields alone. Train here in Chicago, America's industrial center. 1, 2 and 3 year courses. Diplomas and B. S. Degrees. Special 4 month's practical courses in Drafting. Other short courses. Earn while you learn. Enter any time. Day and evening classes. No time wasted. Free Employment Bureau. Low tuition—easy terms. Athletics. Successful graduates everywhere. Free 80-page "Blue Book." Address the President, Chicago Technical College, Dept. N-83 118 East 26th Street, Chicago, III.

RADIO NOW WALKS, RIDES. AND FLIES

(Continued from page 143)

Then what happened? Just two days ahead of the show, it was decided the parade was to march only as far as City Hall, This knocked out five of the seven receivers. And the truck was used for a distance of only four blocks!

ADMIRAL BYRD and his men arrived at noon on a Thursday. A few days before the National Broadcasting Company engaged the Relief, largest tug in New York Harbor, and on Tuesday evening Miller, accompanied by Wallington, the announcer, and three engineers, set out to sea to find Byrd. This is how Miller told me the story:

"At 4:20 o'clock on Wednesday morning, in the semidark, we sighted the City of New York in tow of the Eleanor Bolling. F. V. Becker, one of our laboratory engineers, was so excited he couldn't wait to set up his short-wave transmitter. He ran up to the bridge of the Relief and, with an ordinary hand flashlight, began to talk to the City of New York in flash code. Immediately, a blinker light at her topmast answered, inquiring who we were. Becker wore out two flashlights explaining what it was all about.

"Then we were asked to come alongside and the conversation was continued through megaphones. From our side, it was conducted by Wallington. Before he had had time to identify himself, the explorers recognized his voice, shouting, 'Hello, is that you, Jim Wallington?' Jim's was one of two voices from home the men had heard regularly during their two long years in 'Little America.' As announcer for station WGY, of the General Electric Co., Schen-ectady, N. Y., which every other Saturday night sent messages to the expedition, Jim had been a link between the explorers and their families and friends,

T was now almost six and beginning to get light. Admiral Byrd, through a megaphone, asked us to stand clear until full daylight, promising to talk to us by radio at eleven. He then invited us aboard. Wallington and I set out in a small launch in a rough sea. Neither of us felt so good. When we finally saw the Admiral, he told us he had a certain radio contract of which he feared our stunt might be a violation."

But the radio men are used to disappointments. N. B. C.'s twenty-four pound transmitter was designed especially for use by the late Henry J. ("Buddy") Bushmeyer, the parachute jumper and instructor (P.S.M., July '30, p. 23; Aug. '30, p. 66), who was to describe his sensations while jumping from a plane. In seven tests, everything went fine, but in the broadcast, poor "Buddy" became "mike-shy" and forgot to talk.

However, a few weeks previously, the pigmy transmitter had been given a successful trial in Floyd Gibbons' walking broadcast at Lakehurst. Miller and another N. B. C. official, carrying ten-foot bamboo poles between which the antenna was strung, followed Gibbons wherever he went, like fan bearers behind a sultan.

Endless tests and untold trouble are the price paid by radio engineers for the entertainment and information of the listeners, When, beginning September 13, the yacht races for the America's Cup are run off at Newport, R. I., the radio audience, it is planned, will hear Samuel Whetherill, experienced yachtsman and writer on the sport, give a description of the event from the crow's nest of a Navy cruiser.

As I write this-weeks ahead of the raceengineers are making elaborate tests to determine the best pick-up point for the broadcast!

DO YOUR OWN **PAINTING**

Save hundreds of dollars in painters' bills. Paint things yourself. These books will show you how to turn out fine looking jobs, even if you never handled a brush before!

The Mixing of Colors and Paints 14 illustrated chapters - - \$2.00 post-paid

275 pages with full directions for proper paints for interior decorating, house painting, arts and crafts, furniture and polychrome finishing.

House Painting Methods with the Brush and Spray Gun

18 chapters - - 141 pictures - - \$2,00 post-paid

382 pages with authentic, complete instructions for industrial painting on steel, iron, cement, brick and wood surfaces.

Modern Painters Cyclopedia Over 100 illustrations - - \$2.00 post-paid

480 pages covering every form and phase of house and industrial painting, with complete definitions and description of brushes and materials.

POPULAR SCIENCE PUBLISHING CO.

381-4th Ave.

New York City

MONEY SPARE AHEAD

Take Orders for Popular Science Friends Buy it on Sight!

You like the magazine and read it. Your friends will too! No salesmanship required; just get a sample copy by sending today for our free information on how to make big money in your spare time, and you will soon be taking order after order! Learn this new way of turning spare time into pleasantly earned dollars.

Learn How Easy It Is To Make Real Money In Spare Time!

MAIL COUPON TODAY

Popular Science Monthly 381 Fourth Ave., New York, N. Y.

Please send me full information free on how I can make big money in my spare time.

(Name)

10-30

(Address)

COLLEGE COURSES



AT HOME

Carry on your education. Develop power to ini-tiate and achieve. Earn credit toward a Bachelor degree or Teaching Certificate by correspond-ence. Select from 450 courses in 45 subjects, in-cluding English, Mathematics, History, Edu-cation, Psychology, Economics, the Languages, etc. Write for catalog.

The University of Chicago

551 ELLIS HALL

We teach you At Home by Mail to mount Birds, Antomals, Heads, Tan Furn and Make Rugs. Be a taxider-my artist. Essily, quickly learned by men, women and boys. Tremendously interesting and fascinating. Decorate home and den with beautiful art. Make Big Profits from Spare Time Selling Specimens and Mounting for Others.

Free Book—Beautiful book telling all about how state your AGE. Send Young. You will be delighted.

Northwestern School of Taxidermy OMAHA, NEB.





A SIMPLE yet astonishing little invention that millions of people have always needed now opens an utterly new profit field to agents. It's a new-type, inexpensive, "pneumatic" door closer. Needed for every screen door, all outside doors, bathroom door, etc. Ends slamming and banging. Banishes flies and mosquitoes. Saves fuel in winter. So simple that any boy who can handle a screw driver can attach it. Every home needs and can afford several. Stores, offices, factories also need and may buy dozens at a time. That's where agents make \$16, \$15, \$20, even more, on just one order! Rich unworked territories new open everywhere for full-time and spare-time workers who act promptly. Write today for introductory sample offer and details.

Class-A-Door Co., Dept. M-130, 1531 Washinston Ave., St. Leois, Me.

Close-A-Door Co., Dept. M-130, 1531 Washington Ave., St. Louis, Mo.



Learn Cartooning At Home-In Your Spare Time

The famous Picture Chart Method of teaching original drawing has opened the door of success for hundreds of beginners. Whether you think you have talent or not, send for sample chart to test your ability, and examples of the work of students earning from \$50 to \$300 per week. Please state your age.





ts Cause and Cure *

You can be quickly cured if you stammer. Send 10 cents, coin or stamps, for 288-page cloth bound book on Stammering and Stuttering. It tells how I cured myself after Stammering and Stuttering for 20 years.

myself after Stammering and Stuttering BENJAMIN N. BOGUE 11882 Seque Building, 1147 N. Illineis St. 11882 Begne Building,

AVIATION Information

Send us your name and address for full information regarding the Aviation and Airplane business. Find out about the many great opportunities now open and how we prepare you at home, during spare time, to qualify. Our new book "Opportunities in the Airplane Industry" also sent free if you answer at once.

AMERICAN SCHOOL OF AVIATION Dept. 1367 3601 Michigan Ave., CHICAGO

American Unknown to Fame First Man to Leave Earth on Wings

(Continued from page 21)

location was a hillock about three and a half miles from home, south of the valley of the Otay

"We arrived before dawn. Everything was in readiness for the trial flight as soon as the sun rose. However, the first glide was not made until a gentle breeze sprang up from the west. My brother placed himself in the glider. There was a rope attached to the forward part which I was directed to pull. Upon receiving the signal, I ran with the rope. The glider rose beautifully in the air. It passed over me and traveled something like 600 feet."

EVERAL other shorter flights were made Sthe same morning. They ended when James accidentally held the rope too long and the glider crashed on one wing and was damaged. Later, accompanied by Charles Burroughs, Montgomery made a number of 200- and 300-foot glides the same year. In his famous book, "Progress of Flying Machines," published in 1894, Octave Chanute reports Montgomery's success, as does Victor Lougheed, former Secretary of the National Aeronautic Association, in his "Vehicles of the Air." enough, many later histories of aviation give Montgomery scant space and some omit his name altogether.

The weight of this first glider was only thirty pounds and that of its rider 130. About this time Montgomery tried to build an engine, but his homemade castings were unsatisfactory. Once he tried to rig up a propeller he could turn by hand but he found that maintaining balance required all

his attention in the air.


Seeking a better method of keeping the machine flying level, he designed his second glider, a larger machine equipped with hinged ailerons at the rear of the main wing. This was in 1885, a quarter of a century before aileron-balanced planes became common. Wind tests showed it was more stable but it refused to fly. Montgomery had made the mistake of constructing the wings flat instead of curved.

In 1893, he visited the Chicago World's Fair to attend the Aeronautical Congress. Here he met Octave Chanute. This famous aerial pioneer at one time proposed that they experiment jointly at the Otay farm. His trip showed Montgomery how little the great scientists of the world really knew about the laws which govern human flight. He decided to begin at the beginning and for the next ten years experimented with models instead of large machines.

N 1903, he stretched a cable 150 feet above a valley at Santa Clara, where he had assumed the position of professor of physics at Santa Clara College. From the cable, he dropped models, some weighted with several pounds of rock, upside down and in all positions until he was sure he had perfected a design that was stable.

The following year, he completed a fullsize tandem monoplane. In the steep San Juan Mountains, a hundred miles from Santa Clara, he tested it with the help of three cowboy friends. The craft revealed remarkable powers of flight, but the tests came to an end when Montgomery put his foot in a squirrel hole in landing and sprained his ankle.

Few of his associates at the time took his experiments seriously. They frequently spoke of him as "a man who has turned great talents to little use because of an airship mania." Only (Continued on page 146)



sary...start any time of the year. Guaranteed unlimited employment service to graduates and to students wishing to earn expenses while learning.



NATIONAL ELECTRICAL SCHOOL Dept. 313ED 4006 Figueroa St. Los Angeles, California

showing how I can learn qu	inckly
Name	
AgrCity	State

KEEP STEP WITH RADIO PROGRESS!



Radio is one of the real marvels of this modern age. The demand is for technically trained men -men who keep pace with the unfolding revelations of this mighty and promising industry.

The International Correspondence Schools Course in Radio, prepared and constantly supplemented by outstanding authorities in the field, is specifically designed to meet the requirements of the radio industry for technically trained radio men.

Authorities responsible for the preparation of the I.C.S. Radio Course include: H. H. Beverage, Radio Corporation of America; George C. Crom, American Transformer Company; Keith Henney, author of "Principles of Radio": Malcom E. Gager, instructor at the Massachusetts Institute of Technology; E. V. Amy, consulting radio engineer, formerly with R.C. A.; H. F. Dart, authority on radio tubes; Julius C. Aceves, consulting radio engineer, formerly of Columbia University, and others.

The I.C.S. Radio Course is complete, from the foundational principles of radio to the most advanced stages. It also outlines the principles and possibilities of television.


Mark and mail the coupon. We will send you all details. This act may be the real beginning of your career in radio!

INTERNATIONAL CORRESPONDENCE SCHOOLS Box 7673-F, Scranton, Pa.

Without cost or obligation, please tell me all about the NEW RADIO COURSE

Name	and the state of t
Screet Address_	
City	State
If you reside in Correspondence	Canada, send this coupon to the International Schools Canadian, Ltd., Montreal, Canada

BE A PHOTOGRAPHER



Tremendous demand for trained Photographers. Fascinating, easy work—BIG PAY! Our Simplified Plan trains you for a well-paid position or to open a studio of your own. FREE booklet gives complete details—tells how you can quickly

qualify as:
() Motion Picture Cameraman, or () Projectionist,
() "Still" Photographer, or () Photo-Finisher.

Send for it Today-NOW:

New York Institute of Photography Dept. S-3433 10 West 33rd St., New York City

American Unknown to Fame First Man to Leave Earth on Wings

(Continued from page 145)

a handful of people then believed in the practicability of aerial travel. Montgomery resolved to silence his critics by a dramatic demonstration. He hired Daniel Maloney, a professional parachute jumper, to ride his craft several thousand feet into the air attached to a hot-air balloon and then cut loose.

On April 29, 1905, fifteen thousand people gathered at the little mission town of Santa Clara to witness the spectacular exhibition. The white-winged glider with red tips was christened the "Santa Clara" and was attached to the swaying, bulging, hot-air balloon. Maloney, "known to fame as Pro-fessor Lascelles," appeared wearing brilliant silk tights familiar to parachute jumpers at country fairs.

AT ELEVEN A.M." says a contemporary account, "the big balloon began to writhe and shift from side to side in an effort to leap into the air; it seemed anxious for the ascent. The aeronaut was in reality anxious as he took his place on the saddle of the aeroplane and waited. Photographers were busy at work; reporters were plying their questions; the neighboring housetops were filled with onlookers and those who had been admitted to the vineyard moved to and fro and made their comments in a fever of excitement.

" 'Goodbye, everybody!' "This farewell was shouted in a clear resonant voice by the aeronaut. For an instant he was seen darting glances about to see that the ropes were free and then, like a rocket, he left the ground.

"'Goodbye!' sounded from many throats.

"Up, up went the balloon until it became a speck in the azure depths. When, at a height of some 4,000 feet, the balloon and the aeroplane separated, the hearts of the spectators throbbed anxiously; but as the balloon keeled over and dropped earthward leaving the aeroplane on high, the shouts and cheers became deafening."

For more than twenty minutes, Maloney dipped and spiraled, sometimes diving at a speed estimated at sixty-eight miles an hour. He had been directed to return to his starting point. But, as he cut free from the balloon, he lost his direction and started to fly toward a distant city. In five or six minutes he detected his mistake and turned about. In coming down he passed through two clouds. Because he had lost much altitude on his flight and there was a forest of tall trees he did not want to cross, he decided to land at a point three-fourths of a mile from the place where the balloon ascended. He made a half-circle and came to earth so gently that, although he landed on his feet and had to support the forty-eight pound glider with his hands, he was not even jarred. This light machine had carried its 150-pound rider on a flight of eight miles.

THE next day, the newspapers of the Country were filled with the exploit. Over the San Francisco Bulletin's full page story, was the headline:

"WINGED MAN RIVALS BIRDS ON HIGH AND SWEEPS SKYWARD RIS-ING IN MARVELOUS AEROPLANE"


Another heading declared: "PAINTED BUTTERFLY SOARS, SOLVING PROBLEM OF SAILING HIGH IN THE AIR"

Octave Chanute wrote that the flight was "the most daring feat ever attempted" and Alexander (Continued on page 147)

NEW YORK Electrical - SCHOOL

Where you work with your hands at the time you are training your mind. This is the only way to learn Practical Electricity. You need no special education to enroll. Day and evening classes. Open all year. Write for catalog.

40 West 17th Street New York.







business now and a fur shop later. We teach you ascret precesses. Earnings start in 30 days. Uncrowded field for men and women FREE BOOK Send now for free book giving details. No obligation. NORTHWESTERN FUR COMPANY 3397 Sunderland Suilding, Omaha, Nebr.

IT'S EASY TO MAKE BIG SPARE TIME MONEY

Send for our free plan on how to make Send for our free plan on how to make \$5.00 to \$15.00 a week in your spare time by taking orders for Popular Science Monthly from your friends. No selling required. Turn extra hours into extra dollars.

MAIL IT NOW!

POPULAR SCIENCE MONTHLY

381 Fourth Ave., New York, N. Y. Please send me full information free on how I can make hig money in my spare time.

(Name)

10-30

(Address)

American Unknown to Fame First Man to Leave Earth on Wings

(Continued from page 146)

Graham Bell maintained that "all subsequent attempts in aviation must begin with the Montgomery machine." The exhibition had been an unqualified success. Montgomery's eighty-year-old mother had journeyed from Otay to see her son prove to doubters that his machine, which contained less than \$20 worth of materials, could navigate the air.

To the experimenter, the show was only a means to an end. He set out, the next year, on a "barnstorming" tour with balloons and gliders, giving exhibitions at country fairs to raise money enough to carry on his work. During the year he used five hot-air balloons and one gas bag, five or six gliders, and three riders. A training station was established to instruct the reckless parachute men in flying the machines. These daring jumpers knew little of the planes they rode, but they were ready to attempt anything.

NCE Maloney, for instance made a sharp turn at high speed, warping the wings suddenly, and the craft turned a complete side somersault-the first "barrel-roll" of history. Another rider, David Wilke, now residing at Tempe, Ariz., not to be outdone by Maloney, made two side-somersaults, one in either direction. Then he made a steep dive and a long glide and when 300 feet in the air, brought the machine to a sudden stop and settled to earth. After that, Montgomery adjusted the controls to permit only straight flying and gentle turns.

With the money made from the exhibitions, the pioneer was ready to proceed with his work when misfortune engulfed him again. He was planning a flight across the Santa Clara Valley from a point on Mount Hamilton, near the Lick Observatory, 4,000 feet above sea level, when the great earthquake of April 18, 1906, destroyed his workshop and his machines. It was not until 1911 that he was again in a position to resume his work, with sufficient backing to

build a powered machine.

On October 31, of that year, he took off on his last flight. He was testing a new glider at Evergreen, Calif. Fifty-four successful hops had been made. In a light breeze above a gentle slope, the craft sailed upward to a height of thirty feet when his assistants saw Montgomery's hands drop from the controls and his body fall limp. It is believed he was attacked by vertigo, to which he was subject.

The unpiloted machine crashed on one wing and Montgomery was hurled through the guy wires, landing on his head. For a time, he appeared to be only slightly injured and talked to his wife and helpers. Then he grew worse and passed away three hours after the accident, just as the doctor, who had been summoned, appeared over the brow of the hill.

NE of the favorite maxims of Montgomery's fellow-pioneer, Lilienthal, was: "To conceive a flying-machine is nothing; to build one is little; to fly is everything!" Montgomery, who made a thousand flights, was the first to attain this end. He was "The Father of Gliding."

The comparatively slight recognition given his work is one of the mysteries of aerial history. Possibly because he worked alone and wrote little, he has remained relatively unknown. Today, when wings are common, unstinting recognition should go

to this frontier experimenter who led in the

conquest of the air.

lhey dared Officer Kane to play

.. and his music held them spellbound

ETHEL'S party was at its height, when there came a knock at the door. Ethel opened it, There stood

"What's all the noise in here?" he thundered, "I ought to arrest you all.

"Oh, please don't," pleaded Ethel.
"Don't worry, lassie," laughed Kane, "You were hav-in' such a fine time I had to drop in." "Oh," sighed Ethel, relieved. "Won't you join us?"

Kane Joins the Party

"Playin' canned music? Can't anyone play this beau-tiful piano? Sure, I'd like to give you a tune," he re-marked as the victrola started.

"I dare you to," shouted Ted Strong.

"All right, I will," he said, and as he sat down everyne laughed. But the noise stopped as he started the
'Song of the Vagabonds."

"That's great—play another." all shouted as he fin-ished. Kane then played "On the Road to Mandalay," following it with the latest song hits. "Well." he laughed. "I'll have to be on my way now."

"Thank you," said Ethel, "You must be playing a

LEARN TO PLAY BY NOTE Mandolin Saxophone

Piano Organ Violin Banjo

Cello Ukulele Cornet Trombone

or any other instrument

"No, I haven't been playin' long at all." Then the questions started.

'How did you learn!

'When do you practice! Who was your teacher?

"I had no teacher: I couldn't take regular les-sons. But I saw a U. S. School of Music adver-tisement of a new way of learnin' to play. I sent for their Free Lesson. for their Free Lesson. When I saw how easy it was I wrote for the whole

"No tiresome scales or exercises. I played real pieces almost from the start."

Over half a million recople have learned this way. You can, too, even if you don't know a note. First it tells you how—then it shows you in pictures—then you play and hear it. You teach yourself—right at home.

Free Booklet and Demonstration Lesson

The U. S. School of Music has arranged a Demonstration Lesson and explanatory Booklet-both Free. They show how anyone can learn to play his favorite instrument in half the time at a fraction of the cost of old methods.

Act at once-mail the coupon today-no obligation. (Instrument supplied if de-sired, cash or credit.) U. S. School of Music, 810 Bruns-wick Bldg., New York City.

U. S. SCHOOL OF MUSIC 810 Brunswick Bldg., New York City

Send me your amazing free book, "Music Lessons in Your Own Home," with introduction by Dr. Frank Crane, also Free Demonstration Lesson, This does not put me under any obligation.

Address

Instrument



Every body arms and place these days but women hate the tedous task of squeezing, seeding and straining necessary with old-fashloned joilogers. When you show them kWIKWAY-this clever new machine that makes preparing orange juice a pleasure—and the price so amazingly low, they are simply wild about it. Fills a long standing need. Practically sells itself and pays a generous commission on every sale. Write at core for full description of KWIKWAY and amazing big money offers to agents.

KWIKWAY PRODUCTS, INC.

1415 Pine Street.


Dept. P-550

St. Louis, Mo.



You, too, learn at Lincoln, Come to the Lincoln School, Get thorough, practical training for a pilot's or mechanic's license, Approved by U. S. Dept. of Commerce as Transport, Limited Commercial and Private; both Ground and Flying School, Extraordinary Facilities... \$250,000 ground and mechanics school, Modern airport equipped for night flying and all weather runways. Fleet of modern training planes, Connected with airplane factory, Write for details today, stating plane factory. Write for details today, stating

LINCOLN AIRPLANE & FLYING SCHOOL 212 Aircraft Bldg. Lincoln, Nebr.





Lincoln got his education chiefly by home-study . . . So can YOU.

HIGH SCHOOL

Easy, fascinating Question and Answer Method. Used in 12,000 High Schools. Every subject covered. Amazing low cost. Certificate awarded. Write for FREE booklet.

HIGH SCHOOL HOME-STUDY BUREAU, Dept. 3397 31 Union Square



B.S. degree in 2 years in Aeronautical, Civil, Electrical, Mechanical, Chemical, Administrative Engineering, Students who left H. S. can make up work, Tuition low. Catalog.

▼ 5100 College Street

Angola, Indiana

Well-known manufacturer of metal hardware specialties and wood toys is looking for newly invented products of wide usefulness to make and sell. Will buy outright or on royalty basis. All correspondence strictly confidential. Write Box J-30, POPULAR SCIENCE MONTHLY

381 Fourth Avenue,

RAVEL FOR **UNCLE SAM** RAILWAY \$158 to \$225 Month



No Layoffs--Paid Vacations Steady See Your Country Many other Government Jobs open to men, boys, 18 up Common Education Usually Sufficient

Mail Coupon Before You Lose It


Franklin Institute, Dept. N-267, Rochester, N.Y.

Sirs: Rush to me without charge copy of 32-page book, describing U. S. Government Jobs, list of positions obtainable and full particulars telling how

to get them, Name.....

Address.

Go Into *ELECTRICITY*



Learn Electricity In

Get out of the rut! Say "good-bye" to \$20 or \$30 a week! Go into Electricity, where the Big Money is being made today—where salaries of \$50, \$60 and \$70 a week are just the average. Come to Coyne and learn Elec-

"Before going to Coyne, I worked on a farm for \$39 a month. Now I make \$85 a week as Manager of the XXX Service Station."

George S. Scaggs

"I worked for very little money before I went to Coyne, Now I average \$130 a week in the Elec-trical Contract-ing Business." Joseph F Hartley

"Before I entered Coyne I made
75 cents an hour.
Since then I have
been making \$300
a month, and am
now accepting a
new position at
\$3,000 a year."
Stanley
Zurawski

eph F. Hartley

tricity in 12 weeks time. Not by books or correspondence, but by actual work, on huge motors, dynamos, switchboards, airplane engines, etc.

In one department alone we generate enough electricity to supply a small city with power!

Learn to Earn \$200 to \$600 a Month

Thousands of fellows are earning \$200 to \$600 a month in Electricity. and they are no smarter than you. So why stay tied down to some disagreeable, monotonous job? Why work for whatever salary they want to pay you? YOU DON'T HAVE TO! You can learn Electricity just as quickly and easily as the rest of my students, and you can make just as much money as they are making.

No Experience Necessary

You need no advanced education, be-cause I don't teach you out of books. Nor do you need any previous electric-al experience. You learn by doing real electrical work on real electrical ma-chinery, so that you get all the experi-ence you will need right here at Coyne.

Free Employment Service -Earn as You Learn

Just recently one concern called on me for 150 Coyne graduates. And calls for more men are coming in almost daily. My expert Employment Department will help you and back you up as long as you live—without one cent of cost to you. And if you want part-time work to help pay your expenses while here at school, I'll help you get that, too.

Special Aviation Offer

Get all the facts! Find out how easily and quickly you can land a Big Pay Electrical Job. Get my special Aviation offer — my Scholarship plan — my railroad fare offer, etc. Just mail the coupon. My Big Free Book will give you all the facts!

SCHOOL Chicago, Ill.

and the same of th	DIA	IN	~MA	IL TO	DAY
--	-----	----	-----	-------	-----

I	H. C. LEWIS, President COYNE ELECTRICAL SCHOOL 500 S. Paulina St., Dept. 70-73, Chicago, III. Gentlemen: Please send me free your big 12 x 15 Book, with 151 illustrations and your special offer of Two Free Courses.
I	Name

(Continued from page 67)

BUILD IN HASTE, REPENT AT LEISURE

it until now because, to me, it is the least important part of a residence, although to many persons it ranks first. To me, this part of the house is simply a place to wash clothes, dry them, and for containing a boiler and fuel room. As long as these items are convenient, sanitary, and modern, I can see little difference in the ultimate results obtained, regardless of where the various units are placed.

In the average house, one fourth of the construction cost is represented by the basement. The laundry and heating plant, about the only departments that the basement usually contains, can be placed just as well on the first-floor level, and often to advantage from the standpoint of cost and convenience. A basement, however, sometimes possesses the advantage of requiring less ground area.

AS TO the construction details of my residence, I have followed the most practical and yet economical that I know of. The foundation is hollow tile and brick. The walls above grade are brick veneered on gypsum plaster board and frame. Windows on the lower floor are surrounded by stonework. Metal sash are used throughout the house. The windows are glazed both with plate and health glass. Each window has a roll screen which, of course, need never be removed.

The roof of the house is somewhat unusual. It is covered with copper shingles. That is, each shingle is made of copper. Such a roof need give the house owner no concern for years. Of course, the covering could have been tile, slate, asphalt shingles, or any other good material. The fact that the roof is practically unbroken makes its cost relatively small.

The chimney, in the center of the main portion, measures eighteen by eighteen inches on the inside. I do not believe in using flues smaller than this. If the more common twelve-by-twelve-inch chimney provides a good draft, it is more a matter of luck than design. With the larger size, however, there always is ample draft. Downstairs, in the living room, a wood- or coal-burning fireplace is built into the wall adjacent to the chimney.

*LOORS are double construction, and even though carpeted, are finished in quartersawed oak. This is done in event the floor surface ever is exposed to view; and it is also a more durable construction than the less expensive floors.

Interior walls are all plastered on gypsum plaster board, so as to be free from cracks. Cement plaster is used, and the walls downstairs are given a textured surface, painted and glazed to obtain the desired effect and to make them easy to clean. Upstairs rooms are papered.

Woodwork is waxed walnut, except on the second floor where I have used yellow poplar and enameled it.

This house, which can be called a large residence on a moderate scale, is extremely easy to live in. It can be kept clean without much effort. Such features as the floor tile at the entrance, the easily-cleaned walls, and the simplicity of interior details makes this possible. Furthermore, the building as a whole is more economical than usual with a home of this size, because of the design and construction. The roof will need practically no attention for years to come. The total area that needs periodic painting is almost negligible.

Perhaps a few words about the dining room, or rather dining rooms in general, will not be out of place here. Usually this room is one of the most costly in a house, and at the same time is the least used. My dining room is used less than an hour a day. The breakfast nook takes care of most eating requirements. People still put dining rooms into their homes because it has been done for so many years but the dining room habit may be broken in time, when the waste of good space is fully realized.

If YOU are going to build, study the prob-lem carefully and decide whether you really need to make a large investment in a room you will use so little. One way of solving the puzzle is to have a combined living and dining room. That is, a room normally used as a living room, but one that can be converted into a dining hall when occasion demands. This is an arrangement that can be met easily when the original plans of the house are made.

The house I have described is so situated that the drive to the garage approaches from the rear. The plan can be employed as well on a lot that makes necessary a front or side approach, if space is available at the rear for turning the car into the garage. Not much room is needed for this purpose with the average size car.

To assure freedom from low water pressure, clogged pipes, and discolored water, brass piping was used throughout the house. Although more expensive than iron, from the viewpoint of first cost, brass is the more economical over a period of years because of the freedom from repairs. Hot water is provided by an instantaneous heater, gasfired. Wherever the water and waste pipes are concealed between wall surfaces, doors are provided so that access can be had easily in event any changes or repair work is to be carried out as is shown in the picture of my library.

HE heating system is of the steam-vapor I type, with a low-pressure boiler in the basement. Radiators are concealed, which adds to the appearance and at the same time conserves valuable space.

Thermal efficiency is obtained by thorough insulation of walls and roof. The material used for this purpose is cane fiber-board. Side walls are double-insulated, a layer of insulation being applied between the brick veneer and the frame, and another layer between the gypsum plaster board base and the frame. The gypsum board itself has an insulating effect, but is not as efficient as the fiber board which is applied beneath the gypsum on the third-floor ceiling, and beneath the roof thus affording adequate insulation at the most vulnerable points.

The three-wire system of electric wiring, now standard in Ohio, is used throughout. All wires are contained in flexible, armored conduit.

I estimate the average cost of the house at around \$15,000. Of course, this will vary somewhat with locality, but it ought not be much greater, because building costs in Akron are as high as anywhere. It cost me forty-two cents per cubic foot, making the total somewhat more than \$15,000. But since it was built, material and labor costs have dropped so that, today, the per cubic foot rate in Akron could be as low as thirty-two cents, making the total cost approximately \$13,500. This low rate is regarded as temporary, and undoubtedly will increase after a time. With the employment of cheaper parts and materials the cost of the house, of course, could be reduced appreciably-probably as much as ten cents a cubic foot.

WE HAVE FOUND A WAY TO END MISSISSIPPI FLOODS

(Continued from page 47)

see what had happened. There had been a large hole thirty feet below the top of the levee. Nineteen times out of twenty, the levee would have toppled. This time, instead, it plugged its own leak by falling into the hole.

One popular fallacy is that when a levee breaks, a solid wall of water, many feet high, rushes across country at express-train speed and overwhelms people in their homes. Actually, as water surges through a levee break, it spreads fanwise. Immediately it slows down and by the time it has gone fifty miles it is advancing at only a mile an hour. There is plenty of time to warn inhabitants in the inundated area. The only reason some are drowned is because they refuse to believe their homes will be flooded.

SOMETIMES levees fail because rising waters undermine the foundation and cause the levee to cave into the rivereven before they reach the top of the levee. That is the reason why the levee must not be too near the bank. When we need earth to build up a levee, we must be careful not to dig for it right in front of the levee site. In that case, when the river rose, the levee foundation might be attacked, causing the levee to fail.

Levee building is expensive now because of the long haul we have to make for earth, The men who built the smaller levees did not have to go so far for material because they needed less, and therefore could take it from nearer the levee without endangering its front,

To move dirt 300 feet or more to the levee requires tremendous equipment. Big "drag line" machines, which look something like steam shovels but swing their buckets on cables instead of solid arms, do the work. The largest of them pick up six to eight cubic yards at once. So long are their booms that they can fill a bucket with earth and deposit it 320 feet away. Important new auxiliaries to these machines are caterpillar tractors that wallow through seemingly impassible spots with five, ten, or even fifteen cubic yards of soil. Little drag-line machines with about thirty-five-foot booms load them, one cubic yard at a scoop.

The season for this work starts in mid-July and ends about the middle of December. High water and rains stop the work. But the hydraulic method can be used all the year around. This has been done successfuily along the lower part of the river.

FOR this method, walls are built at the front and back of the levee site, and a mixture of water and earth is pumped through a pipe from the river side into the inclosure. The earth settles, and a fill is built up until it tops the walls. Then new walls are built higher, and the process repeated until the levee is as high as desired. An alternative way is to place the original retaining walls at a greater width than the levee, and then, after filling, to scoop up the dirt from the sides with machinery and place it on top.

Once the levee is built by either "dry" or "wet" methods, it is not going to stay there unless we protect it from the elements and from the river. As heavy rains would cut it to pieces, we "sod" it by planting Bermuda grass. This takes root everywhere and grows rapidly. It binds the soil together and prevents erosion.

Another enemy of the levees is the river itself, which slashes away at its banks. The heavy cutting comes at the sharp bends. It is not exceptional, (Continued on page 150)



own money.

Prizes galore-and money for a bank account. That's what Crowell Junior Salesmen get. They are a group of peppy, ambitious boys who deliver three of the best known magazines to regular This pleasant work takes only customers, a part of their spare time and in return they get prizes and cash commissions. This opportunity is open to you. Mail the coupon now.

Mr. Jim The Crow Springfield	Thayer, Dept. 163, rell Publishing Company, J. Ohio,	
Dear Jin Please sta	n: I want to earn money and rt me off as a salesman.	prizes.
My Name	B	
Address .		Contract Contract
City	State	orbrethmen.

you can get without spending a cent of

how Crowell Junior Salesmen earn money and

Mail the coupon today and learn

LEARN AT

To Make Crowns, Plates, Bridgework, etc. FOR DENTISTS

Non, easy practical way to learn mechanical dentistry at home in spare time. Full entirement of tools and materials included with course at no extra cost.

Low tuition, Easy terms. Write for FREE BOOK

that describes this money making profession and de-tails of our easy-to-learn our easy-to-learn home study course and special offer, Write today,

McCarrie School of Mechanical Dentistry Dept. E-399

ENGINEERING

intensive, Practical, Technical Courses. Degree in I years, Diploma in I year, Special short courses 4 weeks to 4 months in Electricity, Parlie, Power Plant, Electric Refrigeration, Armature Winning, Wiring, Teeting, Drarting, Weiding, Low Tuttern, Expert Instructors, Extensively equipped laboratories, Proc life-time employment service for graduates. Part-time work while attending, Write for new free Eliestrated catalog giving all facts. 28th year-

FINLAY ENGINEERING COLLEGE



ZIP-ZIP SHOOTER

THOUSANDS of boys are made happy with this wonderful Zip-Zip shooter, scientifically and practically made. If you like housing and outdoor sports, set a Zip-Zip shooter with plenty of pep and force. If your dealer happens not to have them, order from us. Zip-Zip shooter Soc or three for \$1.00; send stamps, coin or money order.

AUTOMATIC RUBBER CO. Columbia, S. C.



BE A RAILWAY TRAFFIC INSPECTOR



Active men—19 to 55—needed at once in Railways and Bus Traffic Inspection. This steady, profitable work pays up to \$250 per month plus expenses. Interesting outdoor work, Travel or remain near home. We'll train you for this uncrowded profession and on completion of

profession and on completion of a few months' spare time home instruction, mmediately place you in a position paying from \$120 up or refund your tuition. Our free booklet tells what Traffic Inspection can do for you. Send for it today. Don't delay. Write Standard Business Training Institute.

Buffalo, N. Y. Division 3

Executive Accountants and C. P. A.'s earn \$3,000 to \$10,000 a year Thousands of firms need them. Only \$,000 Certified Public Account ants in the United States. We train you thoroly at home in apare time for C. F. A. examinations or executive accounting positions. Previous experience unnecessary. Training under the personal supervision of William B. Castenbels. A. M., C. F. A., and a large staff of C. F. A. a. including members of the American Institute of Accountants Write for free book. "Accountancy, the Profession that Pare." LaSalle Extension University, Dept. 1083-H Chicago The World's Largest Business Training Institution

Save over

16-Rock Rettom

Price on all standard office

medels—Underwood, Remington, Roral, etc.—Easiest terms ever offered. Also Portables at reduced prices. SEND NO MONEY

All the reades completely refinished like brand new, Fully Gegravited, Sent en 16 caps' trial, Send No Money, Big Free Catalog shows actu-al markines in full colors, Grentent bar-gains ever offered. Send at ence!

International Typewriter Exch., Dept 1035, Chicago

Making and Selling Your Own Products-Formulas, Processes, Trade-Secrets, All lines. Automobile Specialties, Cleaning, Polishing Compounds. Food Products. Toilet Preparations, etc. Expert Analytical Service. Catalog, circulars free.

C. THAXLY CO. Washington, D. C.

Want Some Money? Here's a wonderful way to get it

Our beautifully illustrated book tells how. It tells all about our new methods of art decoration, art treatment and about our new methods of art decoration, art treatment and how anybody can learn without previous training or experience. It contains page after page of handsome color illustrations of what you can make and sell. You can make good FREE as All supplies are sent by us with the instructions and many have made Oursystemisamazingly easy tolearn soft the profits are larger than in almost any other business. You can move the profits are larger than in almost any other business. You can move the profits are larger than in almost any other business. You can move the profits are larger than in almost from the beginning. You don't for their own amusement.—Either way, pleasure or profit, it sthe most delightful home work you can ima-gine. Write Now fer your copy of this valuable book; its FREE.

almost from the beginning. You don't have to know how to draw or have any experience. Begin making money now.





get married until

"We can't get married until I earn more money." Thousands of young men are saying that today. Thousands of girls are giving that as the reason the marriage date is being put off and off. Sometimes it gets a little embarrassing, too, to have to keep on giving that excuse. For no girl likes to admit that the man she is going to marry is a failure!

It takes money to support a home these days. And you're right in waiting. But don't wait too long. The years of youth are precious years. They will never return. Thousands of men have happy, prosperous homes because they had the foresight to prepare themselves for advancement through the home-study courses of the International Correspondence Schools. Hundreds of them report salary increases of \$10, \$15 and \$25 a week. Many are earning \$75, \$100 and \$150 a week. Some have doubled and \$15,000 a year. Others have become owners of businesses of their own.

of their own.

If the L. C. S. can help other men to raise their salaries, it can help you. At least find out how. It won't obligate you to ask for our Free Booklets, but that one simple set may change your entire life. Do it now. Do it for HER!

Mail the Coupon for Free Booklet

INTERNATIONAL CORRESPONDENCE SCHOOLS "The University" Box 7674-F, Scranton, Penna.

Without cost or obligation, please send me a copy of your booklet, "Who Wins and Why," and full particulars about the subject before which I have marked X:

TECHNICAL AND INDUSTRIAL COURSES Bridge Engineer Automobile Work Plumbing Steam Fitting Heating Ventilation Sanitary Engineer Steam Engineer Marine Engineer

Architect
Architectural Draftsman
Bulkling Estimating
Wood Millworking
Concrete Builder
Contractor and Builder
Structural Draftsman
Structural Engineer
Electrical Regineer
Electrical Regineer
Electric Lighting
Welding, Electric and Gas
Telegraph Engineer
Telephone Work
Mechanical Engineer
Mechanical Draftsman
Patternmaker | Machinist
Reading Shop Blueprints
Civil Engineer
Highway Engineering
Surveying and Mapping
Gas Engineer Civit Engineer
Highway Engineering
Surveying and Mapping
Gas Engines Toolmaker
Diesel Engines Aviation Engines

Architect

| Marine Engineer |
| Refrigeration |
| R. R. Locomotives |
| Air Brakes |
| Train Operation |
| R. R. Section Foreman |
| R. R. Section Foreman |
| R. R. Bridge and Building |
| Foreman |
| Chemistry |
| Chemist Chemistry | Pharmacy | Coal Mining Engineer | Navigation Agriculture Textile Overseer or Fupt.
Cotton Manufacturing
Woolen Manufacturing
Fruit Growing Radio
Poultry Farming BUSINESS TRAINING COURSES

Steam Engineer Marine Engineer

Business Management Industrial Management Personnel Management Traffic Management Traffic Manage

Accountancy

Cost Accountant

C. P. Accountant

Secretarial Work

Spanish | French

Salesmanship

Advertising

| Business Correspondence | Lettering Show Cards | Stenography and Typing | Complete Commercial | English | Signs | Civil Service | Railway Mail Clerk | Mail Carrier | Grade School Subjects | High School Subjects | High School Subjects | Lumber Dealer |

Street Address.....

Occupation

If you reside in Canada, send this compon to the International Correspondence Schools Canadian, Limited, Montreal, Canada

tvery (oo (oo)

A "knock-out" instant selling hit! The Coo-Coo Auto Horn (Patented) sells itself at S4. Costs you \$2.25. Going like wildfire in Hollywood and Los Angeles. One dealer sold 3.000 in short time. Some agents making as high as \$25 an hour. I horn sells 5 others. No house to house selling—just stand around garages and service stations—coo-coo and clean un. Installed by anyone in 3 minutes. Not an exhaust or motor horn. Certain in action—never fails to create a musical note that cleverly sings "Hello."

Send \$2.25 for sample horn or write for further information

PACIFIC COAST PRODUCTS CO., Ltd.,

Dept. 130. 1616 Cahuenga Blvd., Hollywood, Calif.

A WAY TO END MISSISSIPPI FLOODS

(Continued from page 140)

but average cutting, for the river to eat into the outside curve of a bend at the rate of from fifty to eighty feet yearly! The land does not disappear, for exactly the same amount is added to the opposite bank; in other words, the squirming river is changing its course. We must prevent that, for it would soon undermine and cave in the levees.

That is what "revetments" are for. Revetments are flexible mattresses, of brush or concrete, laid under water to shield the soft banks against the current's action. They extend from the river bottom up the bank to low water level. They must be flexible, to take the shape of the uneven river bank.

Imagine a carpet woven of willow brush, two or three hundred feet wide and nearly a quarter of a mile long. That is a typical brush mat used for revetment. A floating factory on a barge moves slowly down the river, weaving and laying the mat as it goes. Stones, in cribs of the mattress, weigh it down to sink it to the bottom.

RECENTLY, an innovation has been per-fected and used with success—flexible mats made of reënforced concrete blocks, used for revetments instead of the willow mats. Two sizes of concrete blocks are being used-the smaller size one by three feet and the larger five by eight feet. The blocks are fastened together by wire to make the mattress, which unlike the willow type is laid from the bank out toward the center of the channel.

For further protection, the river bank where the revetment is placed is paved with concrete from the low water level, where the revetment ends, to the top of the bank.

The fact that the Mississippi is one of the kinkiest of rivers, and caves badly at every bend, does not improve the situation. Because of the expense of revetments, I have been asked why we have not cut a channel straight through and entirely remove the bends. Personally, I should like to cut one. But the problem is not as simple as that. The river drops many feet in its long, twisting course around those bends. If we were to cut a channel straight through, we would give the river a much steeper grade and a swifter current. Below the cut-off it probably would attack the bank and rip it away-and then there is no telling where the river would go.

Levees and revetments will keep the river in one place-until a high flood comes along. To provide for that high flood, our plan includes floodways.

NATURAL basins parallel the main river for most of its length. These are the areas which the river, without levees, would periodically overflow. By using levees here and taking advantage of natural walls there, we can wall off an area through the basins which Nature has provided and make a floodway or emergency path for the flood waters.

Thus the thirty-mile New Madrid Floodway will divert water from the main river just below Cairo, Ill., when it reaches dangerous heights. The floodway parallels the river and returns the water to it at New Madrid, Mo.

Another projected artificial channel, the 220-mile Boeuf Floodway, begins at Arkansas City and extends southward to the mouth of the Red River. It runs parallel to the main river, through a basin that was formerly overflowed by every moderate flood. In our plan, the Boeuf Floodway should not have to carry flood water oftener than once in about twelve, years.

Really a continuation of this channel is

the Atchafalaya Floodway of which the Atchafalaya River, natural outlet of Red River, will be a part. This floodway, 120 miles long, empties through the Atchafalaya River directly into the Gulf without returning any of the flood water to the Mississippi. Its levees, fifteen miles apart from one side of the floodway to the other, will confine waters that now for the last eighty miles of the Atchafalaya River have free flow over the entire natural basin thirty to fifty miles wide. When completed, the floodway itself will be used to carry flood water only once in about fourteen years.

Water is diverted at flood times into these floodways by a method unusual in this country but used extensively on the Po River in Italy. At the head of each of the three is what is termed a "Fuse-plug levee," from three to five feet lower than the rest of the levee system. The heights are so chosen that at times of extraordinary floods these levees will be overtopped by water, break, and let the water through into the floodway. Ordinary floods will be carried in the main channel.

Third and last of the key projects in our system of Mississippi flood control is the great controlled floodway at Bonnet Carré, La., which will protect the city of New Orleans, twenty-eight miles downstream. Here a six-mile floodway is being built from the Mississippi to near-by Lake Pontchartrain, which empties into the Guli. At the Mississippi end is a movable dam a mile and a half long-the width of this end of the floodway.

WHEN flood water threatened New Or-leans in 1927, it was necessary to dynamite the levee below the city, thus flooding the surrounding country, so save the metropolis. But by the flood season of 1931-1932, by which time we hope to have the Bonnet Carré Floodway ready, we will be able to demonstrate a new way of controlling the flood. Traveling cranes will lift from their places as many as necessary of the wooden "needles" that make up the face of this dam. Through the openings, water from the Mississippi will race along the floodway and pass harmlessly into Lake Pontchartrain. The level of the river will drop, and New Orleans will be safe.

One favorite cure-all flood method for this river is reforestation. That is, planting the upper sections of the Mississippi Valley with trees in the belief that they they will reduce the flow of flood water. I might point out that as long ago as 1844, long before there had been any appreciable deforestation of the Mississippi Valley, the river had a flood which by the St. Louis gage has never been equalled. I am convinced that you might as well try to stop winds blowing from the Gulf of Mexico as try to stop floods by reforestation.

Now that we are sure we are right, we are pushing the work through. A large part of the levee-building is already finished, two years from the start of the ten-year program. The New Madrid and the Bonnet Carré Floodways are well under way.

A definite order governs all our activities. First attention goes to the areas bordering the river that are now in critical danger. These points, which include work at Cairo, on the New Madrid Floodway, on the south bank of the Arkansas River, at the upper end of the Yazoo basin, at the Bayou des Glaises Loop, and at the Bonnet Carré Floodway should be completed within three or four years from the date of the flood control plan's adoption.





Railway Postal Clerk \$1900 to \$2700 a Year

Electrical Training for men of ambition and limited time. Comcise, comprehensive rourse in Theoretical and Practical Electrical including Mathematics and Mechanical Drawing. Students construct motors, install wiring, test electrical machinery. A thorough course designed to be completed in one college year.

THIRTY-SEVEN YEARS of successful experience assures you maximum training in minimum time.

Send for free catalog

BLISS

ELECTRICAL SCHOOL





Write NOW for Free Catalogue.
PARAMOUNT MANUFACTURING CO.
Dept. A-52, Boston, Mass.



AGENTS 500% PROFIT GENUINE GOLD LEAF LETTERS

Guaranteed to never tarnish. Anyone can put them on stores or office windows. Enormous demand, large profits, Paul Clark says: smallest day \$28.70. R. L. Reel made \$920 in two months. Write today for free. sample and liberal offer to general agents. METALLIC LETTER CO., 433A N. Clark Street, Chicago.

A DE LETTER CO., 433A N. Clark Street, Chicago

AMAZING			TION!
Dr.	iler, Make hi plying JIF mechan el	rew-Holding a sensational g money sup- FY-THTE to cs-factories, ectricians, carpenters.	PAYS BIG MONEY TO AGENTS

GREASE AND STAY CLEAN, SAYS GUS

(Continued from page 74)

slow out of a petcock that the service stations don't like 'em. Then there's always the chance that an extra big rock will fly up from the road and knock it off."

"Not much chance of that the way roads are today," Madison scoffed. "I'll take a chance on that, and the time it takes the oil to run out makes no difference to me. Will it be much of a job to fit one?"

"Takes only a couple of minutes," said Gus. "I just run a regular pipe tap into the hole. It cuts out the old threads and makes a new thread that will take a regular petcock. Then I screw in a good bronze petcock that has a spring to keep it tight. Of course you want one that is in the off position when the lever is straight down so it won't jar open."

"How do you figure out what size pipe tap to use?" Madison inquired interestedly.

"THAT'S easy," Gus replied. "Use the biggest pipe tap that will fit in the hole in the oil pan that is just right for the regular quarter-inch pipe tap."

regular quarter-inch pipe tap."

"All right, go to it!" Madison ordered as
Gus shot lubricant into the last fitting.

"By the way," he added, "how can you tell whether grease or transmission oil is better to lubricate the chassis bearings?"

"There isn't much choice," Gus replied. "I kind of favor heavy transmission oil in place of ordinary cup grease. Grease, you know, is just oil with something added to make it solid. If the bearing is built so that a bit of flow is needed to get real lubrication, grease doesn't do much good till the friction has made the bearing hot enough to melt the grease. Of course grease stays in better and if the job isn't done often enough, you make out better with grease."

"But if you lubricate often enough so there's no chance of the bearing running dry, you'd recommend transmission oil?" Madison suggested.

"That's my idea of it," Gus replied. "These automatic lubricating outfits that are fitted to some makes of cars all use oil and not very heavy oil at that. But of course it's so easy to push the plunger or step on the pedal of the automatic outfits that you can do it every hundred miles or so."

"THE next car I get is going to have automatic chassis lubrication," Madison stated. "Then I won't have to monkey with a grease gun at all."

Gus smiled. "Sure you will," he said. "None of the automatic systems shoot the oil to every bearing. You have to lubricate some of the important bearings on the steering gear by hand anyhow. Of course the automatic outfits do save a lot of time and they're fine if you don't forget the hand-lubricated bearings."

A short time later Madison was spinning down the road under a bright and cheerful sun.

"I kind of wish I lived in that town," Madison murmured to himself. "Never mind, old bus," he added, patting the steering wheel affectionately, "you won't be bothered with any more dry bearings. I'll see to that myself!"

NEXT month—Gus and Joe solve a queer auto lighting problem they show you how to get best results from your head lights and to make the stop lights more effective.



If You Want a Job

or a Hobby



Where You can be Your Own Boss



and Keep Your Own Hours

that Pays

Well




learn Illustrating

SEND for our free catalog, "A Road To Bigger Things." Learn how former Federal School graduates now earn good money. See the work and comments of fifty famous artists who contribute to the Federal Course in Illustrating.

Opportunities in drawing have never been better. The Federal Course includes illustrating, cartooning, lettering, window card illustrating, etc.

If you like to draw, train your talent. You may have art talent and not realize it. We enclose a test chart with our catalog. It tests your ability Free. Fill out the coupon now.



Federal School of Illustrating, 10140 Federal Schools Building, Minneapolis, Minnesota.

Name	Age
Occupation	
Address	

You can see Ethyl "knock out that 'knock'"



THIS "knock" demonstration machine, which is shown at state and county fairs and other public gatherings throughout the country, enables you to see Ethyl "knock out that 'knock'."


This is made possible by the Midgley Bouncing Pin a device attached to the demonstration engine which causes a group of lamps on the instrument board to flash every time the "knock" occurs. A wattmeter registers the power being developed and a tachometer shows the R. P. M.s (revolutions per minute) at which the engine is turning over.

In these demonstrations, the engine is run first on ordinary fuel. It "knocks," the lamps flash, you note the position of the needles of the wattmeter and tachometer. Then the valve controlling the fuel is turned and Ethyl replaces the ordinary fuel. The "knock" becomes fainter and dies, the flashes become dimmer and disappear, the engine runs smoothly, quietly. At the same time you see that added power is being developed and the R. P. M.s are increasing in proportion.

In terms of your own car this means improved performance through greater power and flexibility, quicker pick-up, less vibration, easier handling and slower depreciation.

Ethyl Gasoline is good gasoline to which leading oil companies are adding Ethyl fluid, the anti-knock compound developed by automotive research to improve motor car performance. Try Ethyl in your car. You will see and feel the difference. It is on sale everywhere at pumps bearing the Ethyl emblem shown below.





Wherever you drive—whatever the oil company's name or brand associated with it—any pump bearing the Ethyl emblem represents quality gasoline of high anti-knock rating.

The active ingredient used in Ethyl fluid is lead.


ETHYL GASOLINE CORPORATION, CHRYSLER BUILDING, NEW YORK CITY

© E. G. C. 1930

ETHYL GASOLINE

NO. 4 OF A SERIES-

THIS series of advertisements is designed to acquaint business men with Grinnell Company as it really is. Automatic Sprinkler protection for which it first won international fame and leadership is not the entire business of the Company. Its equally high reputation for many other industrial piping specialties and commodities has been built on super-standards of manufacture and on original conceptions which are well known to engineers and architects. Businessmen, too, need to know the real quality in these products.



Special machine for making extra heavy lap joints.

SUPER POWER PIPING

for instance

ANY large manufacturers are finding that the high steam pressures and temperatures of the super power era have made it possible for them to modernize their power plants at huge savings to themselves.

A packing company saves \$50,000 a year, for instance. One paper mill will save \$220,000 a year. Another \$110,000 annually. These savings represent from 25% to 35% on the total cost of modernization.

The transition from low pressure steam to super power has placed a new responsibility on Grinnell Company, one of the country's greatest fabricators of power piping. Processes were evolved, machines were developed, plants were built, men trained, all to fabricate piping to control the increasing power load with new standards of dependability. And, as interpreters of engineering plans for fifty years, we naturally built products with low installation and maintenance costs in mind.

Grinnell lap joints, bends, and welded headers, all bear the stamp of Triple XXX.

Our engineers will advise you on power modernization, without obligation.

The ORGANIZING HAND

prepares for your needs



Thermolier the copper unit heater. A better and cheaper means of heating many types of industrial and commercial buildings.

Thermoflex Radiator Traps with the famous Hydron bellows, insuring perfect operation of your steam radiators.

Pipe Fabrication. Pipe bends, welded headers and the Triple XXX line for super power work.

Pipe Fittings perfectly threaded, accurately machined and rigidly inspected.

Pipe Hangers featuring easy adjustability after the piping is up.

Humidification Equipment. Complete systems employing the unique automatic control, Amco.

Automatic Sprinkler Systems with the famous Quartz bulb head. The world's largest sprinkler manufacturer and contractor.





COMPANY

Branches in all Principal Cities

Executive Offices: Providence, R. I.



PONIES marvelously trained, fast, sure-footed; daring riders, skilful play-what group of sport lovers can resist the combination?

Tobaccos patiently aged, exactly blended, rich, mild-what Chesterfield smoker has failed to note the difference? What else but such mildness coupled with unfailing good taste can account for such popularity?

Without one hint of harshness or "heaviness," Chesterfield offers you taste in full measure-

better taste and mildness too!

esterfield SUCH POPULARITY MUST BE DESERVED